WALLS AND INTERIOR PARTITIONS, WOOD-FRAMED

GA FILE NO. WP 3820	GENERIC	2 HOUR FIRE	55 to 59 STC SOUND

GYPSUM WALLBOARD, WOOD STUDS

Base layer 5/8" type X gypsum wallboard or gypsum veneer base applied at right angles to each side of double row of 2 x 4 wood studs 16" o.c. on separate plates 1" apart with 6d coated nails, 1 7/8" long, 0.095" shank, 1/4" heads, 24" o.c. **Face** layer 5/8" type X gypsum wallboard or gypsum veneer base applied at right angles to each side with 8d coated nails, 2 3/8" long, 0.100" shank, 1/4" heads, 8" o.c.

Joints staggered 16" each layer and side. Sound tested with 3 1/2" glass fiber insulation supported by studs in stud spaces on one side and with nails for base layer spaced 6" o.c. Horizontal bracing required at mid-height. **(LOAD-BEARING)**

Thickness: 10 3/4"
Approx. Weight: 13 psf
Fire Test: Sun WP 4135
(FM WP 360, 8-27-74)
Sound Test: NGC 3055, 4-7-76

Design No. U305

December 03, 2015

Gearing Wall Rating — 1 Hr

Finish Rating — See Items 3, 3A, 3D, 3E, 3F, 3G, 3H, 32 and 3L.

STC Rating – 58 (See Item 5)

This design was evaluated using a load design method other than the Limit States Design Method (e.g., Working Stress Design Method). For jurisdictions employing the Limit States Design Method, such as Canada, a load restriction factor shall be used — See Guide [BXUV or XYSV7.](#)

*** Indicates such products shall bear the UL or cUL Certification Mark for jurisdictions employing the UL or cUL Certification (such as Canada), respectively.**



1. **Wood Studs** — Nom 2 by 4 in. spaced 16 in. OC max, effectively 3-sided.

2. **Joints and Nail Heads** — Joints covered with joint compound and paper tape. Joint compound and paper tape may be omitted when square edge boards are used. As an alternate, nom 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Gypsolite® veneer baseboard with the joints reinforced with paper tape. Nailheads exposed or covered with joint compound.

1. **Gypsum Board*** — 5/8 in. thick paper or vinyl surfaced, with beveled, square, or tapered edges, applied either horizontally or vertically. Gypsum panels nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads. When used in widths other than 48 in., gypsum panels are to be installed horizontally. For an alternate method or attachment of gypsum panels, refer to Items 6 through 8E. **Steel Framing Members*.**

When Items 6, 6A, 6C, 6D, or 6E, **Steel Framing Members***, are used, gypsum panels attached to furring channels with 1 in. long Type S bugle-head steel screws spaced 12 in. OC.

When Item 6A, **Steel Framing Members***, is used, two layers of gypsum panels attached to furring channels. Base layer attached to furring channels with 1 in. long Type S bugle-head steel screws spaced 12 in. OC. Face layer attached to furring channels with 1-5/8 in. long Type S bugle-head steel screws spaced 12 in. OC. Joints of base layer staggered with joints of face layer. Where there is a wave, liner, or other space between the gypsum board and the furring channels as described in Item 2.

When Item 7, resilient channels are used, 5/8 in. thick, or 4 ft wide gypsum panels applied vertically. Items attached to studs, backing strips, or furring with self-drilling, self-tapping Type S or S-12 bugle head screws spaced 8 in. OC, vertical joints located midway between studs.

ACADIA DRYWALL SUPPLIES LTD — Type X (finish rating 20 min). Sold Type X, Moisture Resistant Type X, Gypsum Sheathing Type X, Mold & Mildew Resistant Type X and Mold & Moisture Resistant set Type X, Type Wallglass Exterior Sheathing

AMERICAN GYPSUM CO — Types AGX-1(finish rating 21 min), X-Claw (finish rating 23 min.); Type AGX-2 (finish rating 26 min), Type AGX-12 (finish rating 22 min), Type LightMax (finish rating 22 min.) or Type AGC.

BEIJING NEW BUILDING MATERIALS PUBLIC LTD CO — Type DEF-I (finish rating 24 min)

CERTAINTEED GYPSUM INC — Type X, Type SCX (finish rating 20 min) or FSHX; Type C, Type X-Cor, Type K or Type X-I (finish rating 26 min), Type EGRG or GlasMat (finish rating 24 min), GlasMax-Z, Type Hoth (finish rating 26 min).

CGC INC — Type AR (finish rating 24 min), Type C (finish rating 24 min), Type IR-AR (finish rating 24 min), Type DEF-AR (finish rating 24 min), Type SF-AR (finish rating 24 min), Type IP-AR (finish rating 24 min), Type SCX (finish rating 24 min), Type DEF (finish rating 24 min), Type IP (finish rating 24 min), Type SCX (finish rating 24 min), Type WRX (finish rating 24 min).

CONTINENTAL BUILDING PRODUCTS OPERATING CO, L L C — Type LGDC2A, Type LGFC-C/A, Type LGFC-WD, Type LGSLD, Type LGLLA (finish rating 21 min), Type CLLA (finish rating 24 min)

GEORGIA-PACIFIC GYPSUM L L C — Type X (finish rating 26 min), Type C (finish rating 24 min), Type DEF (finish rating 26 min), Type SCX (finish rating 20 min), Type GPFR1 (finish rating 20 min), Type GPFR2 (finish rating 20 min), Type GPFR3 (finish rating 20 min), Type DD, Type DD (finish rating 26 min), Type DA, Type DAHC, Type LD (finish rating 22 min), Type L, Veneer Finish Base, Type X, Water Resist - Type X, Sheathing - Type X, DeRo - Type X, Type DEF (finish rating 22 min), Veneer Plaster Base Type LMX (finish rating 22 min), Type LMXF (finish rating 22 min), Type LMXFR (finish rating 22 min), Type LMXR (finish rating 22 min), Type LMXSR (finish rating 22 min), Type DGUX (finish rating 22 min), Type DGUXF (finish rating 22 min), Type DGUXR (finish rating 22 min), Type DGUXSR (finish rating 22 min), Sheathing Type DGUX (finish rating 22 min), Type DGUXF (finish rating 22 min), Type DGUXR (finish rating 22 min), Type DGUXSR (finish rating 22 min), Type DGUX (finish rating 22 min), Type DGUXF (finish rating 22 min), Type DGUXR (finish rating 22 min), Type DGUXSR (finish rating 22 min), Water Resist - Type DGUX (finish rating 22 min), Type DGUXF (finish rating 22 min), Type DGUXR (finish rating 22 min), Type DGUXSR (finish rating 22 min), Type DGLDX (finish rating 22 min), Type DGLDXF (finish rating 22 min), Type DGLDXR (finish rating 22 min), Type DGLDXSR (finish rating 24 min).

NATIONAL GYPSUM CO — Type FSX (finish rating 20 min), Type FSX-C (finish rating 20 min), Type FSW (finish rating 20 min), Type FSW-3 (finish rating 24 min), Type FSW-C (finish rating 20 min), Type FSW-G (finish rating 20 min), Type FSX-C (finish rating 20 min), Type FSX-G (finish rating 20 min), Type FSL (finish rating 24 min).

NATIONAL GYPSUM CO — Royalty, Sp[illegible] or 98F.

PABCO BUILDING PRODUCTS L L C, DBA PABCO GYPSUM — Type C, PC-2 (finish rating 26 min), PC-3 (finish rating 24 min), Type PC-5/8 (finish rating 22 min), Type PC-4 (finish rating 20 min), Type PG-5 (finish rating 20 min), Types PG-5WR, PG-5WRS, PGR-5WRS (finish rating 20 min), Types PG-5, PG-5 (Finish rating 20 min), Type PG-5 (Meets increase in 2 hrs.) or Type PG-5 (Meets increase in 2 hrs.).

PANEL REY S A — Type GREX, PRX, PRC, PRCF2, Types RHX, Guard Roc MGA, ETX (finish rating 22 hr).

SIAM GYPSUM INDUSTRY (SAMARKUD) CO LTD — Type EX-1 (finish rating 26 min)

GYPSUM PRODUCTS PCL — Type C, Type X (finish rating 26 min)

UNITED STATES GYPSUM CO — Type AR (finish rating 24 min), Type C (finish rating 24 min), Type DEF (finish rating 24 min), Type IP-AR (finish rating 24 min), Type IP-X2 (finish rating 24 min), Type SCX (finish rating 24 min), Type SCX-C (finish rating 24 min), Type SCX-G (finish rating 24 min), Type SCX (finish rating 24 min), Type SLX (finish rating 24 min), Type ULX (finish rating 24 min), Type WRX (finish rating 24 min), Type WRC (finish rating 24 min), Type ULXX (finish rating 20 min)

USG BORAL DRYWALL SFZ LLC — Type SGX (finish rating 24 min).

USG MEXICO S A DE C V — Type AR (finish rating 24 min), Type C (finish rating 24 min), Type DEF (finish rating 24 min), Type IP-AR (finish rating 24 min), Type IP-X2 (finish rating 24 min), Type SCX (finish rating 24 min), Type SCX-C (finish rating 24 min), Type SCX-G (finish rating 24 min), Type SLX (finish rating 24 min), Type ULX (finish rating 24 min), Type WRX (finish rating 24 min), Type WRC (finish rating 24 min), Type ULXX (finish rating 20 min)

3A. **Gypsum Board*** — (As an alternate to Item 3) — 5/8 in. thick gypsum panels, with beveled, square, or tapered edges, applied either horizontally or vertically. Gypsum panels fastened to framing with 1-1/4 in. long Type W coarse thread gypsum panel steel screws spaced a max 8 in. OC, with last screw 1 in. from edge of board. When used in widths of other than 48 in., gypsum boards are to be installed horizontally.

AMERICAN GYPSUM CO — Types AGX-1 (finish rating 25 min.), X-Claw (finish rating 29 min.), AG-C (finish rating 25 min.), LightMax (finish rating 25 min.)

CERTAINTEED GYPSUM INC — Type C, Type X-I, Type X or Type X-I (finish rating 29 min)

CGC INC — Type AR (finish rating 24 min), Type C (finish rating 24 min), Type IP-AR (finish rating 24 min), Type DEF-AR (finish rating 24 min), Type IP-X2 (finish rating 24 min), Type SCX (finish rating 24 min), Type DEF (finish rating 24 min), Type WRC (finish rating 24 min), Type WRX (finish rating 24 min)

NATIONAL GYPSUM CO — Type HSW (holes rating 24 min)

UNITED STATES GYPSUM CO — Type AR (finish rating 24 min), Type SCX (finish rating 24 min), Type SCX (finish rating 24 min), Type C (finish rating 24 min), Type WRX (finish rating 24 min), Type WRC (finish rating 24 min), Type IP-X2 (finish rating 24 min), Type IP-AR (finish rating 24 min), Type FRC-AR (finish rating 24 min)

USG BORAL DRYWALL SFZ LLC — Types C, SCX, SGX (finish rating 24 min).

USG MEXICO S A DE C V — Type AR (finish rating 24 min), Type C (finish rating 24 min), Type WRX (finish rating 24 min), Type WRC (finish rating 24 min), Type IP-X2 (finish rating 24 min), Type SCX (finish rating 24 min), Type SCX, Type IP-AR (finish rating 24 min), Type IPC-AR (finish rating 24 min)

3B. **Gypsum Board*** — (As an alternate to Item 3) — Nom 3/4 in. thick, installed with 1-7/8 in. long cement coated nails as described in Item 3 or 3 3/8 in. long Type W coarse thread gypsum panel steel screws as described in Item 3D.

CGC INC — Types AR, IP-AR

UNITED STATES GYPSUM CO — Types AR, IP-AR

USG MEXICO S A DE C V — Types AR, IP-AR

3C. **Gypsum Board*** — (As an alternate to Items 3, 3A and 3B) — 5/8 in. thick, 2 ft wide, square and groove edge, applied horizontally to one side of the assembly. Installed with 1-7/8 in. long cement coated nails as described in Item 3 or 3 3/8 in. long Type W coarse thread gypsum panel steel screws as described in Item 3A. Joints covering Item 21 not required.

CGC INC — Type SHX

UNITED STATES GYPSUM CO — Type SHX

USG MEXICO S A DE C V — Type SHX

3D. **Gypsum Board*** — (As an alternate to Items 3, 3A, 3B, or 3C — Not Shown) — For Direct Application to Studs Only — Nom 5/8 in. thick, two backing gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over studs and staggered min 1 stud cavity on opposite sides of studs. Wallboard secured to studs with 1-5/8 in. long Type W coarse thread gypsum panel steel screws spaced 8 in. OC. At perimeter and in the field. Load bottom strips required behind vertical joints of lead backed gypsum wallboard and optional at remaining stud locations. Lead bottom strips, nominal 2 in. wide, max 8 ft long with a max thickness of 0.14 in. placed on the face of studs and attached to the stud with two 1 in. long Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip. Lead discs or tabs may be used in lieu of or in addition to the lead bottom strips or optional at other locations. Max 3/4 in. diam by max 0.125 in. thick lead disks compression fitted or adhered over wood screw heads or max 1/2 in. sq by 1 3/8 in. by max 0.125 in. thick lead tabs placed on gypsum boards underneath screw locations prior to the installation of the screws. Lead bottom strips to have a purity of 99.9% meeting the Federal specification QQ-L-201F, Grade "C"

RAY-BAR ENGINEERING CORP — Type RB-LBD (finish rating 24 min).

3E. **Gypsum Board*** — (As an alternate to Items 3, 3A, 3B, 3C, and 3D) — 5/8 in. thick gypsum panels, with square edges, applied either horizontally or vertically. Gypsum panels fastened to framing with 1-1/4 in. long Type W coarse thread gypsum panel steel screws spaced a max 8 in. OC, with last 2 screws 1 and 4 in. from edge of board or nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads. When used in widths of other than 48 in., gypsum boards are to be installed horizontally.

GEORGIA-PACIFIC GYPSUM L L C — Type DGG (finish rating 20 min), GreenGlass Type X (finish rating 23 min)

3F. **Gypsum Board*** — (As an alternate to Items 3, 3A, 3B, 3C, 3D, and 3E) — 5/8 in. glass-mat faced with square edges, applied either horizontally or vertically. Gypsum panels nailed 7 in. OC around the perimeter and in the field with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads. Nails shall be placed 1 inch and 3 inch from horizontal joints and 7 inch OC thereafter.

CGC INC — Type USGX (finish rating 22 min)

UNITED STATES GYPSUM CO — Type USGX (finish rating 22 min.)

USG BORAL DRYWALL SFZ LLC — , Type USGX (finish rating 22 min.)

USG MEXICO S A DE C V — Type USGX (finish rating 22 min.)

3G. **Gypsum Board*** — (As an alternate to Items 3 through 3F) — 5/8 in. thick paper surfaced applied vertically. Gypsum panels nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads.

GEORGIA-PACIFIC GYPSUM L L C — Type X ComfortGuard Sound Deadening Gypsum Board (finish rating 27 min)

3H. **Gypsum Board*** — (As an alternate to Items 3) — Not to be used with Items 6 or 7. 5/8 in. thick paper surfaced applied vertically only. Gypsum panels nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads.

NATIONAL GYPSUM CO — SoundBreak XP Type X Gypsum Board

3I. **Gypsum Board*** — (As an alternate to Items 3 through 3H) — Nominal 5/16 in. thick, 4 ft wide panels, applied vertically. Panels nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads. Panel joints covered with paper tape and two layers of joint compound. Nailheads covered with two layers of joint compound.

PABCO BUILDING PRODUCTS L L C, DBA PABCO GYPSUM — Type QuietRock ES (finish rating 20 min)

3J. **Gypsum Board*** — (As an alternate to Item 3) — Not to be used with Items 6 or 7. 5/8 in. thick paper surface applied vertically or horizontally. Gypsum panels secured per Item 3 or 3A.

CERTAINTEED GYPSUM INC — Type SilentFX

3K. **Gypsum Board*** — (As an alternate to Item 3) — 5/8 in. thick gypsum panels, with beveled, square, or tapered edges, applied either horizontally or vertically. Gypsum panels fastened to framing with 1-1/4 in. long Type W coarse thread gypsum panel steel screws spaced a maximum 8 in. OC with the last screw 1 in. from the edge of the board. When used in widths other than 48 in., gypsum panels are to be installed horizontally.

NATIONAL GYPSUM CO — Type FSK (finish rating 20 min), Type FSK-G (finish rating 20 min), Type FSW (finish rating 20 min), Type FSW-3 (finish rating 24 min), Type FSW-C (finish rating 20 min), Type FSW-G (finish rating 20 min), Type FSK-C (finish rating 20 min), Type FSK-G (finish rating 20 min), Type FSL (finish rating 24 min).

3L. **Gypsum Board*** — (As an alternate to Item 3) — 5/8 in. thick gypsum panels, with beveled, square or tapered edges, applied Direct Application to Studs Only — 5/8 in. thick least backed gypsum panels with beveled, square or tapered edges, applied vertically. Vertical joints centered over studs and staggered min 1 stud cavity on opposite sides of studs. Wallboard secured to studs with 1-1/8 in. long Type W coarse thread gypsum panel steel screws spaced 8 in. OC at perimeter and in the field. Load bottom strips required behind vertical joints of lead backed gypsum wallboard and optional at remaining stud locations. Lead bottom strips, nominal 2 in. wide, max 8 ft long with a max thickness of 0.14 in. placed on the face of studs and attached to the stud with two 1 in. long Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip. Lead discs, nominal 3/8 in. diam by max 0.085 in. thick. Compression fitted or adhered over wood screw heads. Lead batten strips and discs to have a purity of 99.9% meeting the Federal specification QQ-L-201F, Grade "C". Fasteners for face layer gypsum panels (Items 4, 4A or 4B) when installed over lead backed board to be min 1-1/2 in. long Type S-12 bugle head steel screws spaced as described in Item 4.

MAYCO INDUSTRIES INC — "X-Ray" Shielded Gypsum

3M. **Gypsum Board*** — (As an alternate to Item 3) — For Direct Application to Studs Only — For use as the base layer in two layer assembly. Nom 5/8 in. thick least backed gypsum panels with beveled, square or tapered edges, applied horizontally. Vertical joints centered over studs and staggered min 1 stud cavity on opposite sides of studs. Wallboard secured to studs with 1-5/8 in. long Type W coarse thread gypsum panel steel screws spaced 8 in. OC at perimeter and in the field. Load bottom strips required behind vertical joints of lead backed gypsum wallboard and optional at remaining stud locations. Lead bottom strips, nominal 2 in. wide, max 8 ft long with a max thickness of 0.14 in. placed on the face of studs and attached to the stud with two 1 in. long Type S-8 pan head steel screws, one at the top of the strip and one at the bottom of the strip. Lead discs, nominal 3/8 in. diam by max 0.085 in. thick. Compression fitted or adhered over wood screw heads. Lead batten strips and discs to have a purity of 99.9% meeting the Federal specification QQ-L-201F, Grade "C". Fasteners for face layer gypsum panels (Items 4, 4A or 4B) when installed over lead backed board to be min 1-1/2 in. long Type S-12 bugle head steel screws spaced as described in Item 4.

RADIATION PROTECTION PRODUCTS INC — Type RPP - Lead Lined Drywall

3N. **Gypsum Board*** — (As an alternate to Item 3) — 5/8 in. thick, 4 ft. wide, applied horizontally or vertically with vertical joints centered over studs and staggered one stud cavity on opposite sides of studs. Secured as described in Item 3 or 3A.

CERTAINTEED GYPSUM INC — Easi-Lite Type X (finish rating 24 min), Easi-Lite Type X-2 (finish rating 24 min)

30. **Wall and Partition Facings and Accessories*** — (As an alternate to Item 3, Not Shown) — Nominal 5/8 in. thick, 4 ft wide panels, applied vertically. Panels nailed 7 in. OC with 6d cement coated nails 1-7/8 in. long, 0.0915 in. shank diam and 15/64 in. diam heads. Panel joints covered with paper tape and two layers of joint compound. Nailheads covered with two layers of joint compound.

PABCO BUILDING PRODUCTS L L C, DBA PABCO GYPSUM — Type QuietRock 527 (finish rating 24 min).

3P. **Gypsum Board*** — (As an alternate to Item 3, Not Shown) — Two layers nom. 5/16 in. thick gypsum panels applied vertically or horizontally. Horizontal edge joints and horizontal butt joints on opposite sides of studs need not be staggered or backed by wood studs. Horizontal joints on the same side between face and base layers need not be staggered. Base layer gypsum panels fastened to studs with 1-1/4 in. long drywall nails spaced 8 in. OC. Face layer gypsum panels fastened to studs with 1-7/8 in. long drywall nails spaced 8 in. OC starting with a 4" stagger.

NATIONAL GYPSUM CO — Type FSW (finish rating 25 min)

3Q. **Gypsum Board*** — (As an alternate to Item 3) — 5/8 in. thick gypsum panels, with beveled, square, or tapered edges, applied either horizontally or vertically. Gypsum panels fastened to framing with 1-1/4 in. long Type W coarse thread gypsum panel steel screws spaced a maximum 10 in. OC with the last two screws 4 and 1 in. from the edges of the board. When used in widths other than 48 in., gypsum panels are to be installed horizontally.

CONTINENTAL BUILDING PRODUCTS OPERATING CO, L L C — Type LGFC5A (finish rating 21 min), Type LGFC2A, Type LGFC-C/A, Type LGFC-WD, Type LGSLX

3R. **Gypsum Board*** — (As an alternate to Item 3. For use with Item 5H) — Any 5/8 in. thick, 4 ft. wide, Gypsum Board listed in Item 3 above. Applied either horizontally or vertically, and screwed to panels with 1-5/8 in. long Type W coarse thread steel screws at 8 in. OC at perimeter and in the field with the last two screws 4 and 2/4 in. from the edges of the board when applied as the base layer. When used in widths other than 48 in., gypsum panels are to be installed horizontally.

PABCO BUILDING PRODUCTS L L C, DBA PABCO GYPSUM — Type PG-13

4. **Steel Corner Fasteners** — (Optional) — For use at wall corners. Channel shaped, 2 in. long by 1 in. high on the back side with two 1/8 in. wide cleats protruding into the 5/8 in. wide channel, fabricated from 24 gauge galv steel. Fasteners applied only to the end or cut edge (not along tapered edges) of the gypsum board, no greater than 2 in. from corner of gypsum board, max spacing 16 in. OC. Nailed to adjacent stud through tab using one No. 6d cement coated nail per fastener. Corners of wall board shall be nailed to top and bottom plate using No. 6d cement coated nails.

5. **Batts and Blankets*** — (Optional — Required when Item 6A is used (RC-1)) — Glass fiber or mineral wool insulation shall be. Placed to completely or partially fill the stud cavities. When Item 6A is used, glass fiber or mineral wool insulation shall be friction-fitted to completely fill the stud cavities.

CERTAINTEED CORP

JOHNS MANVILLE

KNAUF INSULATION LLC

MANSON INSULATION INC

OWENS CORNING HT INC, DIV OF OWENS CORNING -- Corning Fiberglas Corp

ROCK WOOL MANUFACTURING CO — Delta Board

ROCKWOOL — Acoustical Fire Batts

THERMAFIBER INC — Type SAFB, SAFB FF

5A. **Fiber, Sprayed*** — (Not Shown — Not for use with Item 6) — As an alternate to Batts and Blankets (Item 5) — Spray applied cellulose material. The fiber is applied with water to completely fill the enclosed cavity in accordance with the application instructions supplied with the product with a nominal dry density of 2.7 lb/ft^2. Alternate Application Method: The fiber is applied without water or adhesive at a nominal dry density of 3.5 lb/ft^3) in accordance with the application instructions supplied with the product. When Item 6B is used, Fiber, Sprayed shall be INS735, INS745, INS765LD or INS770LD.

U S GREENFIBER L L C — INS735 & INS745 for use with wet or dry application. INS510LD, INS515LD, INS541LD, INS735, INS745, INS765LD, and INS770LD are to be used for dry application only

5B. **Fiber, Sprayed*** — (Not Shown - Not for use with Item 6) -- As an alternate to Batts and Blankets (Item 5) and Item 5A - Spray applied cellulose insulation material. The fiber is applied with water to interior surfaces in accordance with the application instructions supplied with the product. Applied to completely fill the enclosed cavity. Minimum dry density of 4.3 pounds per cubic ft

NU-WOOL CO INC — Cellulose Insulation

5C. **Batts and Blankets*** — Required for use with resilient channels, Item 7, 3 in. thick mineral wool batts, friction-fitted to fill interior of wall.

THERMAFIBER INC — Type SAFB, SAFB FF

Last Updated on 2019-12-03

5C. **Batts and Blankets*** — Required for use with resilient channels, Item 7, 3 in. thick mineral wool batts, friction-fitted to fill interior of wall.

THERMAFIBER INC — Types SAFB, SAFB FF

5D. **Glass Fiber Insulation** — (As an alternate to Item 5C) — 3 in. thick glass fiber batts bearing the UL Classification Marking as to Surface Burning and/or Fire Resistance, affixed to the exterior of the wall. See **Batts and Blankets** (BKNX) or (BJ20) Categories for names of Classified companies.

5E. **Batts and Blankets*** — Required for use with Batt and Partition Facings and Accessories, Item 30 — Glass fiber or mineral wool batts, 3 in. thick, friction fitted to fill interior of wall. Batts to be cut 1 in. wider than the stud spacing and flanges of 50 or less, friction fitted by completely filling the stud cavities. See Batts and Blankets (BKNX) for names of manufacturers.

5F. **Fiber, Sprayed*** — (Optional, Not Shown — Not for use with Items 5, 5A, 5B, 5C, or 6D) — As an alternate to Batts and Blankets (Item 5) and Item 5A - Spray applied granulated mineral fiber material. The fiber is applied with adhesive, at a minimum density of 4.0 pcf, to completely fill the enclosed cavity in accordance with the application instructions supplied with the product. See **Fiber, Sprayed** (CLCAZ).

ARMACELL ROCKWOOL MANUFACTURING LLC — Type Rockwool Premium Plus

5G. **Fiber, Sprayed*** — (Optional, Not Shown — Not for use with Items 5, 5A, 5B, 5C, or 6D) — As an alternate to Batts and Insulation (Item 5) and Item 5A - Spray applied cellulose fiber. The fiber is applied with water to completely fill the enclosed stud cavity in accordance with the application instructions supplied with the product. The minimum dry density shall be 4.20 lbs/ft^3.

INTERNATIONAL CELLULOSE CORP — Cellor-fill.

5H. **Foamed Plastic*** — (Optional - For use with Item 3R) — Spray applied, foamed plastic insulation, or any thickness from nuclear fill to completely filling stud cavity.

DOS FOAM INC — Isocoat® 2.0 or Rimcoat™ 2.0 LE Rated Foam and Nu-Seal® Spray Foam.

6. **Steel Framing Members*** — (Optional, Not Shown) - Furring channels and Steel Framing Members as follows:

a. **Furring Channels** — Formed of No. 25 MSG galv steel, 7/8 in. or 2-25/32 in. deep, spaced 24 in. OC perpendicular to studs. Channels secured to studs as described in Item 6. Ends of adjoining channels are overlapped 6 in. and tied together with wire. As an alternate, ends of channels may be butted 6 in. and secured together with two self-tapping #8 hex head screws. Furring channels attached to studs with No. 18 MSG galv steel wire twist ties at each intersection of the channel and stud. Furring channels attached to furring channels as described in Item 2.

b. **Steel Framing Members*** — Used to attach furring channels (Item 6A) to one side of studs. Clips spaced 48 in. OC, and secured to studs with No. 6 x 1/2 in. sheet metal screws through the center grommet. RSIC-1 clip (1.75) also available. Furring channels attached to clips with 1-1/2 in. coarse drywall screw through the center grommet. RSIC-1 clip (1.75) also available. Furring channels attached to furring channels as described in Item 2. RSIC-1 clip (1.75) also available. Furring channels attached to furring channels as described in Item 2. RSIC-1 clip (1.75) also available.

PAC INTERNATIONAL LLC — Type [illegible] (1.75) RSIC-1 clip (1.75)

6A. **Steel Framing Members*** — (Optional, Not Shown) — Furring channels and Steel Framing Members on one side of studs as described below.

a. **Furring Channels** — Formed of No. 25 MSG galv steel, spaced 24 in. OC perpendicular to studs. Channels secured to studs as described in Item 6. Ends of adjoining channels are overlapped 6 in. and tied together with wire. As an alternate, ends of channels may be butted 6 in. and secured together with two self-tapping #8 hex head screws. Ends and channels placed 6 in. OC over top of gypsum board as described in Item 5. Two layers of gypsum board as described in Item 2.

b. **Steel Framing Members*** — Used to attach furring channels (Item 6A) to one side of studs. Clips spaced 48 in. OC, and secured to studs with No. 6 x 1/2 in. sheet metal screws through the center grommet. Furring channels attached to clips with 1-1/2 in. coarse drywall screw through the center grommet. Furring channels attached to furring channels as described in Item 2.

PLITEQ INC — Type Sonic Clip

6B. **Steel Framing Members*** — (Optional, Not Shown) — Furring channels and Steel Framing Members as described below.

a. **Furring Channels** — Formed of No. 25 MSG galv steel, spaced 24 in. OC perpendicular to studs. Channels secured to studs as described in Item 6. Ends of adjoining channels overlapped 6 in. and secured in place with a double strand of No. 18 AWG galvanized steel wire. Gypsum board attached to furring channels as described in Item 2.

b. **Steel Framing Members*** — Used to attach furring channels (Item 6B) to studs. Clips spaced 48 in. OC, and secured to studs with No. 6 x 1/2 in. coarse drywall screw through the center hole. Furring channels are friction fitted into clips.

RESILMAK AMERICA — Type SilverClip

6C. **Steel Framing Members*** — (Optional, Not Shown) — Resilient channels and Steel Framing Members as described below:

a. **RedDot Channels** — Formed of No. 25 MSG galv steel, spaced 24 in. OC, and perpendicular to studs. Channels secured to studs as described in Item 6. Ends of adjoining channels overlapped 6 in. and secured in place with two No. 8 x 1/2 in. Phillips Modified Truss screws. Gypsum board attached to furring channels as described in Item 2.

b. **Steel Framing Members*** — Used to attach furring channels (Item 6C) to studs. Clips spaced 48 in. OC, and secured to studs with No. 6 x 1-1/4 in. coarse drywall screw through the center hole. Furring channels are friction fitted into clips.

STUDCO BUILDING SYSTEMS — RESILIENCHANT Sound Isolation Clips - Type #227 or #227R

6D. **Steel Framing Members*** — (Optional, Not Shown) — Furring channels and Steel Framing Members as described below:

a. **Furring Channels** — Formed of No. 26 MSG galv steel, spaced 24 in. OC, and perpendicular to studs. Channels secured to studs as described in Item 6. Ends of adjoining channels overlapped 6 in. and secured in place with a double strand of No. 16 AWG galvanized steel wire. Gypsum board attached to furring channels as described in Item 2.

b. **Steel Framing Members*** — Used to attach furring channels (Item 6D) to studs. Clips spaced 48 in. OC, and secured to studs with No. 8 x 1-1/2 in. coarse drywall screw with 1 in. diam washer through the center hole. Furring channels are friction fitted into clips.

RSIC-1 CLIP & FURRING CHANNEL — Type RSIC-1 Clip and Furring Channel

7. **Furring Channel** — Optional — Not Shown — For use on one side of the wall. Resilient channels, 25 MSG galv steel, spaced 24 in. OC, and screwed to studs with No. 6 x 1-1/2 in. coarse bugle head screws. When resilient channels are used, insulation, Items 5C or 5D is required.

8. **Caulking and Sealants** — (Not Shown) — A bead of acoustical sealant applied around the periphery of the wall system.

9. **STC Rating** — The STC rating of this wall assembly is 58 when it is constructed as described by Items 1 through 8, except:

A. Item 2, above — Nailheads shall be covered with joint compound.

B. Item 3, above — Item 6A required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

C. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

D. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

E. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

F. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

G. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

H. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

I. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

J. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

K. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

L. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

M. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

N. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

O. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or 5D is required.

P. Item 3, above — Items 6A, 6B, 6C, 6D, or 6E required. Add two layers of 5/8 in. thick, square edge gypsum board to the exterior face of the wall. Apply vertically and fastened to one side of studs with 1-1/4 in. long diamond knurled shank, double head drywall head steel screws. When resilient channels are used, insulation, Items 5C or