# Design No. L521

October 05, 2018

**Unrestrained Assembly Rating — 2 Hr**

**Fusion Rating — 2S Min (See Items 5 and 5A), 2G Min (See Items 6H and 7A)**

**This design was evaluated using a load design method other than the United States Design Method (e.g., Working Stress Design Method). For jurisdictions employing the United States Design Method (e.g., in Canada, a local restriction factor shall be used — See Guide A0022 or A0027.)**

*** Indicates such products shall bear the UL or cUL Certification Mark for jurisdictions employing the UL or cUL Certification (such as Canada), respectively.**




1. **Flooring System** — The flooring system shall consist of one of the following:

**System No. 1**

**Subflooring** — Nom 23/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Panels or joists secured to trusses with construction adhesive and No. 8 x 2 ringed shank nails, spaced 12 in. OC along each truss. Stakes having equal or greater withdrawal and lateral resistance strength may be substituted for the 8d nails.

**Vapor Barrier** — (Optional) — Nom 6.0 mil thick polyethylene sheet.

**Finish Floor** — Min 1 by 4 in. T & G welded* installed perpendicular to trusses, or min 15/32 in. thick wood structural panels, with grade "Underlayment" or "Sturd-I-Floor". Face grain of plywood or strength axis of panel to be perpendicular to joists with joints staggered.

**System No. 2**

**Subflooring** — Nom 23/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and No. 8 x 2 ringed shank nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 8d nails.

**Vapor Barrier** — (Optional) — Nom 6.0 mil thick polyethylene sheet.

**Finish Floor** — Min 1 by 4 in. T & G welded* installed perpendicular to trusses, or min 15/32 in. thick wood structural panels, with grade "Underlayment" or "Sturd-I-Floor". Face grain of plywood or strength axis of panel to be perpendicular to joists with joints staggered.

**Finish Floorings* — Floor Topping Mixture** — Min 3/4 in. thickness of floor topping mixture having a min compressive strength of 1800 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**UNITED STATES GYPSUM CO** — Types LRL, SCL, SCLX, CSD

**LATICRETE SUPERCAP L L C** — Types LRK, NSLRK

**USG MEXICO S A DE C V** — Types LRK, NSLRK, CSD

**Floor Mat Materials*** — (Optional) — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**UNITED STATES GYPSUM CO** — Types SAM, LEVELROCK® Brand Sound Reduction Board, LEVELROCK® Brand Floor Underlayment 5604-25

**Alternate Floor Mat Materials*** — (Optional) — Nom 3/8 in. thick floor mat material base laid over the subfloor.

**GRASSWORX L L C** — Type SC06

**System No. 3 (For Use with Item 7A Only)**

**Finish Floor** — Nom 23/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and 2-1/2 in. long nails, spaced 12 in. OC along each truss and 6 in. OC at the perimeter.

**System No. 4**

**Structural Cement-Fiber Units*** — Nom 2-1/4 in. thick, 600 kg/m edges tongue and grooved. Long dimension of panels to be perpendicular to wood trusses with end joints staggered a min of 2 ft and centered over the trusses. Panels secured to wood trusses with 2-1/2 in. long, No. 8, self-drilling bugle head screws spaced a max of 12 in. OC in the field with a screw located 1 in. and 2 in. from each edge, and 6 in. OC on the perimeter with a screw located 2 in. from each edge, located 1/2 in. from the end edge of the panel.

**UNITED STATES GYPSUM CO** — Types DYNAMETT® CMX™, USG®

**Finish Flooring — Floor Topping Mixture*** — Min 3/4 in. thickness of floor topping mixture having a minimum compressive strength of 1800 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**UNITED STATES GYPSUM CO** — Types LRK, NSLRK, CSD

**LATICRETE SUPERCAP L L C** — Types LRK, NSLRK

**USG MEXICO S A DE C V** — Types LRK, NSLRK, CSD

**Floor Mat Materials*** — (Optional) — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**UNITED STATES GYPSUM CO** — Types SAM, LEVELROCK® Brand Sound Reduction Board, LEVELROCK® Brand Floor Underlayment 5604-25

**System No. 5**

**Structural Cement-Fiber Units*** — Nom 2-1/4 in. thick, 600 kg/m edges tongue and grooved. Long dimension of panels to be perpendicular to wood trusses with end joints staggered a min of 2 ft and centered over the trusses. Panels secured to wood trusses with 2-1/2 in. long, No. 8, self- drilling bugle head screws spaced a max of 12 in. OC in the field with a screw located 1 in. and 2 in. from each edge, and 6 in. OC on the perimeter with a screw located 2 in. from each edge, located 1/2 in. from the end edge of the panel.

**UNITED STATES GYPSUM CO** — Types DYNAMETT® CMX™, USG®

**Finish Flooring — Floor Topping Mixture*** — Min 3/4 in. thickness of floor topping mixture having a minimum compressive strength of 1800 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Alternate Floor Mat Materials — (Optional)** — Floor mat material base laid over the subfloor. Floor topping thickness shall be a min of 2 in.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Alternate Floor Mat Materials** — Floor mat material base laid over the subfloor. Floor topping thickness shall be a min of 3.5 in.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Floor Mat Materials** — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Mesh — (Optional)** — Reinforcing mesh, 2 in. (51 mm) hexagonal wire mesh, 0.028 in. (0.7 mm) diameter, 3.66 in. (93 mm) wide, expanded steel mesh, 3.4 lbs/sq yd (1.8 kg/sq m) weight. Hacker Floor Primer to be applied prior to the application of the base mix.

**Finish Flooring — Floor Topping Mixture** — Min 3/4 in. thickness of floor topping mixture having a min compressive strength of 1250 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**ECORE INDUSTRIES INC** — Form-Pro Gypsum Concrete, Xtra-Fill 3615, Xtra-Fill 3616, Xtra-Span

**System No. 7**

**Subflooring** — Nom 19/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and No. 6d ringed shank nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 6d nails. **Wylon Floor*** — **Mineral and Fiber Board** — Min 1/2 in. thick, supplied in 4-ft wide roofing from 3 ft by 4 ft to 9 ft by 12 ft.

**MONASTIC CO** — Type WAS 32 Mineral and Fiber Board

**System No. 8**

**Subflooring** — Nom 23/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and 2-1/2 in. long nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 6d nails.

**Vapor Barrier** — (Optional) — Nom 6.0 mil thick polyethylene sheet.

**Floor Mat Materials*** — (Optional) — Floor mat material nom 3/4 in. (9 mm) thick adhered to subfloor with Hacker Floor Primer. Primer to be applied to the surface of the mat prior to the placement of a min 1-1/4 in. (32 mm) of floor topping mixture.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Mesh — (Optional)** — Reinforcing mesh, 2 in. (51 mm) hexagonal wire mesh, 0.028 in. (0.7 mm) diameter, 3.66 in. (93 mm) wide, expanded steel mesh, 3.4 lbs/sq yd (1.8 kg/sq m) weight. Hacker Floor Primer to be applied prior to the application of the base mix.

**Finish Flooring — Floor Topping Mixture** — Min 3/4 in. thickness of floor topping mixture having a min compressive strength of 1250 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**ECORE INDUSTRIES INC** — Form-Pro Gypsum Concrete, Xtra-Fill 3615, Xtra-Fill 3616, Xtra-Span

2. **Joists** — Nom 2 in. thick, 400 kg/m edges tongue and grooved. Long dimension of panels to be perpendicular to wood trusses with end joints staggered a min of 2 ft and centered over the trusses. Panels secured to wood trusses with 2-1/2 in. long, No. 8, self- drilling bugle head screws spaced a max of 12 in. OC in the field with a screw located 1 in. and 2 in. from each edge, and 6 in. OC on the perimeter with a screw located 2 in. from each edge, located 1/2 in. from the end edge of the panel.

**UNITED STATES GYPSUM CO** — Types DYNAMETT® CMX™, USG®

**Finish Flooring — Floor Topping Mixture*** — Min 3/4 in. thickness of floor topping mixture having a minimum compressive strength of 1800 psi. Refer to manufacturer's instructions concerning the material to apply to the subfloor.

**UNITED STATES GYPSUM CO** — Types LRK, NSLRK, CSD

**LATICRETE SUPERCAP L L C** — Types LRK, NSLRK

**USG MEXICO S A DE C V** — Types LRK, NSLRK, CSD

**Floor Mat Materials*** — (Optional) — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**UNITED STATES GYPSUM CO** — Types SAM, LEVELROCK® Brand Sound Reduction Board, LEVELROCK® Brand Floor Underlayment 5604-25

**System No. 6**

**Subflooring** — Nom 19/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Panels secured to trusses with construction adhesive and No. 8 x 2 ringed shank nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 6d nails.

**Vapor Barrier** — (Optional) — Nom 6.0 mil thick polyethylene sheet.

**Floor Mat Materials*** — (Optional) — Floor mat material nom 3/4 in. (9 mm) thick adhered to subfloor with Hacker Floor Primer. Primer to be applied to the surface of the mat prior to the placement of a min 1-1/4 in. (32 mm) of floor topping mixture.

**HACKER INDUSTRIES INC** — PERM-FILL SCM 1250

**Alternate Floor Mat Materials — (Optional)** — Floor mat material base laid over the subfloor. Floor topping thickness shall be a min of 2 in.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Alternate Floor Mat Materials** — Floor mat material base laid over the subfloor. Floor topping thickness shall be a min of 3.5 in.

**HACKER INDUSTRIES INC** — Type PERM-FILL SCM 1250

**Floor Mat Materials*** — (Optional) — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**UNITED STATES GYPSUM CO** — Types SAM, LEVELROCK® Brand Sound Reduction Board, LEVELROCK® Brand Floor Underlayment 5604-25

**Alternate Floor Mat Materials*** — (Optional) — Floor mat material base laid over the subfloor. Refer to manufacturer's instructions regarding the minimum thickness of floor topping over each floor mat material.

**GRASSWORX L L C** — Type SC06

**System No. 7**

**Subflooring** — Nom 19/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and No. 6d ringed shank nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 6d nails. **Wylon Floor*** — **Mineral and Fiber Board** — Min 1/2 in. thick, supplied in 4-ft wide roofing from 3 ft by 4 ft to 9 ft by 12 ft.

**MONASTIC CO** — Type WAS 32 Mineral and Fiber Board

**System No. 8**

**Subflooring** — Nom 23/32 in. thick wood structural panels installed perpendicular to trusses with end joints staggered. Plywood or panels secured to trusses with construction adhesive and 2-1/2 in. long nails, spaced 12 in. OC along each truss. Staples having equal or greater withdrawal and lateral resistance strength may be substituted for the 6d nails.

**Vapor Barrier** — (Optional) — Nom 6.0 mil thick polyethylene sheet.

**Floor Mat Materials*** — (Optional) — Floor mat material nom 3/4 in. (9 mm) thick adhered to subfloor with Hacker Floor Primer. Primer to be applied to the surface of the mat prior to the placement of a min 1-1/4 in. (32 mm) of floor topping mixture.

**ECORE INTERNATIONAL INC** — Type QTop-4082

**HACKER INDUSTRIES INC** — Type Hacker Sound-Mat

**Alternate Floor Mat Materials** — (Optional) — Floor mat material nom 1/4 in. (6 mm) thick adhered to subfloor with Hacker Floor Primer. Primer to be applied to the surface of the mat prior to the placement of a min 1-1/4 in. (32 mm) of floor topping mixture.

**ECORE INTERNATIONAL INC** — Type QTop-3066-A

**HACKER INDUSTRIES INC** — Type Hacker Sound-Mat II

**Mural Lath (Optional)** — For use with 5/8 in. (16 mm) floor mat materials, 3/8 in. expanded steel diamond mesh, 2.4 lbs/sq yd (1.2 kg/sq m) weight. Hacker Floor Primer to be applied prior to the placement of the base mix. When metal lath is used, floor topping thickness a min 1-1/4 in. over the floor mat.

**Finish Flooring — Floor Topping Mixture*** — Min 3/4 in. thickness of floor topping mixture having a min compressive strength of 1250 psi. Mixture shall consist of 4.5 gal of water to 90 lbs of floor topping mixture to 1.5 cu ft of sand.

**HACKER INDUSTRIES INC** — Form-Pro Gypsum Concrete, Xtra-Fill High Strength, Xtra-Span Bonded

2. **Trusses** — Flexible chord trusses, spaced a max of 24 in. OC, fabricated from nom 2 by 4 lumber, with lumber oriented vertically or horizontally. Min truss depth is 12 in. when no **Ceiling Damper*** is used and 14 in. when a **Ceiling Damper*** is used. Truss members spaced together with nail 3-3/4in. in thick gyp-bar plates. Plates are 3/16 in. long teeth pressed perpendicular in the plane of the plate. The teeth are in pairs facing each other (inside to the same point), forming 4 split teeth type plate. Each tooth has a sharp point on its outside edge. These points are diagonally opposite each other on the plate. The plates are pressed into the wood members to approx. 7/16 in. duration with four rows of teeth per inch of plate width.

3. **Air Duct*** — Any UL Class 0 or Class 1 flexible air duct installed in accordance with the instructions provided by the damper manufacturer.

4. **Ceiling Damper*** — For use with min 16 in. deep trusses. Max nom area shall be 184 sq in. with the length not to exceed 24 in. and the width not to exceed 20 in. Max height of damper shall be 6 in. Aggregate damper openings shall not exceed 184 sq in. per 100 sq ft of ceiling area. Damper installed in accordance with the manufacturer's installation instructions provided with the damper. A steel grille (Item 9) shall be installed in accordance with installation instructions.

**C&S AIR PRODUCTS** — Model RD-521-DT

**POTTORFF** — Model CFD-521-BT

4A. **Alternate Ceiling Damper*** — For use with min 19 in. deep trusses. Max nom area shall be 256 sq in. with the length not to exceed 24 in. and the width not to exceed 20 in. Max height of damper shall be 6 in. Aggregate damper openings shall not exceed 128 sq in. per 100 sq ft of ceiling area. Damper installed in accordance with the manufacturers installation instructions provided with the damper. A steel grille (Item 9) shall be installed in accordance with installation instructions.

**C&S AIR PRODUCTS** — Models RD-521-DP, RD-521-NP

**POTTORFF** — Models CFD-521-BP, CFD-521-NP

4C. **Alternate Ceiling Damper*** — For use with min 16 in. deep trusses. Max nom area shall be 144 sq in. with the length not to exceed 16 in. and the width not to exceed 12 in. Max height of damper shall be 17-7/8 in. Aggregate damper openings shall not exceed 74 sq in. per 100 sq ft of ceiling area. Damper installed in accordance with the manufacturers installation instructions provided with the damper. A steel grille (Item 9) shall be installed in accordance with installation instructions.

**POTTORFF** — Models CFD-521-90, CFD-521-90NP

4D. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 19 in. deep trusses. Max nom area shall be 75 sq in. with the length not to exceed 8-0/16 in. and the width not to exceed 8-3/4 in. Max height of damper shall be 9-7/16 in. Aggregate damper openings shall not exceed 38 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**DELTA ELECTRONICS INC** — Models CRD2, GRR-CRD, ITG-CRD

4E. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 18 in. deep trusses. Max nom area shall be 75 sq in. with the length not to exceed 9-1/4 in. and the width not to exceed 9-3/4 in. Max height of damper shall be 9-7/8 in. Aggregate damper openings shall not exceed 45 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**DELTA ELECTRONICS INC** — Model SIG-CRD

4F. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 16 in. deep trusses. Max nom area shall be 131 sq in. with the length not to exceed 11-1/16 in. and the width not to exceed 11-7/8 in. Aggregate damper openings shall not exceed 66 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**DELTA ELECTRONICS INC** — Model SMT-CRD

4G. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 16 in. deep trusses. Max nom area shall be 163 sq in. with the length not to exceed 10-1/8 in. and the width not to exceed 16-1/8 in. Aggregate damper openings shall not exceed 82 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**PANASONIC CORPORATION, PANASONIC CORPORATION OF NORTH AMERICA** — Model PC-RD05CS

4H. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 16 in. deep trusses. Max nom area shall be 113 sq in. with the length not to exceed 10-1/8 in. and the width not to exceed 11-1/8 in. Aggregate damper openings shall not exceed 57 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**BROAN-NUTONE L L C** — Model RDFLWHT

4J. **Alternate Ceiling Damper*** — Ceiling damper & fan assembly for use with min 18 in. deep trusses. Max nom area shall be 87 sq in. with the length not to exceed 9 in. and the width not to exceed 9-1/16 in. Aggregate damper openings shall not exceed 44 sq in. per 100 sq ft of ceiling area. Damper shall be installed in combination with one of the fan models described in, and in accordance with, the manufacturer's installation instructions provided with the damper. A plastic grille (Item 9) shall be installed in accordance with installation instructions.

**BROAN-NUTONE L L C** — Model RDFLWHT

5. **Batts and Blankets*** — (Optional) — Glass fiber or mineral wool batts, friction bearing (FB), Classification Mark for Surface Burning Characteristics and/or Fire Resistance. When the resilient channels (Item 6A) or furring channels (Item 6B) are spaced 24 in. OC, no insulation shall be installed in the cavity formed between the resilient channels (Item 6) or furring channels (Item 6A) are spaced 16 in. OC, the insulation shall be a min 2-1/2 in. thick, and shall be secured against the subflooring with staples at 12 in. OC or spaced wider than the resilient channels or furring channels (Item 6A) are wires attached to the wood trusses at 12 in. OC on both sides of the trusses. When the resilient channels (Item 6A) are spaced a max of 12 in. OC or when the Steel Framing Members (Item 6B) are used, the insulation, at the overall thickness of insulation, and the insulation shall be secured against the subflooring. Batts shall be installed in the concealed space or draped over the resilient or furring channels or Steel Framing Members (Item 6B). Supported by the bottom flange of the resilient channels (Item 6C) and max 2-1/2 in. thick insulation shall be installed in the concealed space over the furring channels (Item 6A) and gypsum board ceiling membrane, and 5-1/2 in. thick insulation shall be draped over the furring channels (Item 6A) and gypsum board ceiling membrane, and 5-1/2 in. thick insulation shall be draped over the Steel Framing Members (Item 6C). The finished ceiling has not been determined whether insulation is required or not. Batts shall be friction fit between the subflooring.

5A. **Fiber, Sprayed*** — (Dry Density — 100% Borate Formulation) — (Optional) — As an alternate to Item 5, When used, the resilient channels (Item 6) and gypsum board is modified as specified in Items 6 and 7 and wire mesh (Item 10) shall be applied to the furring channels (Item 6A) or Steel Framing Members (Item 6B) and gypsum board ceiling membrane. When **Steel Framing Members** (Item 6C) are used, max 2-1/2 in. thick insulation shall be draped over the furring channels (Item 6A) and gypsum board ceiling membrane, and 5-1/2in. thick insulation shall be draped over the Steel Framing Members (Item 6C). The finished ceiling has not been determined whether insulation is required or not. Batts shall be friction fit between the subflooring.

5B. **Fiber, Sprayed*** — (Loose Fill 100% Borate Formulation) — (Optional) — As an alternate to Items 5 and 5A. The finished ceiling when Fiber, Sprayed is used has not been determined. The fiber is applied without waver or adhesive at a minimum dry density of 0.5 lb/ft$^3$ and at a max thickness of 3-1/2 in., in accordance with the application instructions provided with the product. Wire mesh (Item 10) shall be attached to the furring channels to facilitate installation of the material. When Item 5B (Fiber, Sprayed) is used, two layers of gypsum board required as described in Item 7. Not evaluated for use with Item 6B, 6C, 6D, 6E, 6F, 6G, 6H or 6J.

**U S GREENFIBER L L C** — JNS735, JNS745, JNS785LD & JNS770LD to be used with dry application only

5B. **Fiber, Sprayed*** — (Loose Fill 100% Borate Formulation) — (Optional) — As an alternate to Items 5 and 5A. The finished ceiling when Fiber, Sprayed is used has not been determined. The fiber is applied without waver or adhesive at a minimum dry density of 0.5 lb/ft$^3$ and at a max thickness of 3-1/2 in., in accordance with the application instructions provided with the product. Wire mesh (Item 10) shall be attached to the furring channels to facilitate installation of the material. When Item 5B (Fiber, Sprayed) is used, two layers of gypsum board required as described in Item 7. Not evaluated for use with Item 6B, 6C, 6D, 6E, 6F, 6G, 6H or 6J.

**U S GREENFIBER L L C** — JNS735, JNS745, JNS785LD & JNS770LD to be used with dry application only

5C. **Foamed Plastic*** — (As alternate to Items 5, 5A, or 5B, Not Shown) — Spray foam insulation applied directly to the underside of the gypsum subflooring. Spray foam insulation is installed to a maximum thickness of 10 in. at a nominal 0.5 lb/ft$^3$ density. Spray foam insulation is limited to use with maximum 16 in. deep trusses (Item 2). When spray foam insulation is installed, resilient channels (Item 6) shall be installed maximum 12 in. OC, with channels adjacent to butt joints of gypsum board (Item 7) spaced maximum 3 in. away from gypsum butt joints. Gypsum board (Item 7) to be installed using maximum 1-1/4 in. long Type S screws, spaced maximum 8 in. OC, and butted end joints shall be staggered min. 2 ft within the assembly, and occur midway between the continuous furring channels. If used with a fire damper (Items 4 through 4H) in the concealed space, minimum 1 in. clearance to be maintained between damper housing and spray foam insulation. Not evaluated for use with Items 5 through 5B, or 6A through 6J.

**SES FOAM INC** — Sucraseal

5D. **Cavity Insulation - Batts and Blankets* or Fiber, Sprayed*** — (As described above in Items 5 through 5B) — (For Use with Item 6, Not Shown) — Min. 3-1/2 in thick wall cavity insulation fitted in the concealed space, dressed over the resilient channel (Item 6H)/gypsum board (Item 7A) ceiling membrane.

5E. **Foamed Plastic*** — (As alternate to Item 5, 5A, or 5C, Not Shown) — Spray foam insulation applied directly to the underside of the plywood subflooring. Spray foam insulation is limited to a maximum thickness of 10 in. at a nominal 0.5 lb/ft$^3$ or 2.0 lb/ft$^3$ density, depending on the product installed. Spray foam insulation is limited to use with minimum 16 in. deep trusses (Item 2). When spray foam insulation is installed, resilient channels (Item 6) shall be installed maximum 12 in. OC, with channels adjacent to butt joints of gypsum board (Item 7) spaced maximum 3 in. away from gypsum butt joints. Gypsum board (Item 7) to be installed using maximum 1-1/4 in. long Type S screws, spaced maximum 8 in. OC, and butted end joints shall be staggered min. 2 ft within the assembly, and occur midway between the continuous furring channels. If used with a fire damper (Items 4 through 4H) in the concealed space, minimum 1 in. clearance to be maintained between damper housing and spray foam insulation. Not evaluated for use with Items 5 through 5D, or 6A through 6J.

**BASF CORP** — Enerdex® NM, Enerdex® G, FE1786, Sprayfoam® 178, Sprayfoam® R1206, Walltite® 200, Walltite® US, Walltite® US-N, and Walltite® HP+

6. **Resilient Channels** — Formed from min 25 MSG galv steel installed perpendicular to trusses. When there is no insulation installed in the concealed space the resilient channels are spaced 24 in. OC. When insulation (Item 5) is secured to the underside of the subfloor the resilient channels are spaced 16 in. OC. When insulation, Items 5, 5A or 5B is applied over the resilient channels/gypsum panel ceiling membranes, or when Item 5C or 5E is applied to underside of subflooring, the resilient channels are spaced 12 in. OC. Channels secured to each truss with 1-5/8 in. long Type S bugle head steel screws. Channels overlapped 4 in. at splices. Two channels, spaced 6 in. OC, oriented opposite each gypsum panel end joint as shown in the above illustration. Additional channels shall extend min 6 in. beyond each side edge of panel.

6A. **Steel Framing Members*** — (Not Shown) — As an alternate to Item 6.

a. **Furring Channels** — Formed of No. 25 MSG galv steel, 2-9/16 in. or 2-22/32 in. wide by 7/8 in. deep, spaced 16 in. OC perpendicular to wood structural members. When insulation, Items 5, 5A or 5B is applied over the furring channels/gypsum panel ceiling membranes, or when Item 5C or 5E is applied to underside of subflooring, the furring channel spacing shall be reduced to 12 in. OC. Channels secured to trusses as described in Item b. Ends of adjoining channels overlapped 6 in. and tied together with double strand of No. 18 AWG galv steel wire near each end of overlap.

b. **Steel Framing Members* —** Used to attach furring channels (Item a) to trusses (Item 2). Clips spaced 48 in. OC and secured to the bottom chord of alternating trusses with one 2 in. Course Drywall Screw and one 1-1/4 in. Course Drywall Screw through the center grommet. Furring channels are then friction fitted into clips. Ends of channels are overlapped 6 in. and tied together with double strand of No. 18 AWG galvanized steel wire. Additional clips are required to hold the furring channel that supports one end of the gypsum board butt joints as described in Item 7.

**KINETICS NOISE CONTROL INC** — Type ICW

6B. **Steel Framing Members*** — (Not Shown) — As an alternate to Item 6.

a. **Furring Channels** — Formed of No. 25 MSG galv steel, 2-3/8 in. wide by 7/8 in. deep, spaced 16 in. OC perpendicular to wood structural members. When insulation, Items 5 or 5A is applied over the furring channel/gypsum panel ceiling membrane, the furring channel spacing shall be reduced to 12 in. OC. Channels secured to trusses as described in Item b. Ends of adjoining channels overlapped 6 in. and tied together with double strand of No. 18 AWG galvanized steel wire near each end of overlap.

b. **Steel Framing Members*** — Used to attach furring channels (Item a) to trusses (Item 2). Clips spaced 48 in. OC, and secured to the bottom chord of alternating trusses with one No. 8 x 2-1/2 in. coarse drywall screw through center grommet. When insulation, Items 5 or 5A is applied over the furring channel/gypsum panel ceiling membrane, the clip spacing shall be reduced to 24 in. OC. Furring channels secured to clips at each end of the channel. Screw spacing along the gypsum board butt joints at each end of furring channels using 1-5/8 in. long Type S bugle-head steel screws spaced 12 in. OC in the field of the board. Butted end joints centered on the continuous furring channels. Butted base layer end joints to be offset a min of 8 in. from base layer end joints. Butted side joints of outer layer to be offset min 16 in. from butted side joints of base layer. When **Steel Framing Members** (Item 6B) are used, one layer of nom 5/8 in. thick, 4 ft wide gypsum board are installed with long dimensions perpendicular to furring channels. Base layer attached to the furring channels using 1-5/8 in. long Type S bugle-head steel screws spaced 12 in. OC in the field of the board. Butted end joints centered on the continuous furring channels. Butted base layer end joints to be offset a min of