

ABBREVIATIONS:

Table of abbreviations and their corresponding full names, organized in three columns. Includes terms like AB (Anchor Bolt), AFF (Above Finished Floor), and JBE (Joist Bearing Elevation).

GENERAL NOTES

- 1. STRUCTURAL DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE ENTIRE SET OF PROJECT DRAWINGS, PROJECT MANUAL, AND ALL SHOP DRAWING SUBMITTALS.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR CHECKING AND COORDINATING DIMENSIONS, CLEARANCES AND ALL OTHER COORDINATION ISSUES WITH OTHER TRADES.

FOUNDATIONS

- 1. SUBGRADE PREPARATION SHALL BE IN ACCORDANCE WITH GEOTECH REPORT.
2. PROVIDE ALL MEASURES NECESSARY FOR THE INSTALLATION OF FOUNDATIONS INCLUDING BUT NOT LIMITED TO DRAINAGE AND SHORING.

CAST-IN-PLACE CONCRETE

- 1. ALL CAST-IN-PLACE CONCRETE SHALL CONFORM TO SPECIFICATION SECTION 033000-"CAST-IN-PLACE CONCRETE".
2. LAP ALL WWM/WWR ONE MESH SPACING PLUS A 2" OFFSET AND SECURELY ANCHOR.

STRUCTURAL STEEL FRAMING

- 1. ALL STRUCTURAL STEEL FRAMING SHALL CONFORM TO SPECIFICATION SECTION 051200-"STRUCTURAL STEEL FRAMING".
2. ALL STRUCTURAL STEEL FRAMING AND ARCHITECTURALLY EXPOSED STRUCTURAL STEEL FRAMING SHALL CONFORM TO SPECIFICATION SECTION 051200-"STRUCTURAL STEEL FRAMING".

POST INSTALLED STRUCTURAL ANCHORS

- 1. ALL POST INSTALLED STRUCTURAL ANCHORS SHALL CONFORM TO SPECIFICATION SECTION 050200-"POST INSTALLED STRUCTURAL ANCHORS".
2. NOTED EMBEDMENT DEPTHS ARE FROM FACE OF CMU OR FACE OF CONCRETE.

TIMBER

- 1. STRUCTURAL TIMBERS SHALL BE SOUTHERN YELLOW PINE.
2. TIMBER CONNECTORS SHALL BE SIMPSON STRONG TIE CONNECTORS, AND THE CONNECTION REQUIREMENTS SHALL BE AS SHOWN ON DRAWINGS.

WOOD TRUSS FRAMING

- 1. ALL WOOD TRUSSES SHALL CONFORM TO SPECIFICATION SECTION 061753-"ENGINEERED FABRICATED WOOD TRUSS FRAMING".
2. TRUSS LAYOUT, INSTALLATION, CONNECTIONS AND BRACING SHALL BE IN STRICT ACCORDANCE WITH APPROVED SHOP DRAWINGS.



EXPOSED CONCRETE GENERAL NOTES

- ALL EXTERIOR EXPOSED VERTICAL CONCRETE SURFACES TO BE BOARD FORMED (2X8); RANDOM LAYUP W/ STAGGERED JOINTS, COORD. W/ ARCH.
• ARCH. TO APPROVE LAYUP



147 Wappoo Creek Drive Suite 400 Charleston, SC 29412

P 843.762.2222



Revision table with columns for Revision Date and Description. Contains several empty rows for revisions.

TOWN HALL

1122/1126 Dills Bluff Rd. Charleston, SC 29412

Project information table with fields for Project Number, ADC Project Number, Checked By, Drawn By, Date, and Scale.

S001 GENERAL NOTES

Order Plans