


NOTES:


1. CARE SHALL BE TAKEN TO ENSURE THAT NAILS ARE PROPERLY LOCATED SUCH THAT THEY WILL PENETRATE FULLY INTO SUPPORTING FRAMING BELOW.
2. EDGES OF PLYWOOD TO BREAK OVER TRUSSES; DO NOT STAGGER PLYWOOD.
3. FASTENERS SHALL NOT PENETRATE THROUGH BOTTOM OF T&G DECKING.
4. IF 0.131\" DIAM. NAILS OF APPROPRIATE LENGTH FOR NAILING INTO DECKING BETWEEN TRUSSES ARE NOT AVAILABLE, #8 SCREW @ SAME SPACING (MIN. LENGTH 1 1/2\") MAY BE SUBSTITUTED.

1 TYP. PLYWOOD OVER T&G DECKING DETAIL
3/4\" = 1'-0\"



147 Wappoo Creek Drive
Suite 400
Charleston, SC 29412

P 843.762.2222



Revision	Date	Description

Town of James Island
TOWN HALL

1122/1126 Dills Bluff Rd.
Charleston, SC
29412

Project Number:	15102
ADC Project Number:	15304
Checked By:	JMD
Drawn By:	WLB
Date:	04/03/17
Scale:	

S403
TYPICAL DETAILS

Order Plans @ www.LDILine.com