



1 LIFE SAFETY CODE DATA - BASEMENT FLOOR
SCALE: 1/8"=1'-0"

2 LIFE SAFETY CODE DATA - FIRST FLOOR
SCALE: 1/8"=1'-0"

LEGEND:

AREA SQ. FOOTAGE	ROOM NO./ROOM	AREA DESIGNATION
000000	000000	
000 SF/OCC.	X-0	USE GROUP
000 OCC. LOAD	000	TOTAL OCC. LOAD PER AREA

BUILDING CODE DATA: INTERIOR FINISH

NOTE 1:
 INTERIOR WALL AND CEILING FINISH (IBC TABLE 503.9)
 ● EXIST ENCLOSURES: CLASS B
 ● LOBBIES AND CORRIDORS: CLASS B
 ● ACCESS TO EXITS: CLASS B
 ● OTHER SPACES: CLASS C

LEGEND

	EMERGENCY LIGHTS
	DIRECTIONAL LED EXIT LIGHTS
	FIRE EXTINGUISHER
	PULL STATION
	HORN STROBE
	SMOKE DETECTOR

WALL RATING LEGEND

---	SMOKE (BARRIER) PARTITION
---	1-HOUR FIRE WALL (UL DESIGN 1906) THIS DESIGN IS FOR A 2-HOUR WALL, BUT WILL BE USED FOR THE PROJECT MINIMUM 1-HR REQUIREMENT
---	2-HOUR FIRE WALL (UL DESIGN 1906)

LIFE SAFETY NOTES

- ALL RATED WALLS ABOVE CEILING TO BE LABELED BY STENCIL OR PLACARD INDICATING THEIR FIRE RATING
- FIRE BARRIER SHALL EXTEND FROM THE FLOOR TO THE UNDERSIDE OF THE ROOF/FLOOR/CEILING
- FIRE DOORS MUST BE SELF-CLOSING

DESIGN BUILD
 BLACKWATER CONSTRUCTION GROUP, LLC
 2200 SATELLITE BLVD, DULUTH GA 30092
 Phone: 404-740-7589

DESIGN CONSULTANTS
 DESIGN SOLUTIONS LLC
 1000 S. GUNN RD, SUITE 100
 ATLANTA, GA 30349
 Phone: 404-740-7589

ARCHITECT OF RECORD
 ROBERT J LARA, AIA
 8450 SW 291 ST
 CUTLER BAY, FL 33189

STATE OF GEORGIA
 ROBERT JERRY LARA
 ARCHITECT
 Nov 9 2014

STRUCTURAL
ENGQUEST
 1550 ENGINEERING DRIVE, SUITE 175
 PEACHTREE CORNERS, GA 30092
 TEL: (404) 596-4678
 www.engquest.com

MEP
ENGQUEST
 1550 ENGINEERING DRIVE, SUITE 175
 PEACHTREE CORNERS, GA 30092
 TEL: (404) 596-4678
 www.engquest.com

NOTES:

REVISION #	DATE	REMARKS

ISSUE DATE: 10-02-2014 ISSUED TO: COUNTY PERMITS ISSUED FOR: PERMITS

PROJECT ADDRESS:
 MASJID AL-MOMINEEN
 837 NORTH INDIAN CREEK DRIVE
 CLARKSTON, DEKALB COUNTY
 GEORGIA, 30021

LAYOUT:
 LIFE SAFETY DATA SHEET

PAPER SIZE: 24X36 (ARCH D)
 SCALE: AS NOTED

SHEET NUMBER:
CD-02

Order Plans @

WWW.DLINE.COM