



1 LIFE SAFETY CODE DATA - SECOND FLOOR
 CD-03 SCALE: 1/8" = 1'-0"

LEGEND:

| | | |
|--|---------------|--------------------------|
| AREA SQ. FOOTAGE | ROOM NO./DOOR | AREA DESIGNATION |
| NUMBER PER CODE OR FACILITY SPECIFIC TO DETERMINE OCC. | USE GROUP | TOTAL OCC. LOAD PER AREA |
| | X-Ø | |
| | ØØØ SF./OCC. | |
| | OCC. LOAD | |

BUILDING CODE DATA: INTERIOR FINISH

NOTE 1:
 INTERIOR WALL AND CEILING FINISH (IBC TABLE 903.9)
 ● EXIST ENCLOSURES: CLASS B
 ● LOBBIES AND CORRIDORS: CLASS B
 ● ACCESS TO EXITS: CLASS B
 ● OTHER SPACES: CLASS C

LEGEND

| | |
|--|-----------------------------|
| | EMERGENCY LIGHTS |
| | DIRECTIONAL LED EXIT LIGHTS |
| | FIRE EXTINGUISHER |
| | PULL STATION |
| | HORN STROBE |
| | SMOKE DETECTOR |

WALL RATING LEGEND

| | |
|--|--|
| | SMOKE (BARRIER) PARTITION |
| | 1-HOUR FIRE WALL (UL DESIGN 9006) THIS DESIGN IS FOR A 2-HOUR WALL, BUT WILL BE USED FOR THE PROJECT MINIMUM 1 HR REQUIREMENT |
| | 2-HOUR FIRE WALL (UL DESIGN 9006) |
| | EXIT WIDTH (INCHES) |
| | EXIT LOAD |
| | EXIT CAPACITY |

LIFE SAFETY NOTES

- ALL RATED WALLS ABOVE CEILING TO BE LABELED BY STENCIL OR PLACARD INDICATING THEIR FIRE RATING
- FIRE BARRIER SHALL EXTEND FROM THE FLOOR TO THE UNDERSIDE OF THE ROOF/FLOORASSEMBLY.
- FIRE DOORS MUST BE SELF-CLOSING

DESIGN BUILD
 BLACKWATER CONSTRUCTION GROUP, LLC
 2200 SATELLITE BLVD, DULUTH GA 30092
 770-455-1569

DESIGN CONSULTANTS
 DESIGN SOLUTIONS LLC
 1100 S. GOLF COURSE BLVD, SUITE 100
 ATLANTA, GA 30329
 Phone: 404-740-7589

ARCHITECT OF RECORD
 ROBERT J LARA, AIA
 8450 SW 291 ST
 CUTLER BAY, FL 33189

STATE OF GEORGIA
 ROBERT JERRY LARA
 REGISTERED ARCHITECT
 Nov 9 2014

STRUCTURAL
ENGQUEST
 3550 ENGINEERING DRIVE, SUITE 175
 PEACHTREE CORNERS, GA 30092
 TEL: (404) 966-8670
 www.engquest.com

MEP
ENGQUEST
 3550 ENGINEERING DRIVE, SUITE 175
 PEACHTREE CORNERS, GA 30092
 TEL: (404) 966-8670
 www.engquest.com

NOTES:

| REVISION # | DATE | REMARKS |
|------------|------|---------|
| | | |
| | | |
| | | |

| ISSUE DATE | ISSUED TO: | ISSUED FOR: |
|------------|------------|-------------|
| 10-02-2014 | COUNTY | PERMITS |
| | | |
| | | |

PROJECT ADDRESS:
MASJID AL-MOMINEEN
 837 NORTH INDIAN CREEK DRIVE
 CLARKSTON, DEKALB COUNTY
 GEORGIA, 30021

LAYOUT:
LIFE SAFETY DATA SHEET

PAPER SIZE: 24X36 (ARCH D)

SCALE: AS NOTED

SHEET NUMBER:
CD-03