

**LIGHTING GENERAL NOTES:**

- A. THE ELECTRICAL CONTRACTOR SHALL REFER TO CIVIL, ARCHITECTURAL, STRUCTURAL, MECHANICAL AND PLUMBING DRAWING FOR THE EXACT BUILDING AND ROOM LAYOUTS. ALL DIMENSIONS, SECTIONS, DETAILS, AND ELEVATIONS. POWER AND VOLTAGE REQUIREMENTS AND PHYSICAL SIZE OF ALL EQUIPMENT FURNISHED BY OTHER TRADES. COORDINATE AND ADJUST ELECTRICAL INSTALLATION ACCORDINGLY.
- B. REFER TO DRAWING E-1.0 FOR LIGHTING FIXTURE SCHEDULE.
- C. UPPER CASE ALPHA CHARACTER INSIDE/ADJACENT TO LIGHT FIXTURE INDICATES LUMINAIRE TYPE.
- D. LOWER CASE ALPHA CHARACTER INSIDE/ADJACENT TO LUMINAIRE INDICATES ASSOCIATED SWITCH CONTROLLING LIGHTING BRANCH CIRCUIT.
- E. FIXTURES SHOWN WITH DESIGNATION 'NL' ARE TO BE USED AS NIGHT LIGHT. CONNECT TO UNSWITCHED "HOT-LEG" OF RESPECTIVE LIGHTING CIRCUIT.
- F. CONNECT ALL EMERGENCY BALLAST AND EXIT LIGHTS TO UNSWITCHED "HOT-LEG" OF RESPECTIVE LIGHTING CIRCUIT.
- G. ALL PENETRATION THRU FIRE RATED WALL AND CEILING SHALL BE SEALED IN ACCORDANCE WITH NATIONAL ELECTRICAL CODE ARTICLE 300-21.
- H. INSTALL A FULL SIZE NEUTRAL FOR EACH LIGHTING CIRCUIT GROUP.
- I. HOMERUN CONDUCTOR SHALL BE #10 AWG CUW WHEN LENGTH EXCEEDS 80 FT.
- J. COORDINATE WITH OWNER FOR APPROVAL OF LIGHTING FIXTURE PRIOR TO INSTALL.

**KEY NOTES:**

- 1 ALL STAIR LIGHTS SHALL BE SWITCH AND REMAIN ON ALL THE TIME.
- 2 ALL EXHAUST FAN IN REST ROOM SHALL BE INTERLOCK WITH LIGHTING SWITCH.
- 3 COORDINATE WITH ARCHITECT FOR EXTERIOR FIXTURE, MOUNTING HEIGHTS, QUANTITY AND LOCATION PRIOR TO INSTALL.
- 4 EXTERIOR LIGHT SHALL BE CONTROL VIA PHOTOCELL. LIGHTING CONTRACTOR AND TIME CLOCK.

**DESIGN BUILD**  
**BLACKWATER CONSTRUCTION GROUP, LLC**  
 2200 SATELLITE BLVD, DULUTH GA 30092  
 TEL: (770) 251-5569

**DESIGN CONSULTANTS**  
**DESIGN SOLUTIONS LLC**  
 1100 SONDERS PRODUCTIONS WAY  
 PHONE: 404-740-7587

**ARCHITECT OF RECORD**  
**ROBERT J LARA, AIA**  
 8450 SW 201 ST.  
 CUTLER BAY, FL 33189

**STRUCTURAL**  
**ENGQUEST**  
 3350 ENGINEERING DRIVE, SUITE 175  
 PEACHTREE CORNERS, GA 30092  
 TEL: (770) 906-4670  
 www.engquest.com

**MEP**  
**ENGQUEST**  
 3350 ENGINEERING DRIVE, SUITE 175  
 PEACHTREE CORNERS, GA 30092  
 TEL: (770) 906-4670  
 www.engquest.com

*Robert J. Lara*  
 PE032226  
 PROFESSIONAL ENGINEER  
 04/2009/2014

NOTES:

REVISION #	DATE	REMARKS

ISSUE DATE	ISSUED TO:	ISSUED FOR:
10-02-2014	COUNTY	PERMITS

PROJECT ADDRESS:

**MASJID AL-MOMINEEN**  
 837 NORTH INDIAN CREEK DRIVE  
 CLARKSTON, DEKALB COUNTY  
 GEORGIA. 30021


LAYOUT:  
**ELECTRICAL BASEMENT LIGHTING PLAN**

PAPER SIZE: 24X36 (ARCH D)  
 SCALE: AS NOTED

SHEET NUMBER:

**E301**

**1 ELECTRICAL LIGHTING BASEMENT FLOOR PLAN**  
 E301 SCALE: 1/8" = 1'-0"



Order Plans @ www.LDline.com