



KEY	DESCRIPTION	DET/SHT	NEW STORE															
SHELL																		
(S1)	(E) LEASE LINE		OLD NAVY CAPAC. ARCHITECTURE CORPORATION HARRISON STREET FRANCISCO, CA 94105 REPS. I.D.: 0000054156 STORE NUMBER: 4458 STORE LOCATION: VINELAND 8231 VINELAND AVENUE SUITE 2151 ORLANDO, FLORIDA 32821															
(S2)	(E) NEUTRAL PIER																	
(S3)	(E) ALUMINUM STOREFRONT SYSTEM																	
(S5)	(N) ENTRY																	
(S11)	(N) REAR EXIT DOOR WITH LEVEL LANDING																	
(S12)	(E) ROOF ACCESS LADDER																	
(S13)	(E) BREEZEWAY TO REMAIN																	
(S14)	(N) ALUMINUM STOREFRONT AND KNEEWALL TO MATCH EXISTING																	
(S15)	(E) STOREFRONT PILLAR TO REMAIN																	
(S16)	(N) DOOR SIDELIGHT TO MATCH																	
(S17)	(E) LEVEL SIDEWALK TO REMAIN																	
CONSTRUCTION																		
(C4)	FIRE EXTINGUISHER. COORD. LOCATION AS REQUIRED BY LOCAL FIRE MARSHAL. FULL WALL OPENINGS: SEE STRUCT. APPLY (N) EIFS AT EXTERIOR, FINISH TO MATCH ADJACENT. INSTALL INSULATION AT INTERIOR FACE TO MATCH (E) CONDITIONS.	7 / A4-2																
(C20)	POCKET DOOR BY FLEETWOOD	CO-2 & A9-0																
(C21)	2'-6"x6" FRAMED OPENING FOR ELECTRICAL PANEL ACCESS	8 / A4-2																
GRAPHICS																		
(G11)	NO SMOKING GRAPHIC (EXTERIOR) @ 5'-0" AFF	2 / A12-0																
(G12)	NOT AN EXISTING SIGN. USE ONLY AS REQUIRED BY CODE.	3 / A10-1																
(G28)	PRIVATE SIGN	3 / A10-1																
(G29)	EMERGENCY EXIT ONLY SIGN	8 / A10-1																
(G30)	WALKWAY SIGN	16 / A10-0																
(G31)	EMPLOYEE AREA GRAPHIC	15 / A12-0																
(G40)	CORRIDOR WALL POSTERS	3 / A10-1 & 10 / A12-0																
FINISHES																		
(FN12)	STRUCTURAL COLUMN TO BE PAINTED PER FINISH SCHEDULE.	CO-3 1 / A4-2																
(FN30)	GALVANIZED CORNER GUARD TO 4'-0" WS	7 / A10-1																
(FN31)	PAINTED FLOOR STRIPPING [P41] "NO STORAGE THIS AREA" [P40]	1 / A9-0																
(FN32)	HIGH DENSITY MOBILE SHELVING SYSTEM WITH TIE-BACKS. FLOOR TO BE LEVELED WITHIN 1/8"	1 / A9-0																
ELECTRICAL																		
(E1)	(N) DOOR BUZZER - MOUNTED @ 48" A.F.F.	SEE ELEC																
(E2)	SEE ELECTRICAL SHEETS FOR LOCATION OF ELECTRICAL EQUIPMENT	E9-0																
(E16)	COMPLETE SET OF AS-BUILT DWGS IN PLASTIC TUBE SECURED TO WALL. SEND SECOND SET TO GAP PROJECT MANAGER	8 / A9-0																
(E23)	ADA PUSH BUTTON ON BOLLARD	SEE ELEC																
(E24)	ADA PUSH BUTTON MOUNTED ON STOREFRONT MULLION	SEE ELEC																
PLUMBING																		
(P1)	(E) FIRE SINKER SYSTEM RISER OR WATER MAIN																	
(P2)	SEE PLUMBING SHEETS FOR LOCATION OF PLUMBING FIXTURES	P1-0																
FLOOR PLAN KEY NOTES																		
WALL HATCH 		LEGEND FINISH SYMBOLS DOOR # KEYNOTES PARTITION TYPE 																
STUD WALL TABLE <table border="1"> <thead> <tr> <th>HT OF WALL</th> <th>TYPE OF STUD REQ'D</th> <th>ADDITION INFORMATION</th> </tr> </thead> <tbody> <tr> <td>15'</td> <td>362S162-33 @ 16" O.C.</td> <td></td> </tr> <tr> <td>17'</td> <td>362S162-33 @ 16" O.C.</td> <td></td> </tr> <tr> <td>20'</td> <td>600S162-33 @ 16" O.C.</td> <td>43 MLS IF 33 MLS IS NOT AVAILABLE FOR THIS SIZE</td> </tr> <tr> <td>25'</td> <td>600S162-43 @ 16" O.C.</td> <td></td> </tr> </tbody> </table>		HT OF WALL	TYPE OF STUD REQ'D	ADDITION INFORMATION	15'	362S162-33 @ 16" O.C.		17'	362S162-33 @ 16" O.C.		20'	600S162-33 @ 16" O.C.	43 MLS IF 33 MLS IS NOT AVAILABLE FOR THIS SIZE	25'	600S162-43 @ 16" O.C.		GENERAL NOTES 1. ALL DIMENSIONS MARKED "CLEAR" SHALL BE MAINTAINED AND SHALL ALLOW FOR THICKNESS OF ALL FINISHES. 2. LOCATE FIRE EXTINGUISHERS AS DIRECTED BY FIRE MARSHAL LOCATIONS IN FIELD. 3. DIMENSIONS SHOWN FOR LOCATING WALLS ARE TO FACE OF FINISH U.O.N. 4. SEE CO-3 FOR ROOM FINISH SCHEDULE & LEGEND. 5. SEE CO-2 FOR DOOR SCHEDULE. GRAPHIC NOTES: 1. ALL GRAPHICS AND SIGNAGE ARE VENDOR SUPPLIED & VENDOR INSTALLED. CONTACT VENDOR. 2. GC TO FIELD VERIFY EXISTING CONDITIONS AND DIMENSIONS AND NOTIFY ARCHITECT & GRAPHIC VENDOR OF ANY DISCREPANCIES. 3. (E) EXIT OR BOB DOORS. G.C. TO PAINT AS INDICATED ON ELEVATIONS.	
HT OF WALL	TYPE OF STUD REQ'D	ADDITION INFORMATION																
15'	362S162-33 @ 16" O.C.																	
17'	362S162-33 @ 16" O.C.																	
20'	600S162-33 @ 16" O.C.	43 MLS IF 33 MLS IS NOT AVAILABLE FOR THIS SIZE																
25'	600S162-43 @ 16" O.C.																	