

# Walmart

## Neighborhood Market

Apopka, FL  
STORE NO.: 6894-00

DATE: 04/07/17  
PROTO: WNM8-740R

### DRAWING INDEX

GENERAL	MECHANICAL
FSCS COVER SHEET	FST1 PIPING PLAN AND DETAILS
ARCHITECTURAL	FST2 TANK DETAILS
FSA1 CANOPY	FST3 DISPENSER AND TANK SUMP DETAILS
FSA1.1 SIGNAGE AND SITE DETAILS	FST4 DISPENSER AND SUMP DETAILS
FSA2 SERVICE BUILDING	FST5 TANK AND VENT PIPING DETAILS
FSA3 WALL SECTIONS AND DETAILS	FST6 EQUIPMENT SCHEDULES
FSA5 FIXTURE PLAN ELEVATIONS AND SCHEDULES	FSM1 SERVICE BUILDING MECHANICAL PLAN AND DETAILS
FSA4 ROOF PLAN RCP AND DETAILS	FSP1 SERVICE BUILDING PLUMBING PLAN AND DETAILS
FSA5.1 INTERIOR ELEVATIONS	FSP2 CANOPY DRAINAGE PLAN AND DETAILS
FSA6 PARTITION TYPES AND MISC DETAILS	
STRUCTURAL	ELECTRICAL
FSS0 GENERAL STRUCTURAL INFORMATION	FSE1 SITE ELECTRICAL PLANS
FSS1 CANOPY PLAN AND DETAILS	FSE2 TANK ELECTRICAL PLANS AND ELECTRICAL DETAILS
FSS2 SERVICE BUILDING FOUNDATION PLAN AND DETAILS	FSE3 SERVICE BUILDING ELECTRICAL PLANS ONE LINE DETAILS
FSS3 SERVICE BUILDING FRAMING PLAN AND DETAILS	FSE3.1 ELECTRICAL SCHEDULES
FSS4 GENERAL SCHEDULES AND DIAGRAMS	FSE4 SITE CONDUIT DIAGRAMS
	FSE5 SITE MONITORING WIRING DIAGRAM
	FSE6 DISPENSER AND SITE ETHERNET WIRING DIAGRAM
	FSISD1 ISD PLAN AND SCHEDULE

### PROJECT DATA & CODE INFORMATION

CODES	CODE-DESCRIPTOR
BUILDING CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
ENERGY CONSERVATION CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
MECHANICAL CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
PLUMBING CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
ELECTRIC CODE:	2011 FLORIDA BUILDING CODE, 5TH ED
FUEL GAS CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
TEST PROTOCOLS - HIGH VELOCITY	
HURRICANE ZONES CODE:	2014 FLORIDA BUILDING CODE, 5TH ED
FIRE CODE:	FLORIDA FIRE PREVENTION CODE 2010 (NFPA 1, 101 2009 ED)
SPRINKLER CODE:	NFPA 13, 2010
FIRE ALARM CODE:	NFPA 72, 2010

### OCCUPANT LOAD & REQUIRED EGRESS WIDTHS

ROOM	AREA	LOAD	OCCUPANT LOAD	REQUIRED EGRESS WIDTH	PROVIDED EGRESS WIDTH
850 SALES	500 SF	30	17	0.0	1.4
851 TOLLET	48 SF	30	2	0.0	0.0
852 EQUIPMENT	111 SF	300	1	0.0	0.0
TOTALS	659 SF		18		

BUILDING OCCUPANCIES:	M - MERCANTILE - SECTION 309.1 (MOTOR FUEL DISPENSING FACILITIES - SECTION 309.1)
TYPE OF CONSTRUCTION:	CANOPY: 4413 SF - TYPE II-B, SECTION 602.2
BUILDING SQUARE FOOTAGE:	SERVICE BUILDING: 663 SF - TYPE II-B, SECTION 602.2 AND TABLE 602.2 (IBC)
FIRE PROTECTION:	TOTAL GROSS SQUARE FOOTAGE: 683 SF PER DEFINITION OF GROSS FLOOR AREA (IBC 1002.1)
EXIT AND EGRESS:	THIS BUILDING IS DESIGNED FOR ALLOWABLE HEIGHTS AND AREAS PER 2009 IBC TABLE 503
COMMON FLOOR OF TRAVEL:	75' FOR M OCCUPANCY (MERCANTILE) PER 2009 IBC SECTION 1014.3
OCCUPANCY LOAD FACTORS:	MAXIMUM FLOOR AREA ALLOWANCE PER OCCUPANT PER 2009 IBC TABLE 1004.1.1

PLUMBING FIXTURE COUNTS: 2009 IPC TABLE 403.1
TOTAL BUILDING OCCUPANT LOAD IS 20
LAVATORIES REQUIRED: 2
LAVATORIES PROVIDED: 2
WATER CLOSETS REQUIRED: 1
WATER CLOSETS PROVIDED: 1
DRINKING FOUNTAINS REQUIRED: 1
DRINKING FOUNTAINS PROVIDED: 1

### LOCAL CONTACTS

BUILDING DEPARTMENT	CONTACTS
PERMITTING	KATHY HAMMEL PLANNER PLANNING AND DEVELOPMENT DIVISION 1101 EAST FIRST STREET SANFORD, FL 32771 PH (407) 865-7389
PLANNING & ZONING:	KATHY HAMMEL PLANNER PLANNING AND DEVELOPMENT DIVISION 1101 EAST FIRST STREET SANFORD, FL 32771 PH (407) 865-7389
SIGNAGE:	KATHY HAMMEL PLANNER PLANNING AND DEVELOPMENT DIVISION 1101 EAST FIRST STREET SANFORD, FL 32771 PH (407) 865-7389


### GENERAL INFORMATION

FIRE EXTINGUISHERS SHALL BE PROVIDED BY GENERAL CONTRACTOR IN ACCORDANCE WITH NFPA 10 (1) 2A 40B/C MINIMUM RATED EXTINGUISHER SHALL BE PROVIDED FOR EACH 3,000 S.F. OF AREA LOCATED SUCH THAT TRAVEL DISTANCE TO CLOSEST UNIT IS NO MORE THAN 75 FEET. FIRE EXTINGUISHER LOCATIONS SHALL BE APPROVED BY THE OFFICE OF THE FIRE MARSHAL PRIOR TO OCCUPANCY.

### SITE ADDRESS

NEIGHBORHOOD MARKET #894  
806 BALMY BEACH DR.  
APOPKA, FL 32703

### VICINITY MAP



### GENERAL ABBREVIATION LEGEND

ABBR	DEFINITION	ABBR	DEFINITION
AB	ANCHOR BOLT	LLV	LONG LEG VERTICAL
ACI	AMERICAN CONCRETE INSTITUTE	LONS	LONGITUDINAL
AFF	ABOVE FINISHED FLOOR	LT	LIGHT
AFG	ABOVE FINISH GRADE	ME	MASONRY ELEVATION
AHJ	AUTHORITY HAVING JURISDICTION	MAS	MASONRY
AISC	AMERICAN INSTITUTE OF STEEL CONSTRUCTION	MAU	MAKE-UP AIR UNIT
AP	ASSET PROTECTION	MAX	MAXIMUM
ALUM	ALUMINUM	MECH	MECHANICAL
ARCH	ARCHITECTURAL	MEZZ	MEZZANINE
ASTM	AMERICAN SOCIETY OF TESTING AND MATERIALS	MBM	MODULAR BUILDING MANUFACTURER
AWIS	AMERICAN WELDING SOCIETY	MFR	MANUFACTURER
BFF	BELOW FINISHED FLOOR	MIN	MINIMUM
BL	BLOCK LINTEL	MISC	MISCELLANEOUS
BO	BOTTOM OF	MO	MASONRY OPENING
BOS	BOTTOM OF STEEL	MTL	METAL
BRG	BEARING	MTE	MATCH EXISTING
CONN	CONNECTION	NC	NOT IN CONTRACT
CL	CENTERLINE	NO	NUMBER
CLD	CLOSING	NRP	NON-FIBERGLASS REINFORCED PLASTIC
CLO	CLOSET	NS	NEAR SIDE
CLR	CLEAR	N/S	NOT TO SCALE
CMU	CONCRETE MASONRY UNIT	OC	ON CENTER
CONC	CONCRETE	OH	OUTSIDE DIAMETER
CONN	CONNECTION	OSHHA	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
CONST	CONSTRUCTION	PAF	POWER ACTUATED FASTENER
CONT	CONTINUOUS	PCF	POUNDS PER CUBIC FOOT
CU	CONDENSING UNIT	PERIM	PERIMETER
DIA	DIAMETER	PLAM	PLASTIC LAMINATE
DEMO	DEMOLITION	PL	PLATE
DS	DOWNPOUT	PFL	POUNDS PER LINEAR FOOT
DTM	DIRECT TO METAL	PMEJ	PREMOLDED EXPANSION JOINT
EDC	ELECTRICAL DISTRIBUTION CENTER	PREFIN	PRE-FINISHED
EF	EXHAUST FAN	PSF	POUNDS PER SQUARE FOOT
EFS	EXTERIOR INSULATION AND FINISH SYSTEM	PSI	POUNDS PER SQUARE INCH
EJ	EXPANSION JOINT	PVC	POLYVINYL CHLORIDE
EL	ELEVATION	QTY	QUANTITY
ELEC	ELECTRICAL	REF	REFER TO
EQ	EQUIVALENT	REFRIG	REFRIGERATION
ETR	EXISTING TO REMAIN	REIN	REINFORCING
EXIST	EXISTING	REQD	REQUIRED
EW	EACH WAY	REV	REVERSE
FDN	FOUNDATION	RMC	REFRIGERATION MECHANICAL CENTER
FF	FINISHED FLOOR	RO	ROUGH OPENING
FRP	FIBERGLASS REINFORCED PLASTIC	RTU	ROOF TOP UNIT
FS	FINISH	SCHED	SCHEDULE
FTG	FOOTING	SDI	STEEL DECK INSTITUTE
FV	FIELD VERIFY	SM	SIMILAR
GA	GAGE	SI	STEEL INSTITUTE
GC	GENERAL CONTRACTOR	SPECS	SPECIFICATIONS
GS	GENERAL MERCHANDISE	SS	STAINLESS STEEL
GR	GROUERY	STRUC	STRUCTURAL
GYP BD	GYP-SUM BOARD	T&B	TOP AND BOTTOM
H	HEIGHT	THK	THICKNESS
H-CAP	HAND-CAPPED	TO	TOP OF
HOPE	HIGH-DENSITY POLYETHYLENE	TO/CC	TOP OF CONCRETE
HOL	HOLLOW METAL	TOP	TOP OF FOOTING
HSA	HEADED STUD ANCHOR	TOGB	TOP OF GRADE BEAM
HORIZ	HORIZONTAL	TOGR	TOP OF MASONRY
HW	HOT WATER	TOP	TOP OF FINISH
INFO	INFORMATION	TOS	TOP OF STEEL
INSUL	INSULATED	TRANS	TRANSVERSE
ISO	ISOLATION	TUBE STEEL	TUBE STEEL
JBE	JOIST BEARING ELEVATION	UNO	UNLESS NOTED OTHERWISE
JST	JOIST	TYP	TYPICAL
JT	JOINT	VERT	VERTICAL
KSI	KIPS PER SQUARE INCH	W	WIDTH
L	LENGTH	WH	WATER HEATER
LH	LONG LEG HORIZONTAL	XFRM	TRANSFORMER

CHECKED BY:	MM
DRAWN BY:	MM
FILE NAME:	740R-FSCS
PROTO CYCLE:	021017
DOCUMENT DATE:	04/07/17

BID SET  
NOT FOR  
CONSTRUCTION

COVER  
SHEET

SHEET:  
FSCS

Walmart FUEL STATION

STIPULATION FOR THE USE OF THIS DRAWING: THIS DRAWING IS THE PROPERTY OF MASS MULTIMEDIA ARCHITECTURE, PC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF MASS MULTIMEDIA ARCHITECTURE, PC. 1209 ROUTE 68, NEPAUNE, NJ 07103 907-616-0061

MASS MULTIMEDIA ARCHITECTURE, PC  
3227 STATE ROUTE 66  
NEPAUNE, NEW JERSEY 07103

Walmart Neighborhood Market  
Apopka, FL  
STORE NO.: 0000-00  
907-616-0061 PHOTO

Walmart FUEL STATION