

BILL TO STORE #03816 HOUSTON ROAD

ITEM NO.	QUANTITY	DESCRIPTION OF EQUIPMENT	APPROVED MANUFACTURER	MECHANICAL												ITEM NO.	REMARKS (ALL ITEMS BY CHICK-FIL-A UNLESS OTHERWISE NOTED)
				ELECTRICAL						PLUMBING							
				VOLT	PH	KW	AMP	HP	NEMA RATING	HW	CW	FW	PWE	IW	ROUGH-IN		
105	1	PASS-THRU COUNTER	CLAYTON FIXTURE													105	REFER TO MANUFACTURER SHOP DRAWINGS
108	1	BACK SERVING COUNTER	CLAYTON FIXTURE													108	REFER TO MANUFACTURER SHOP DRAWINGS: NEW FILLER CABINET, & COUNTER TOP
115	1	CASH COUNTER	CLAYTON FIXTURE													115	REFER TO MANUFACTURER SHOP DRAWINGS
150R	1	BREAD RACK	EQUIPMENT TO BE REUSED/RELOCATED													150R	
183	1	ORDER MONITOR	RADIANT KITCHEN PRODUCTION SYSTEM	120	1		0.125									183	
184	1	IPAD	APPLE	120	1	0.12	2.1									184	PROVIDED BY CFA IT
184R	1	IPAD	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER	VERIFY	VERIFY									184R	
202	2	SLIM JIM TRASH CAN	RUBBERMAID MODEL #3540													202	PROVIDED BY CFA WAREHOUSE
205	1	HAND SANITIZER	GOJO MODEL #Z730-PL													205	REFER TO ARCHITECTURAL SHEETS FOR DETAILS ON MOUNTING HEIGHTS AND LOCATIONS - PROVIDED BY CFA WAREHOUSE
206	1	SOAP DISPENSER	GOJO MODEL #Z730-PL													206	REFER TO ARCHITECTURAL SHEETS FOR DETAILS ON MOUNTING HEIGHTS AND LOCATIONS - PROVIDED BY CFA WAREHOUSE
260	1	42" VENT HOOD WITH 3" SPACER	HALTON HOODS													260	HOOD SHROUD BY VENT HOOD MANUFACTURER - REFER TO SHOP DRAWINGS
263	1	90" VENT HOOD	HALTON HOODS													263	HOOD SHROUD BY VENT HOOD MANUFACTURER - REFER TO SHOP DRAWINGS
267R	1	133.5" VENT HOOD	EQUIPMENT TO BE REUSED/RELOCATED													267R	
269	1	ANSUL FIRE SUPPRESSION SYSTEM	HALTON HOODS	120	1			VERIFY								269	LOCATED ABOVE HOOD - BEHIND CLOSURE PANEL - REFER TO SHOP DRAWINGS - FED FROM CFA-T500 PANEL
270R	1	ANSUL FIRE SUPPRESSION SYSTEM	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY								270R	
359	1	WALL MOUNTED SPLASH GUARD	CUSTOM STAINLESS STEEL FABRICATION													359	RIGHT HAND MOUNT, 12" HIGH X 24" WIDE WALL MOUNTED SIDE SPLASH WITH HEMMED EDGE
360	1	HAND SINK	EAGLE MODEL #HSA-10-N											1-1/2"		360	WITH SIDE MOUNTING BRACKETS
360F	1	FAUCET FOR WALL MOUNTED HAND SINK	T&S MODEL #B-1146-CFA-VF05											1/2"	1/2"	360F	BILL TO FM
400R	1	SGL SECTION REACH-IN FREEZER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							400R	
402	1	FREEZER/WORK TABLE	TRAUlsen MODEL #JLT60-ZCF-LR	120	1			7.3								402	ORDER ON 6" CASTERS WITH BACKSPLASH - ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK
420R	3	SGL UNDERCOUNTER REFRIGERATOR	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							420R	
421	1	DOUBLE UNDERCOUNTER REFRIGERATOR	TRAUlsen MODEL #JHT48-ZCF	120	1			5.48	5.7							421	ORDER ON 4" CASTERS
432R	2	REFRIGERATED WORK TABLE	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							432R	ELECTRICIAN TO CHANGE (1) PLUG TO TWIST LOCK
439R	1	40" COLD RAIL	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							439R	
440R	1	BREADING TABLE	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							440R	
441R	1	SALAD PREP TABLE	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							441R	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK
442R	1	SALAD DISPLAY REFRIGERATOR	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							442R	
444R	2	THAWING CABINET - DOUBLE	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							444R	CONVERT TO DIRECT CONNECT IF NEEDED - G.C. INSTALL LIQUID TIGHT FLEX. CONDUIT
444SR	2	THAWING CABINET - SINGLE	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							444SR	CONVERT TO DIRECT CONNECT IF NEEDED - G.C. INSTALL LIQUID TIGHT FLEX. CONDUIT
500AR	1	VERTICAL CONTACT TOASTER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							500AR	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK IF NEEDED - FIELD VERIFY
500BR	1	RADIANT TOASTER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							500BR	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK IF NEEDED - FIELD VERIFY
505HR	1	RANGE/CONVECTION OVEN	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							505HR	
505GR	1	RANGE/CONVECTION OVEN	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							505GR	
522	1	OPEN FRYER	HENNY PENNY MODEL #CFE-410	208	3	22.0	61									522	PIN&SLEEVE PROVIDED WITH EQUIPMENT AND RECEPTACLE BOX PROVIDED WITH HALTON ITEMS
522R	2	OPEN FRYER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							522R	
523R	5	PRESSURE FRYER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							523R	
524R	2	DUAL-SIDED XPRESS BROILER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							524R	
550R	1	DOUBLE WARMING DRAWER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							550R	
560	1	FRY HOLDING STATION	BKI MODEL #FW-158B	120	1	1.84	15.4									560	ON EXISTING PASS-THRU COUNTER
560R	1	FRY HOLDING STATION	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							560R	ON EXISTING PASS-THRU COUNTER
562A	1	HIGH DENSITY HOT HOLDING TOWER	FRANKE MODEL #B004540	120	1	1.911	15.9									562A	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK
562AR	1	HIGH DENSITY HOT HOLDING TOWER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							562AR	
563	1	36" DOUBLE TIER SANDWICH SLIDE	BKI MODEL #2TSM-3824L	120/208	1	1.73	9.18									563	6" CORD & PLUG - PLACED ON ITEM #105
564R	2	PRODUCT HOLDING CABINET	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							564R	LOCATED ON ITEM #643 & #439R; ELECTRICIAN TO CHANGE (1) PLUG TO TWIST LOCK
565C	1	FOOD COOKER/WARMER	ROUNDUP MODEL #CW-100	120	1	1.5	12.5									565C	PROVIDE WITH TWIST LOCK PLUG-ORDER WITH (1) 3VOL042, (2) 3VOL043, (8) 3VOL051, AND (8) 3VOL061
580H	2	MULTI-USE HOLDING CABINET	DUKE MODEL #MUHC-51-120	120	1	2.04	16									580H	ELECTRICIAN TO CHANGE (1) PLUG TO TWIST LOCK
581R	1	DUMP CART	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							581R	NOT SHOWN ON PLANS
600AR	1	MIXER ROLLING CART	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							600AR	
600R	1	MIXER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							600R	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK
601R	1	FOOD CUTTER	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							601R	ELECTRICIAN TO CHANGE PLUG TO TWIST LOCK
643	1	FOOD PREP TABLE	EAGLE MODEL #T30425E-BS													643	WITH BACKSPLASH AND UNDERSHELF - ORDER ON 5" CASTERS
645	1	DUAL LINE TABLE	EAGLE MODEL #YCF-A-DL-0012-00													645	VERIFY CUSTOM TABLE - 96" TABLE
647	1	FOOD PREP TABLE	EAGLE MODEL #T3066STEM-BS													647	WITH BACKSPLASH & MARINE EDGE - ORDER ON 5" CASTERS
660	1	PAPER TOWEL DISPENSER	SAN JAMAR MODEL #T1390TBK9													660	RE: ARCHITECTURAL SHEETS FOR DETAILS ON MOUNTING HEIGHTS AND LOCATIONS
665R	1	TRASH CART WITH LID	EQUIPMENT TO BE REUSED/RELOCATED	VERIFY	VER			VERIFY	VER							665R	NOT SHOWN ON PLANS
732H	1	FLOOR SHELF UNIT (7" POST, 24"x36")	INTERMETRO													732H	METROSEAL III - 3 SHELVES ABOVE DUNNAGE SHELF, 1 SHELF BELOW DUNNAGE SHELF
734D	1	DRYING RACK	INTERMETRO MODEL #PR48X													734D	METROMAX - 4 SHELVES
734H	2	FLOOR SHELF UNIT (7" POST, 24"x48")	INTERMETRO													734H	METROSEAL III - 3 SHELVES ABOVE DUNNAGE SHELF, 1 SHELF BELOW DUNNAGE SHELF
750F	1	GEN3 SOLID SHELF (14"x24")	INTERMETRO													750F	SOLID SHELF - SEE INTERIOR ELEVATIONS FOR MOUNTING INFORMATION
750Fa	1	VERTICAL SHELF DIVIDER (8" HIGH X 14" DEEP)	INTERMETRO MODEL #DD14FC													750Fa	MOUNTED ON 12" CENTERS AT BREADING AREA - NOT SHOWN ON PLAN
752F	1	GEN3 SOLID SHELF (14"x36")	INTERMETRO													752F	SOLID SHELF - SEE INTERIOR ELEVATIONS FOR MOUNTING INFORMATION
752Fa	2	VERTICAL SHELF DIVIDER (8" HIGH X 14" DEEP)	INTERMETRO MODEL #DD14FC													752Fa	MOUNTED ON 12" CENTERS AT BREADING AREA - NOT SHOWN ON PLAN
771FS	1	SUSPENDED SOLID SHELF (18"x36")	INTERMETRO													771FS	SOLID SHELF - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
771Fsa	2	VERTICAL SHELF DIVIDER (8" HIGH X 18" DEEP)	INTERMETRO MODEL #DD18FC													771Fsa	MOUNTED ON 12" CENTERS AT BREADING AREA - NOT SHOWN ON PLAN
772FS	1	SUSPENDED SOLID SHELF (18"x36")	INTERMETRO													772FS	SOLID SHELF - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
772Fsa	2	VERTICAL SHELF DIVIDER (8" HIGH X 18" DEEP)	INTERMETRO MODEL #DD18FC													772Fsa	MOUNTED ON 12" CENTERS AT BREADING AREA - NOT SHOWN ON PLAN
774S	2	SUSPENDED SHELF (18"x48")	INTERMETRO													774S	METROSEAL III - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
774Sa	6	VERTICAL SHELF DIVIDER (8" HIGH X 18" DEEP)	INTERMETRO MODEL #DD18K3													774Sa	MOUNTED ON 12" CENTERS AT FOOD PREP AREA - NOT SHOWN ON PLAN
774Sb	2	FLAT PLEXIGLASS PANEL	CUSTOM FABRICATION (48"x18"x1/4")													774Sb	MOUNTED TO ALUMINUM ANGLE BETWEEN #794S AND #774S AT SALAD PREP AREA
786	1	GEN3 SHELF (24"x60")	INTERMETRO													786	SEE INTERIOR ELEVATIONS FOR MOUNTING INFORMATION
791S	2	SUSPENDED SHELF (30"x30")	INTERMETRO													791S	METROSEAL III - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
791Sb	1	STAINLESS STEEL BACK PANEL	ATLANTIC CUSTOM FABRICATORS (30"x72" W/HEMMED EDGE)													791Sb	MOUNTED ON #791S WITH HEMMED EDGE FACING AWAY FROM BREADING TABLE
792S	1	SUSPENDED SHELF (30"x36")	INTERMETRO													792S	METROSEAL III - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
792Sb	1	STAINLESS STEEL BACK PANEL	ATLANTIC CUSTOM FABRICATORS (36"x72" W/HEMMED EDGE)													792Sb	MOUNTED ON #792S WITH HEMMED EDGE FACING AWAY FROM BREADING TABLE
794S	2	SUSPENDED SHELF (30"x48")	INTERMETRO													794S	METROSEAL III - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION
796S	2	SUSPENDED SHELF (30"x60")	INTERMETRO													796S	METROSEAL III - SEE STRUCTURAL SHEETS FOR INSTALLATION INFORMATION




5200 Buffington Rd.
Atlanta Georgia,
30349-2998

Revisions:
Mark Date By
△ 06.30.17
ISSUED FOR PERMIT

Mark Date By
△ 07.11.17
ISSUED FOR BID

Mark Date By
△

Seal



3011 Industrial Parkway East
Knoxville, Tennessee 37921
Phone (605) 637-2525
Fax (605) 522-4448

STORE #02593
HOUSTON ROAD FSU

4980 HOUSTON RD
FLORENCE, KY
41042

SHEET TITLE
EQUIPMENT
SCHEDULE

VERSION: S08C-R
ISSUE DATE: 05.2017

Job No. : 16-1511
Store : 02593
Date : 07.11.17
Drawn By : OLM
Checked By: THW

Sheet
K2.I

BILL TO EQUIPMENT REPLACEMENT TEAM

ITEM NO.	QUANTITY	DESCRIPTION OF EQUIPMENT	APPROVED MANUFACTURER	MECHANICAL												ITEM NO.	REMARKS (ALL ITEMS BY CHICK-FIL-A UNLESS OTHERWISE NOTED)
				ELECTRICAL						PLUMBING							
				VOLT	PH	KW	AMP	HP	NEMA RATING	HW	CW	FW	PWE	IW	ROUGH-IN		
300a	1	MILKSHAKE BASE DISPENSER	KAN-PAK MODEL #CDG211	120	1		4.0									300a	MOUNTED ON ITEM #300b
300b	1	MILKSHAKE BASE DISPENSER SHELF	ALL SOUTHERN FABRICATORS													300b	

Order Plans

FOR BID ONLY