

① 2" SURFACE ASPHALT COURSE
② 2" INTERMEDIATE ASPHALT COURSE
③ 8" AGGREGATE BASE COURSE (ABC)
④ SUBGRADE COMPACTED TO 98% MAX. DRY DENSITY ASTM D698 (STD. PROCTOR) WITH COMPACTION WITHIN 3% OF OPTIMUM MOISTURE CONTENT.

1 LIGHT DUTY ASPHALT SECTION
NTS



NOTES:
1. 8" PAVEMENT THICKNESS
2. CONCRETE SHALL BE BROOM FINISHED U.N.O
3. CONTRACTOR SHALL INSTALL TYP. EXPANSION JOINT BETWEEN ALL NEW CONC. PAVEMENT AND ALL ABUTTING EXISTING SOLID STRUCTURES

2 CONCRETE PAVEMENT
NTS



STRIPING NOTES:
1. DIAGONAL LINES TO BE AT 45 DEGREES. 6" IN WIDTH. 3' SPACING. COLOR – WHITE.
2. OUTLINE TO BE 6" IN WIDTH. COLOR – WHITE.
2. REFER TO PLAN SHEETS FOR LOCATION.

3 ASPHALT STRIPING
NTS

NOTES:
1. INSTALL WOVEN GEOTEXTILE FABRIC BETWEEN SUBGRADE AND ABC.

4 GRAVEL DRIVEWAY
NTS

Order Plans @ WWW.LDILine.com

Revisions	Date
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-

Atriax
Atriax, pllc
102 3rd Avenue, NE
Hickory, NC 28603
Phone: 828.315.9962
Fax: 828.315.9964
www.atriaxgroup.com

Wiley|Wilson
Wiley|Wilson
127 Nationwide Drive
Lynchburg, VA 24502
Phone: 434.947.1901
www.wileywilson.com

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 042044 8-23-17 WILLIAM T. HAMBLIN

Approved: Energy Engineer	Approved: Safety Manager	Approved: Service Chief	Drawing Title: CS501 SITE DETAILS	Project Title: RENOVATE FOR WATER QUALITY	Date: 4/28/2017	Veterans Affairs
CONSTRUCTION DOCUMENTS	Approved: Infection Control Officer	Approved: Chief of Staff			Project No.: 658-15-101	
	Approved: GEMS Coordinator	Approved: Associate Director	Approved: Chief of Facility Management Svc.	Building Number / Checked: WTH / Drawn: WTH	DRAWING SET: 2592	
			Approved: Medical Center Director	Location: VA MEDICAL CENTER, SALEM, VA 24153	Dwg. 6 Of 153	