



DOMESTIC WATER PIPE REINSULATION SCHEDULE

BUILDING NUMBER	FLOOR NUMBER	INSULATION NUMBER	ROOM	USE (HOT WATER, HOT WATER RECIRC OR COLD WATER)	IS INSULATION ACCESSIBLE WITHOUT ARCH DEMOLITION OF SURFACE (Y/N)?	ABOVE LAY-IN CEILING (Y/N)?	PIPING MATERIAL	PIPE SIZE (INCH)	PIPE LENGTH (INCHES)	NUMBER OF 90 DEG ELBOWS	ADDITIONAL FITTINGS/VALVES	REFERENCE DRAWING
9	CRAWL SPACE	9-INS-CS-01	SUB-BASEMENT MECHANICAL ROOM	COLD WATER	Y	N	COPPER	4"	70	-	(2) GATE, (2) CHECK, (1) STRAINER, (1) FLANGE	PL-9-401
9	CRAWL SPACE	9-INS-CS-02	CRAWL SPACE	COLD WATER	Y	N	COPPER	2 1/2"	25	-	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-03	CRAWL SPACE	COLD WATER	Y	N	COPPER	2 1/2"	25	3	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-04	CRAWL SPACE	HOT WATER	Y	N	COPPER	3/4"	25	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-05	CRAWL SPACE	HOT WATER	Y	N	COPPER	1"	40	1	(1) BALL VALVE	PL-9-101
9	CRAWL SPACE	9-INS-CS-06	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	1/2"	90	2	(1) BALL VALVE, (1) BALANCING VALVE	PL-9-101
9	CRAWL SPACE	9-INS-CS-07	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	1 1/4"	15	-	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-08	CRAWL SPACE	HOT WATER	Y	N	COPPER	2"	15	-	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-09	CRAWL SPACE	COLD WATER	Y	N	COPPER	1"	15	-	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-10	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	3/4"	25	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-11	CRAWL SPACE	HOT WATER	Y	N	COPPER	1"	70	-	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-12	CRAWL SPACE	COLD WATER	Y	N	COPPER	1/2"	40	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-13	CRAWL SPACE	HOT WATER	Y	N	COPPER	1"	40	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-14	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	3/4"	40	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-15	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	1/2"	310	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-16	CRAWL SPACE	HOT WATER	Y	N	COPPER	1"	90	2	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-17	CRAWL SPACE	COLD WATER	Y	N	COPPER	1 1/4"	100	2	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-18	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	1/2"	25	1	-	PL-9-101
9	CRAWL SPACE	9-INS-CS-19	CRAWL SPACE	HOT WATER RECIRC	Y	N	COPPER	1/2"	60	1	(1) BALANCING VALVE	PL-9-101
9	CRAWL SPACE	9-INS-CS-20	CRAWL SPACE	COLD WATER	Y	N	COPPER	1"	50	-	-	PL-9-101
9	BASEMENT	9-INS-B-01	CORRIDOR (15) OFFICE (1J)	COLD WATER	Y	Y	COPPER	1/2"	120	3	-	PL-9-102
9	BASEMENT	9-INS-B-02	CORRIDOR (15) OFFICE (1J)	HOT WATER	Y	Y	COPPER	1/2"	150	3	-	PL-9-102
9	BASEMENT	9-INS-B-03	MENS TOILET (7)	COLD WATER	Y	Y	COPPER	1/2"	80	2	(1) GATE VALVE	PL-9-102
9	BASEMENT	9-INS-B-04	MENS TOILET (7)	COLD WATER	Y	Y	COPPER	1 1/4"	40	1	-	PL-9-102
9	BASEMENT	9-INS-B-05	MENS TOILET	HOT WATER	Y	Y	COPPER	3/4"	50	1	-	PL-9-102
9	BASEMENT	9-INS-B-06	-	COLD WATER	Y	Y	COPPER	1/2"	30	2	-	PL-9-102
9	BASEMENT	9-INS-B-07	KINESIOTHERAPY (11)	HOT WATER RECIRC	Y	Y	COPPER	1/2"	70	2	-	PL-9-102
9	1	9-INS-1-01	TOILET (111)	HOT WATER RECIRC	Y	Y	COPPER	3/4"	12	-	-	PL-9-103
9	1	9-INS-1-02	TOILET (111)	HOT WATER	Y	Y	COPPER	3/4"	200	8	(5) GATE VALVES	PL-9-103

Order Plans

Revisions	Date

Atrix
Atrix, pllc
102 3rd Avenue, NE
PO Box 1628,
Hickory, NC 28603
Phone: 828.315.9962
Fax: 828.315.9964
www.atrifaxgroup.com

WileyWilson
WileyWilson
127 Nationwide Drive
Lynchburg, VA 24502
Phone: 434.947.1901
www.wileywilson.com



Approved: Energy Engineer
CONSTRUCTION DOCUMENTS

Approved: Safety Manager
Approved: Infection Control Officer
Approved: GEMS Coordinator

Approved: Service Chief
Approved: Chief of Staff
Approved: Associate Director

Drawing Title
PL-603 SCHEDULES
Approved: Chief of Facility Management Svc.
Approved: Medical Center Director

Project Title
RENOVATE FOR WATER QUALITY
Building Number
Checked MJG
Drawn WJC
Location
VA MEDICAL CENTER, SALEM, VA 24153

Date
04/28/2017
Project No.
658-15-101
DRAWING SET
2592
Dwg. 125 Of 155

Veterans Affairs