DOMESTIC WATER PIPE REINSULATION SCHEDULE

BUILDING NUMBER	FLOOR NUMBER	INSULATION NUMBER	ROOM	USE (HOT WATER, HOT WATER RECIRC OR COLD WATER)	IS INSULATION ACCESSIBLE WITHOUT ARCH DEMOLITION OF SURFACE (Y/N)?	ABOVE LAY-IN CEILING (Y/N)?	PIPING MATERIAL	PIPE SIZE (INCH)	PIPE LENGTH (INCHES)	NUMBER OF 90 DEG ELBOWS	ADDITIONAL FITTINGS/VALVES	REFERENCE DRAWING
143	3	143-INS-3-01	TOILET (3J-145) TOILET (3J-150)	COLD WATER	Y	Y	COPPER	2" 1 1/2"	150 130	2 2	–	PL-143-114
143	3	143-INS-3-02	HSK (3J-156)	HOT WATER	Y	Y	COPPER	1/2"	40	2	–	PL-143-114
143	3	143-INS-3-03	HSK (3J-156)	COLD WATER	Y	Y	COPPER	1/2"	40	1	–	PL-143-114
143	4	143-INS-4-01	EQUIP STOR (4H-107)	COLD WATER	Y	Y	COPPER	2"	70	–	–	PL-143-116
143	4	143-INS-4-02	CORRIDOR (C4-20) BATH RM (4H-138B)	COLD WATER	Y	Y	COPPER	2"	120	1	–	PL-143-116
143	4	143-INS-4-03	CORRIDOR (C4-20) BATH RM (4H-138B)	HOT WATER	Y	Y	COPPER	1/2"	120	1	–	PL-143-116
143	4	143-INS-4-04	CORRIDOR (C4-20) PATIENT RM (4H-135)	HOT WATER	Y	Y	COPPER	1/2"	120	1	–	PL-143-116
143	4	143-INS-4-05	CORRIDOR (C4-20) PATIENT RM (4H-135)	COLD WATER	Y	Y	COPPER	1/2"	120	1	–	PL-143-116
143	4	143-INS-4-06	CORRIDOR (C4-10) PATIENT RM (4J-139)	COLD WATER	Y	Y	COPPER	2"	100	1	–	PL-143-117
143	4	143-INS-4-07	CORRIDOR (C4-10) ANTE RM (4J-142)	COLD WATER	Y	Y	COPPER	1/2"	100	1	–	PL-143-117
143	4	143-INS-4-08	EQUIP STOR (4J-111) PATIENT RM (4J-112)	COLD WATER	Y	Y	COPPER	2"	70	–	–	PL-143-117

Order Plans @ www.LDILine.com

Revisions	Date

Atriax, pllc
102 3rd Avenue, NE
PO Box 1629,
Hickory, NC 28603
Phone: 828.315.9962
Fax: 828.315.9994
www.atriaxgroup.com

WileyWilson
127 Nationwide Drive
Lynchburg, VA 24502
Phone: 434.947.1901
www.wileywilson.com

COMMONWEALTH OF VIRGINIA
MICHAEL J. GEHL
Lic. No. 24288
4/28/2017
PROFESSIONAL ENGINEER

Approved: Energy Engineer	Approved: Safety Manager	Approved: Service Chief
CONSTRUCTION DOCUMENTS	Approved: Infection Control Officer	Approved: Chief of Staff
	Approved: GEMS Coordinator	Approved: Associate Director

Drawing Title: PL-609 SCHEDULES

Project Title: RENOVATE FOR WATER QUALITY

Approved: Chief of Facility Management Svc.

Approved: Medical Center Director

Building Number | Checked: MJG | Drawn: WJC

Location: VA MEDICAL CENTER, SALEM, VA 24153

Date: 04/ 28 / 2017

Project No.: 658-15-101

DRAWING SET: 2592

Dwg. 131 Of 155

Veterans Affairs