


PLUMBING FLOOR PLAN - WASTE & VENT  
 SCALE: 1/4" = 1'-0"



**GENERAL NOTES:**


1. PLUMBING CONTRACTOR SHALL FIELD COORDINATE WITH ELECTRICAL CONTRACTOR FOR ALL POWER REQUIREMENTS.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFICATION OF ALL EXISTING CONDITIONS PRIOR TO SUBMITTING THEIR BID. NO ADDITIONAL COMPENSATION WILL BE MADE FOR ANY EXTRAS DUE TO CONTRACTOR'S FAILURE TO VISIT THE JOBSITE AND/OR PREDETERMINE. ANY DISCREPANCIES SHALL BE IMMEDIATELY REPORTED TO THE ENGINEER FOR RESOLUTION.
3. PROVIDE SHUT-OFF VALVES ABOVE ACCESSIBLE CEILING SPACE ON ALL BRANCH LINES AND PRIOR TO DROPS BELOW FLOOR, TYPICAL.
4. REFER TO OTHER DRAWINGS FOR DETAILS EQUIPMENT CONNECTIONS, FIXTURE SCHEDULE, ETC.
5. CONTRACTOR TO VERIFY LOCATIONS OF ALL UTILITIES ON SITE.
6. CONTRACTOR IS TO PROVIDE COMPLETE CONNECTIONS TO OWNER FURNISHED EQUIPMENT.
7. CONTRACTOR TO COORDINATE THE LOCATION OF ALL CEILING DEVICES WITH REFLECTED CEILING PLAN AND STRUCTURE PRIOR TO BEGINNING WORK.
8. PLUMBING DRAWINGS ARE DIAGRAMMATIC AND DO NOT NECESSARILY INDICATE EVERY REQUIRED OFFSET, FITTING, ETC. DRAWINGS ARE NOT TO BE SCALED FOR DIMENSIONS. TAKE ALL DIMENSIONS FROM ARCHITECTURAL DRAWINGS, CERTIFIED EQUIPMENT DRAWINGS AND FROM THE STRUCTURE ITSELF BEFORE FABRICATING ANY WORK, VERIFY ALL SPACE REQUIREMENTS COORDINATING WITH OTHER TRADES, AND INSTALL THE SYSTEMS IN THE SPACE PROVIDED WITHOUT EXTRA CHARGES TO THE OWNER.
9. THE OWNER AND ENGINEER ARE NOT RESPONSIBLE FOR THE CONTRACTOR'S SAFETY PRECAUTIONS OR TO MEANS, METHODS, TECHNIQUES, CONSTRUCTION SEQUENCES, OR PROCEDURES REQUIRED TO PERFORM HIS WORK.
10. ALL WORK SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE STATE CODES, LOCAL CODES AND OWNER'S STANDARDS INDICATED BY THE CONSTRUCTION DOCUMENTS.
11. WASTE SYSTEMS AND GREASE TRAPS SHALL BE RODDED-OUT AND FLUSHED PRIOR TO FINAL INSPECTION AND TURNOVER.
12. DOMESTIC WATER PIPING SYSTEM SHALL BE FLUSHED, CLEANED AND DISINFECTED PRIOR TO FINAL INSPECTION AND TURNOVER.
13. ALL SLOPES AND INVERTS SHALL BE CHECKED PRIOR TO PIPING INSTALLATION. SLOPES SHALL BE IN ACCORDANCE WITH IPC.

**KEY NOTES:**

- ① NEW 4"GW. ROUTE TO EXTERIOR GREASE TRAP (BY OTHERS). SEE CIVIL FOR CONT.
- ② NEW 4"W. CONNECT DOWNSTREAM OF EXTERIOR GREASE TRAP (BY OTHERS), SEE CIVIL FOR CONT.
- ③ 3"GW
- ④ 4"GW
- ⑤ 3"W
- ⑥ 4"W
- ⑦ 2"V, ROUTE TO 3" VTR
- ⑧ 3" VTR

No.	Date	Description

This Drawing and all associated designs are the property of COPELAND ARCHITECTURE and shall be returned upon completion of work. Use or copy is permitted by contract only. Unauthorized use will be prosecuted.



A NEW DARK ROAST STORE  
 DUNKIN' DONUTS  
 for  
 SHULER DEVELOPMENT  
 STORE #357147  
 4880-4890 PORT ROYAL ROAD  
 SPRING HILL, TN 37174



**EDWARD L. COPELAND, AIA**  
 4511 CHAMBLEE DUNWOODY ROAD, SUITE E-1  
 ATLANTA, GEORGIA 30338  
 PH. 770.551.9525 FAX 770.551.9524  
 WWW.COPELANDARCHITECTURE.COM

DRAWN BY: SP
CHECKED BY: CAH
DATE: 06/22/17
SCALE:
C.A. COMMISSION NUMBER 1704
SHEET NAME PLUMBING SANITARY, WASTE, & VENT PLAN
SHEET NUMBER <b>P2.0</b>

**WILLIAM F. BELL**  
 Engineer  
 TN REG. # 105518  
 1702 Sheep Cliff Road  
 Marietta, GA 30066  
 (404) 897-7602