


P.O. Box 5482  
Knoxville, TN 37928  
(865) 687-6500



THIS DRAWING IS THE PROPERTY OF BARRY BYRD ARCHITECTURE. ANY USE OR REPRODUCTION IN PART OR IN WHOLE IS PROHIBITED WITHOUT THE EXPRESSED WRITTEN CONSENT OF BARRY BYRD ARCHITECTURE.

Project Name:  
**GERMANTOWN2**

Drawn By:  
**RAS**

Revisions:

No.	DATE	DESCRIPTION

Project Title:

**RETAIL SPACE**

Poplar Avenue &  
Exeter Road

Location:  
**Germantown, TN**

Sheet Contents:  
**Door Schedule  
Details & Notes**

Date:  
**October 28, 2016**

Sheet Number:  
**A-610**

### DOOR SCHEDULE

Number	DOOR			FRAME			LABEL	HARDWARE SET	NOTES
	Type	Mat'l	Size	Type	Mat'l	T'Hold			
1	A1	AL	6'-0" x 7'-0"	-	AL	-	-	1	AUTOMATIC ENTRY DOOR BY OTHERS
2	F	HM	3'-8" x 7'-0"	-	MTL	-	-	4	CONTRACTOR TO VERIFY EXISTING OPENING SIZE
3	OH	MTL	7'-0" x 8'-0"	-	MTL	-	-	-	INSULATED ROLL-UP DOOR - VERIFY EXISTING SIZE
4	OH	MTL	7'-0" x 8'-0"	-	MTL	-	-	-	INSULATED ROLL-UP DOOR - VERIFY EXISTING SIZE
5	OH	MTL	7'-0" x 8'-0"	-	MTL	-	-	-	INSULATED ROLL-UP DOOR - VERIFY EXISTING SIZE
6	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
7	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
8	DF	HM	6'-0" x 7'-0"	-	MTL	-	-	-	-
9	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
10	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
11	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
12	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
13	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
14	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
15	DF	AL	6'-0" x 7'-0"	-	AL	-	-	-	ALUMINUM STOREFRONT ENTRY
16	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
17	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
18	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
19	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
20	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
21	F	WD	3'-0" x 7'-0"	-	MTL	-	-	-	-
22	F	HM	3'-6" x 7'-0"	-	MTL	-	-	4	-

### DOOR HARDWARE SCHEDULE

SET #1 HARDWARE AT ENTRANCE DOORS  
• HARDWARE BY TENANT



SET #4 HARDWARE AT EGRESS/EXIT DOOR  
• BB0179 NRP 26D 4.5X4.5 HINGES  
• TEL220 - TEL RC1 - SELF RELOCK WITH HARDWARE ALARM-W/SFIC MORTISE CYLINDER  
• 160 VA 30X70  
• 601 A 36" 628  
• 425E 36" THRESHOLD  
• 33K6000726XXS MEDECO S.F.I.C. KEYED INTO MK SYSTEM

### DOOR SCHEDULE LEGEND

**MATERIAL**

AL	Aluminum
GL	Glass
HM	Hollow Metal
SC	Solid Core Wood
WD	Wood

- ### DOOR SCHEDULE NOTES
- SEE WALL TYPES FOR INFORMATION ON WALL THICKNESS AND CONSTRUCTION.
  - SEE ROOM FINISH SCHEDULE FOR WALL FINISHES. MAINTAIN FRAME RETURN DIMENSIONS OUTSIDE ALL WALL THICKNESS INCLUDING FINISH.
  - MAINTAIN MINIMUM 5/8" RETURN ON ALL FRAMES UNLESS NOTED OTHERWISE.
  - PROVIDE THREE (3) JAMB ANCHORS PER JAMB UNLESS NOTED OTHERWISE.
  - PROVIDE MINIMUM DOUBLE RUNNERS AT ALL DOOR HEADS IN STUD WALLS UNLESS NOTED OTHERWISE
  - CAULK ALL AROUND FRAME AT WALL, BOTH SIDES.
  - PROVIDE THREE (3) SILENCERS PER SINGLE DOOR AND TWO (2) SILENCERS PER DOUBLE DOOR.
  - FILL ALL HOLLOW METAL FRAMES WITH GROUT.
  - NOT ALL DOOR, FRAME TYPES MAY BE USED.
  - CAULK UNDER ALL EXTERIOR THRESHOLDS.
  - ALL HOLLOW METAL FRAMES IN MASONRY OPENINGS (BRICK OR BLOCK) TO HAVE 4" HEADS.



Order Plans @

WWW.LDLINE.COM