




1 NEW WORK PLAN - QQ4
E421 SCALE: 1/4" = 1'-0"



2 DEMOLITION PLAN - QQ4
E421 SCALE: 1/4" = 1'-0"



3 NEW WORK PLAN - QQ3
E421 SCALE: 1/4" = 1'-0"




4 DEMOLITION PLAN - QQ3
E421 SCALE: 1/4" = 1'-0"

KEY NOTES

- 1. E.C. TO DISMANTLE AND REMOVE EXISTING WALL MOUNTED LIGHT FIXTURE. E.C. TO REUSE EXISTING LIGHTING CIRCUIT TO POWER NEW FIXTURES, REFER TO NEW WORK PLAN.
- 2. E.C. TO DISMANTLE AND REMOVE EXISTING EXHAUST FAN. E.C. TO REUSE EXISTING CIRCUIT TO POWER NEW EXHAUST FAN/LIGHT UNIT, REFER TO NEW WORK PLAN.
- 3. E.C. TO REMOVE EXISTING DUPLEX RECEPTACLE AND PROVIDE AND INSTALL NEW QUAD RECEPTACLE. E.C. TO PROVIDE NEW TV CONNECTION.
- 4. E.C. TO PROVIDE NEW LED LIGHTED SWITCH. E.C. SHALL REUSE CONTROL WIRING FOR NEW LIGHTED MIRROR FIXTURE.
- 5. E.C. TO PROVIDE NEW DOUBLE SWITCH TO CONTROL EXHAUST/LIGHT COMBO. LIGHT AND EXHAUST FAN SHALL BE SWITCHED SEPARATELY.
- 6. E.C. TO PROVIDE NEW JUNCTION BOX FOR NEW LIGHTED MIRROR. E.C. TO REUSE EXISTING SWITCH.
- 7. E.C. TO PROVIDE NEW DUPLEX RECEPTACLE. E.C. SHALL TIE NEW RECEPTACLE TO EXISTING CIRCUIT SERVING GUEST ROOM. E.C. TO PROVIDE NEW NEW TV CONNECTION AS REQUIRED, REFER TO NEW WORK DRAWING.
- 8. E.C. TO DISCONNECT AND REMOVE EXISTING SINGLE POLE LIGHT SWITCH. E.C. TO PROVIDE NEW ILLUMINATED ROCKER SWITCH. LEVITON MODEL #: R7Z-0561-1-2WS AT NEW LOCATION SHOWN ON NEW WORK PLAN. E.C. SHALL PROVIDE ALL NECESSARY EQUIPMENT TO CONTROL EXISTING LIGHT FIXTURE.
- 9. E.C. TO REMOVE EXISTING RECEPTACLE. E.C. TO PROVIDE AND INSTALL NEW 120V GFCI RECEPTACLE, REFER TO NEW WORK DRAWING FOR LOCATION. E.C. SHALL REUSE EXISTING CIRCUIT TO FEED NEW RECEPTACLE.
- 10. E.C. TO PROVIDE AND INSTALL NEW EXHAUST FAN/LIGHT COMBO UNIT. BROAN SERIES 744, MODEL: #744LED.

NOTE: E.C. TO COORDINATE WITH ARCHITECTURAL DRAWINGS FOR EXACT LOCATIONS AND MOUNTING HEIGHTS OF DEVICES IN GUEST ROOMS.



Order Plans

WWW.LDILine.com