

**GENERAL PLUMBING NOTES:**

1. ALL WATER PIPING SHALL BE ROUTED AWAY FROM ELECTRICAL EQUIPMENT WHENEVER POSSIBLE. REFER TO P-501 GENERAL NOTES FOR ROUTING INFORMATION.
2. ALL ELEVATIONS ARE TAKEN FROM FINISHED FLOOR: 0'-0"
3. 0'-0" = 12.33'


**PLUMBING PLAN KEYNOTES:**

- (P1) PROVIDE ROOF DRAIN.
- (P2) PROVIDE 2" PVC DOWNSPOUT FROM CANOPY TO 8"ST. BELOW GRADE. PROVIDE WALL CLEANOUT WITHIN PILASTER 24" ABOVE FINISHED GRADE.
- (P3) PROVIDE 10"ST DN. THRU FLOOR WITH CLEANOUT IN REEF 24" A.F.F.. INCREASE TO A 12"ST AND ROUTE BELOW FLOOR SLAB AS SHOWN. COORDINATE WITH CONTRACTOR FOR EXACT EXIT LOCATION AND SERT. MAKE IN-PLACE CONNECTIONS TO SITE PIPING.
- (P4) PROVIDE STORM AND OVERFLOW DRAINAGE PIPING AS HIGH AS POSSIBLE. PITCH 1/8" PER FOOT TOWARDS LEADER.
- (P5) PROVIDE COMBINATION PRIMARY/OVERFLOW ROOF DRAIN.
- (P6) PROVIDE OVERFLOW PIPING DOWN. TERMINATE THROUGH WALL AT 24" A.F.F. WITH 1/2" DOWNSPOUT NOZZLE.
- (P7) SUBMITTABLE TRASH PUMP AND PIT (BJM # SV37C-208T OR EQUAL). SEE SUBMITTABLE DETAIL C3/P-401.
- (P8) REFER TO SITE UTILITY DRAWINGS FOR CONTINUATION OF PIPING. P.C. SHALL MAKE FINAL CONNECTIONS TO SITE PIPING. COORDINATE WITH S.C. FOR CONNECTIONS.
- (P9) PROVIDE DECKPLATE CLEANOUT
- (P10) PROVIDE INDIRECT WASTE FROM VACUUM SYSTEM TO 4" FS-1. COORDINATE WITH REFRIGERATION CONTRACTOR, G.C., AND ALDI FIELD REPRESENTATIVE SUCH THAT A CODE COMPLIANT AIR GAP IS MAINTAINED PRIOR TO ROUGH-IN.
- (P11) PROVIDE 3" HUB DRAIN, HD-1, FOR COOLER/FREEZER CONDENSATE. COORDINATE WITH REFRIGERATION CONTRACTOR, G.C., AND ALDI FIELD REPRESENTATIVE SUCH THAT A CODE COMPLIANT AIR GAP IS MAINTAINED PRIOR TO ROUGH-IN. REFER TO DETAIL D1/P-103.
- (P12) PROVIDE HUB DRAIN FOR FUTURE USE WITH CAP (HD-C). REFER TO P-501 FOR FUTURE CAP SPECIFICATIONS.
- (P13) LOADING DOCK DRAIN BASIN WITH TRAFFIC RATED GRATE BY GC. REFER TO STRUCTURAL PLANS FOR LOCATION OF DOCK DRAIN. ROUTE 8" STORM PIPE BELOW GRADE TO EXTERIOR SUMP PIT.
- (P14) ROUTE SUMP PUMP DISCHARGE PIPING UNDERGROUND TO STORM SYSTEM. REFER TO SITE UTILITY DRAWINGS FOR CONTINUATION OF PIPING. P.C. SHALL MAKE FINAL CONNECTIONS TO SITE PIPING. COORDINATE WITH S.C. FOR CONNECTIONS.

Issued:	Date:
A Client Review Set	04/07/17
B Permit Set	04/07/17
C Bid Set	09/05/17
D	
Revisions:	Date:
1	
2	
3 RFI #	03/20/17
4	
5	
6	
7	
8	
9	

**DO NOT SCALE PLANS**

Copying, Printing, Software and other processes required to produce these prints can stretch or shrink the actual paper or layout. Therefore, scaling of this drawing may be inaccurate. Contact us consultants with any need for additional dimensions or clarifications.



**ms consultants, inc.**  
 engineers, architects, planners  
 2221 Schrock Road  
 Columbus, Ohio 43229-1547  
 phone 614.898.7100  
 fax 614.898.7570

DRAWN BY: ZRD  
 REVIEWED BY: KFF/DED

Seal  
 PROFESSIONAL OF RECORD:  
 DANIEL E. DOWLER No.0402054658  
 EXP. DATE: 02/28/2019



ALDI Inc. Store #: 161  
 VA Beach Blvd & Thalia  
 4220 Virginia Beach Blvd  
 Virginia Beach, VA 23452  
 Willis Wayside  
 Project Name & Location:

Plumbing Storm Drainage Plan Drawing Name:	
Prototype Rls. 02/08/17	Project No. 40320-40
Type: RHSD-V7	
	P-102
Scale: As Noted	Drawing No.

Order Plans @ WWW.LDILLING.COM