





Order Plans @



ONE WAY CLEAN-OUT




TWO WAY CLEAN-OUT
(Use within 5' of building only)




FOOT TYPE 'D' CURB
NOT TO SCALE
(PER FDOT INDEX #300)

- NOTES:
- 8" LIMEROCK BASE (MIN) LBR100, FDOT 200-2
 - 12" FOOT TYPE B STABILIZED SUBGRADE LBR 40, FDOT 160-2




- NOTES:
- CONCRETE DRIVEWAYS SHALL BE 6" THICK.
 - CONCRETE STRENGTH SHALL BE MIN. 4000 PSI @ 28 DAYS IN ACCORDANCE WITH ASTM C-39.
 - 6" LIMEROCK BASE (MIN) LBR100, FDOT 200-2
 - 12" FOOT TYPE B STABILIZED SUBGRADE LBR 40, FDOT 160-2

CONCRETE PAVEMENT DETAIL
NOT TO SCALE



- NOTES:
- SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6"
 - SUBGRADE BELOW SIDEWALK SHALL BE COMPACTED TO 98% OF MAX. DENSITY PER A.A.S.H.T.O. T-180.
 - CONCRETE STRENGTH SHALL BE MIN. 3000 PSI @ 28 DAYS.
 - SIDEWALK REMOVAL & REPLACEMENTS TO CONSIST OF FULL FLAGS.
 - PROVIDE EXPANSION JOINT (TYPE 'A') AT CONNECTIONS BETWEEN NEW AND EX. SIDEWALK.
 - PROVIDE FIBEROUS JOINTS 20' O.C.
 - CLASS 'ANS' CONCRETE SHALL BE USED WITHIN FOOT RW.

CONCRETE SIDEWALK DETAIL
NOT TO SCALE



TYPICAL RAISED PLANTER DETAIL
SCALE: 1/2" = 1'-0"

BOHLER ENGINEERING
 SITE CIVIL AND CONSULTING ENGINEERING
 LAND SURVEYING, DESIGN, CONSTRUCTION ADMINISTRATION SERVICES
 SUSTAINABLE DESIGN, PARTICIPATING STATE AND FEDERAL AGENCIES
 • RALEIGH, NC
 • CHARLOTTE, NC
 • GEORGIA
 • TAMPA, FL
 • SOUTH FLORIDA
 • CENTRAL VIRGINIA
 • PHOENIX, AZ
 • NEW YORK, NY
 • NEW YORK, NY
 • BALTIMORE, MD
 • SOUTH BEND, IN
 • SOUTH BEND, IN
 • PHOENIX, AZ

REV	DATE	COMMENT	BY
1	8/9/2016	PER CITY COMMENTS	SMT
2	10/20/2016	REVISIONS PER SFWM COMMENTS	SMT
3	4/10/2017	PER FOOT AND SFWM COMMENTS	DJE
4	4/24/2017	PER CITY OF FORT PIERCE COMMENTS	SGM
5	5/12/2017	PER CITY OF FORT PIERCE COMMENTS	SGM
6	6/21/2017	PER FDOT COMMENTS	SGM
7	7/14/2017	PER FDOT COMMENTS	SGM


811 KNOW WHAT'S BELOW
 ALWAYS CALL 811
 BEFORE YOU DIG
 It's fast. It's free. It's the law.
 www.callsunshine.com

APPROVED FOR CONSTRUCTION

PROJECT NO.:	FLB15009
DRAWN BY:	DJE
CHECKED BY:	CR
DATE:	06/24/16
SCALE:	
CAD I.D.:	SD3

PROJECT: **SR 70 AND JENKINS FOR WAWA**
Wawa
 LOCATION OF SITE
 SEC SR 70 & S JENKINS RD
 FORT PIERCE, FLORIDA

BOHLER ENGINEERING
 2255 GLADES ROAD, SUITE 305E
 BOCA RATON, FLORIDA 33431
 Phone: (561) 571-0280
 Fax: (561) 571-0281
 FLORIDA LICENSE # 0017 OF AUTH. No. 16790
 1000 SCARLETT WOODS DRIVE, SUITE 100, BOCA RATON, FL 33432



SHEET TITLE:
CONSTRUCTION DETAILS
 SHEET NUMBER:
D-1