


1 P-6 BAKERY WATER FILTER DETAIL P-28(d)
ALL WATER FILTERS ARE NSF APPROVED. N.T.S.




2 P-6 TYPICAL WASTE ARM DETAIL N.T.S.

3 P-6 NOT USED




4 P-6 UNIT COOLER PIPING DETAIL N.T.S.




| SCHEDULE (1250 GALLON) | |
|---|---|
| MARK | DIMENSION |
| A | 9'-0" |
| B | 5'-0" |
| C | 8'-0" |
| D | 5'-6" |
| E | 1'-6" |
| F | 1'-0" |
| G | 0'-2½" |
| H | 3'-6" |
| I | |
| J | |
| K | |

5 P-6 GREASE INTERCEPTOR DETAIL N.T.S.




6 P-6 SINK END ELEVATION FOR REFRIGERATED WALL IN MEAT ROOM N.T.S.




7 P-6 END ELEVATION OF MOBILE SINK N.T.S.




8 P-6 SINK END ELEVATION N.T.S.




9 P-6 PLAN OF C.G. PANEL AT WATER VALVES N.T.S.




10 P-6 CONDENSATE, WASTE AND SAFE WASTE DETAIL N.T.S.




11 P-6 ELEVATION OF WATER VALVES N.T.S.




12 P-6 FOOD PREP. SINK WATER SUPPLY DETAIL N.T.S.




13 P-6 FLOOR DRAIN DETAIL N.T.S.




14 P-6 FLUSH CLEAN OUT DETAIL N.T.S.




15 P-6 WATER SAVER TRAP PRIMER N.T.S.




NOTES - IN ALL INSTANCES WITHOUT REGARD TO PVC PIPE SIZE OR CASE SIZE, AND STYLE DIMENSION "D" IS 2 FT. FROM CL OF CASE DRIP PIPE TO CL OF CASE DRAIN, EXCEPT WHEN 2 REF. CASES SHARE THE SAME HUB DRAIN, THEN DIMENSION "D" IS 1 FT FROM THE SIDE OF THE SHARED CASE DRAIN, UNLESS DIMENSIONED OTHERWISE.
- PVC PIPE SIZES TO BE VERIFIED WITH EACH CASE REQUIREMENT (BY REF'G CONTR.).

16 P-6 CONDENSATE TRAP DETAIL N.T.S.




NOTE: W.C.O. AT S.S. SINKS TO BE 54" A.F.F. UNLESS NOTED OTHERWISE

17 P-6 WALL CLEANOUT DETAIL N.T.S.




18 P-6 WASTE PIPING FOOD PREPARATION DETAIL N.T.S.

NOTES:
SINK WASTE PIPING DETAIL APPLIES TO TWO, THREE, AND FOUR COMPARTMENT SINK.

POWER SOAK SINK SHALL HAVE A 2" DRAIN PIPE TO THE FLOOR SINK.

NOTE: DRAINAGE DETAIL APPLIES TO TWO, THREE AND FOUR COMPARTMENT SINKS. POWER SOAK SINK SHALL HAVE A 2" DRAIN TO THE FLOOR SINK.

TYPICAL FOR ALL SINKS




19 P-6 WATER FILTER DETAILS P-28(a,b) N.T.S.
ALL WATER FILTERS ARE NSF APPROVED.
REFER TO P-1 FOR FILTER MOUNTING LOCATION
FILTERS TO BE OBTAINED FROM BOB LABONTE AT SOURCE REFRIGERATION - 407-469-0088




SCULLERY (P-28C)




20 P-6 CAN WASH DETAIL N.T.S.




NOTES:
1) PLS GS REGULATOR SHALL BE SIZED TO SUPPLY GAS REQUIREMENTS AS LISTED IN NOTES ON DRAWING P-1.
2) MECHANICAL CONTRACTOR SHALL PROVIDE PIPE, FITTINGS, VALVES, AND INSTALL ALL FURNISHED COMPONENTS.
3) VERIFY PIPE SIZE WITH RISER SHOWN ON DRAWING P-1.
4) REGULATOR VENT SPEAKING SHALL NOT POINT UPWARD. PROVIDE FITTINGS TO RE-DIRECT VENT TO DOWNWARD TOWARDS GRADE IF REGULATOR VENT IS POINTING UPWARD.

21 P-6 GAS PIPING ISO. AT EMERGENCY GENERATOR N.T.S.




NOTE: FURNISH AND INSTALL FOR ALL OTHER INDIRECT DRAINAGE EQUIPMENT A 3" STUB UP TERMINATE 1" A.F.F.

22 P-6 REFRIGERATED CASE DRAIN DETAIL N.T.S.

Order Plans @ WWW.LDILine.com

Publix SUPER MARKETS
CORPORATE OFFICES, FACILITIES DESIGN
BOX 407, LAKELAND, FL 33802
(863) 688-1188
PHYSICAL ADDRESS:
3300 PUBLIX CORPORATE PARKWAY
LAKELAND, FL 33811-3311
PUBLIX FACILITIES DESIGN DEPARTMENT
DAVID SHEE, AIA
ARCHITECT FL #12918
DAVID KO
ARCHITECT- FL #12918
GA REG. 027847
SC REG. 20577
AL REG. 26951
TN REG. 108457
NC REG. 2018437
VA REG. 0401017097
JOHN J. STEENS, PE
MECHANICAL - FL REG. 45577
GA REG. 020021
SC REG. 18340
AL REG. 30982
TN REG. 101507
PAUL C. HARMAN, PE
STRUCTURAL - FL REG. 67991
GA REG. 037760
AL REG. 31754
IN REG. 109852
SC REG. 34955
TN REG. 120,121
VA REG. 0402068922
JOHN J. CARAMALIS, PE
MECHANICAL - FL REG. 65889
GA REG. 027,046
SC REG. 16057
AL REG. 29081
TN REG. 109057
VA REG. 0402056479
ANTHONY CLEMENTI, PE
MECHANICAL - FL REG. 56781
GA REG. 032,911
SC REG. 26891
AL REG. 28469
TN REG. 117,592
NC REG. 029466
VA REG. 0402066137
RAYMOND J. SIRIANNI, PE
ELECTRICAL - FL REG. 56282
GA REG. 032,939
SC REG. 19743
AL REG. 25565
TN REG. 108038
NC REG. 029,465
VA REG. 0402053379
NORMAN MEIER, PE
ELECTRICAL - FL REG. 69422
GA REG. 31,692
AL REG. 28,290
SC REG. 28079

© COPYRIGHT 2017
PUBLIX SUPER MARKETS, INC.
THESE CONSTRUCTION DOCUMENTS ARE THE PROPERTY OF PUBLIX SUPER MARKETS, INC. AND ARE NOT TO BE COPIED OR REUSED FOR ANY SPECIFIC BUILDING WITHOUT WRITTEN PERMISSION. THESE DRAWINGS SHALL NOT BE DUPLICATED WITHOUT FROM WRITTEN PERMISSION OF PUBLIX SUPER MARKETS, INC.
THE DESIGN INDICATED IN THESE CONSTRUCTION DOCUMENTS SHALL TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF, COMPLY WITH THE APPLICABLE NATIONAL BUILDING CODES

PLOT DATE:
25 AUG 2017

REVISION DATA:

1637
PUBLIX @ LAKE CROSSING
PLATT SPRINGS RD & HWY 6
LEXINGTON, LEXINGTON, SC

45.9.2
V08.01.2017
SIENNA - LITE

PLUMBING DETAILS

SCALE: 1/8" = 1'-0"

P-6

25-AUG-2017 18:34 xjve P:\USER\1699\1637\1637p06.dgn