



EXIT 1 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 2 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 3 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 4 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 5 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 6 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 7 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 8 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 9 (65' EXIT WIDTH) (645 OCCUPANTS)  
EXIT 10 (65' EXIT WIDTH) (645 OCCUPANTS)

OCCUPANT LOAD (IBC/NFPA-101/FBC/CBC)					
USE	AREA	SF/DOOR	OPCN'S	RND UP	SUB TOTAL
SALES	52,376	30	1,082	20	1,070
PHARM. LOUNGE & FRONT OFFICES	1,678	30	55.9	56	56
DELI/BAKERY DEPT & QUIT. REST	3,905	30	130.17	131	131
DELI/BAKERY COOLERS & FREEZERS	596	30	19.8	20	20
MEATS/SEAFOOD/PROD DEPT	1,451	30	47.7	48	48
PROD./GROC MEAT OFFICE	100	30	3.33	4	4
Sub Total:					1,329
SHIPPING STORAGE & COOLERS	5,998	30	199.6	200	200
ELECT/MCP ROOMS & EMP REST	605	30	20.17	21	21
Sub Total:					221
<b>GRAND TOTAL</b>	<b>65,369</b>				<b>1,550</b>

EGRESS WIDTH ANALYSIS PER (IBC/NFPA-101/FBC/CBC)															
INCH OCC.	CALC.	TOTAL	COMMENTS	PROVIDED EXIT WIDTH (INCHES)						PROVIDED OCCUPANT LOAD PER OPENING					
				DOOR #	TOTAL	PER DOOR	SUB TOTAL	TOTAL	PER DOOR	SUB TOTAL	TOTAL	PER DOOR	SUB TOTAL	COMMENTS	
0.20	13280.2'	288		1&2	2	122	288	288	288	1280	1280	1280	1280	1280	AT FRONT DOORS
0.20	13280.2'	288		9&24	2	33	88	155	330	155	330	155	330	AT SIDE DOORS	
0.20	22140.2'	44		37	1	69	68	345	345	345	345	345	345	AT STORAGE ROOM	
0.20	16620.2'	310						69	345	69	345	69	345	AT TOTAL BACK AREA	
								324	1520	324	1520	324	1520	1965 GRAND TOTAL	

**PLAN LEGEND:**

- ☒ FIRE ALARM HORN STROBE
- ☒ SBT ELECTRICAL
- ☒ FIRE ALARM STROBE (SEE ELECTRICAL)
- ☒ EXIT SIGN (SEE ELECTRICAL)
- ☒ ADDRESSABLE FIRE ALARM
- ☒ MANUAL PULL STATION (SEE ELECTRICAL)
- ☒ TYPE "2A" ABC EXTINGUISHERS
- ☒ TYPE "K" FIRE EXTINGUISHERS
- ☒ ROOM SIGN - SEE LEGEND THIS SHEET
- ☒ FOR "M" SIGNS AND SHEET ADA-2
- ☒ FOR STANDING SIGNS
- ☒ DIRECTION OF EGRESS

NOTE:  
FINAL LOCATIONS FOR ALL FIRE EXTINGUISHERS TO BE CONFIRMED  
IN STORE SURVEY WALK-THROUGH W/ LOCAL FIRE MARSHAL AND PUBlix'S  
SET-UP COORDINATOR.

**45.9.2**  
08/25/2017  
SIENNA - LITE

**LIFE-SAFETY PLAN**

SCALE: 1/8" = 1'-0"

**LS-1**

Order Plans @ WWW.LDOnline.com