


**1 Lifesafety Plan**  
SCALE: 1/8" = 1'-0"


New Construction						
Name	Number	Occupancy	Area	Occupancy Load	Egress Distance (Max/Actual)	Number of Exits (Required/Provided)
TENANT	101	MERCANTILE	1400 SF	45	44/9750	32
TENANT	102	MERCANTILE	1400 SF	45	44/9750	32
TENANT	103	MERCANTILE	1400 SF	45	44/9750	32
TENANT	104	MERCANTILE	1400 SF	45	44/9750	32
TENANT	105	MERCANTILE	1400 SF	45	44/9750	32
TENANT	106	MERCANTILE	1400 SF	45	44/9750	32
TENANT	107	MERCANTILE	1400 SF	45	44/9750	32
Fire Risk/Free Pump Room	108	MERCANTILE	400 SF	1	44/9750	33
Grand Total			10200 SF			

LIFESAFETY LEGEND	
SYMBOL	DESCRIPTION
EM	EMERGENCY EXIT SIGN, RE. ELECTRICAL
EL	EMERGENCY EXIT LIGHT, RE. ELECTRICAL
EM	EXTERIOR EMERGENCY EXIT LIGHT, RE. ELECTRICAL
FACP	FIRE ALARM CONTROL PANEL
K	KNOX BOX
FE	FIRE EXTINGUISHER
ED	EGRESS DISTANCE
EC	EGRESS CAPACITY
1 HR	1 HOUR FIRE RATING
---	PRIMARY EGRESS PATH
---	MAX TRAVEL DISTANCE TO EXIT

**Lifesafety Legend**  
SCALE: 1/8" = 1'-0"



**3 Fire Extinguisher Detail**  
SCALE: 1 1/2" = 1'-0"




**4 Curb / Landscape Detail**  
SCALE: 1 1/2" = 1'-0"

**General Elevation & Grading Notes**

1. FLOOR ELEVATION (F.F.E.) OF THE PUBLIC BUILDING FLOOR SLAB = 574.00  
 2. FLOOR ELEVATION (F.F.E.) OF RETAIL FLOOR SLAB = 574.00  
 3. TO START 1/4" BELOW F.F.E. AT FRONT DOORS  
 4. TO START 3/4" BELOW F.F.E. AT REAR DOORS  
 5. ALL DOORS TO RECEIVE THRESHOLDS THAT SHALL NOT EXCEED 1/2" IN HEIGHT. RE. A601 FOR DOOR DETAILS AND THRESHOLD INFORMATION  
 6. ALL SIDEWALKS TO SLOPE AWAY FROM THE BUILDING AT A RATE OF 1/8" MIN TO 2" MAX  
 7. ALL TOP OF CURBS (TOC) ELEVATIONS TO BE 8" MAX ABOVE TOP OF ADJACENT PAVING (TOP). REFER TO CIVIL FOR EXACT ELEVATIONS OF ADJACENT PAVING  
 8. FOR ANY LOCATIONS WHERE THERE IS GREATER THAN 4" DIFFERENCE BETWEEN TOC AND TOP, NOTIFY ARCHITECT IMMEDIATELY  
 9. ALL HANDICAP RAMPS TO SLOPE AT 1:12 MAX. THE SURFACE OF ALL CURB RAMPS TO HAVE EXPOSED AGGREGATE FINISH  
 10. THE BOTTOM OF ALL HANDICAP RAMPS TO BE FLUSH WITH THE TOP OF THE ADJACENT PAVING. REFER TO CIVIL FOR EXACT ELEVATIONS OF PAVING


**General Elevation & Grading Notes**




**2 Sidewalk Plan**  
SCALE: 1/8" = 1'-0"




**5 Handicap Ramp Detail**  
SCALE: 1/4" = 1'-0"




**6 Curb Detail**  
SCALE: 1 1/2" = 1'-0"




**7 Handicap Ramp Section**  
SCALE: 1 1/2" = 1'-0"



**8 Guard Rail Detail**  
SCALE: 3/4" = 1'-0"



**9 Rear & Side Bollard Detail**  
SCALE: 1/2" = 1'-0"



**10 Sidewalk Detail**  
SCALE: 1 1/2" = 1'-0"

**Order Plans @**

1. ALL JOINTS TO BE TOOLED UNLESS NOTED OTHERWISE
2. ALL EXTERIOR CONCRETE SIDEWALKS TO BE 4" THICK 3,000 PSI CONCRETE REINFORCED WITH GRADE 6 X 6 X 1/4 X 1/4 W W/F OVER COMPACTED FILL
3. CONTROL JOINTS SPACED AT 16' O.C. MAX. RE. SIDEWALK PLAN FOR EXACT SPACING AND LOCATION OF JOINTS

1925 PROSPECT AVE  
Orlando, FL 32814  
P (407) 661-9100  
F (407) 661-9101  
www.r.p.a.com

**Publix Super Markets, Inc.**  
3300 Public Corporate Pkwy  
Lakeland, Florida

**Publix/Retail @ Lake Crossing**  
South Lake Drive & Platt Springs Road  
Lexington, South Carolina

**Revision Schedule**

No.	Description	Date
A	100% Public Submission	03-31-17
B	Submittal	05-17-17
C	Issued for Bid/Permit	05-10-17

**PROJECT NO:** 216102  
**DATE:** 03-21-17  
**SCALE:** 1/8" = 1'-0"

**A111**