

1
A-03
SCALE: 1/4" = 1'-0"

NOTES:
I. CEILING HEIGHTS:
 KITCHEN, PREP AREAS - 10'-0" SUSPENDED ACOUSTICAL TILE.
 WOMEN, MEN, OFFICE - 9'-0" SUSPENDED ACOUSTICAL TILE.
 DINING, ENTRY - OPEN TO ROOF DECK, PAINT STRUCTURE & HVAC DUCTS BLACK.
 TOILET RM. HALLWAY - 8'-0" SUSPENDED ACOUSTICAL TILE - VERIFY RETURN DUCT CLEARANCE.

PORTABLE FOOD PREP APPLIANCES


MARK	ITEM	MANUFACTURER	MODEL NO. / SIZE	FUEL / POWER REQUIREMENT
19	RICE COOKER	(2) SMART CHEF	CXB138-195XG	120 v.
20	PREP EQUIPMENT	ROBOCOUPE	MP450 TURBO	120 v.
21	PREP EQUIPMENT	ROBOCOUPE	CL60E	120 v.
22	PREP EQUIPMENT	ROBOCOUPE	R2 DICE (STAINLESS)	120 v.
23	PREP EQUIPMENT	ROBOCOUPE	REFRIG. TABLE	120 v.

PARTITION LEGEND

- 1A
EXTERIOR WALL - 4" BRICK FACING, AIR SPACE, 5/8" OSB WITH INTEGRAL MOISTURE AIR BARRIER OVER 2x6 WOOD STUDS SPACED AT 16" O.C.; ONE LAYER OF 5/8" GYP BD APPLIED TO INTERIOR FACE OF STUD.
- 1B
EXTERIOR WALL - 4" BRICK FACING, AIR SPACE, 5/8" OSB WITH INTEGRAL MOISTURE AIR BARRIER OVER 2x6 WOOD STUDS SPACED AT 16" O.C.
- 1C
EXTERIOR WALL - (COVERED ENTRANCE) 4" BRICK FACING, AIR SPACE, 5/8" OSB WITH INTEGRAL MOISTURE AIR BARRIER OVER 2x6 WOOD STUDS SPACED AT 16" O.C.; CLAY TILE TO BE TOOK OFF - CEILING TO BE REMOVED TO 1' ABOVE STAIR ONE LAYER OF 5/8" GYP BD APPLIED TO INTERIOR FACE OF STUD.
- 1D
EXTERIOR WALL - PRECAST CONCRETE PANEL OVER 5/8" OSB WITH INTEGRAL MOISTURE AIR BARRIER OVER 2x6 WOOD STUDS SPACED AT 16" O.C.; CEMENT BD. PANEL OVER ONE LAYER OF 5/8" GYP BD. APPLIED TO INTERIOR FACE OF STUD.
- 1E
EXTERIOR WALL - (COVERED PATIO) 4" BRICK FACING, AIR SPACE, 5/8" OSB WITH INTEGRAL MOISTURE AIR BARRIER OVER 2x6 WOOD STUDS SPACED AT 16" O.C.; 4" BRICK FACING OVER ONE LAYER OF 5/8" OSB APPLIED TO INTERIOR FACE OF STUD.
- 2A
INTERIOR WALL - 2x6 WOOD STUDS SPACED AT 16" O.C. WITH 1- LAYERS OF 5/8" GYP BD APPLIED TO BOTH SIDES OF STUD.
- 2B
INTERIOR WALL - 2x6 WOOD STUDS SPACED AT 16" O.C. WITH 5 1/2" SOUND BATT WITH 1- LAYER OF 5/8" GYP BD APPLIED TO BOTH SIDES OF STUD.
- 3
INTERIOR WALL - 2x4 WOOD STUDS SPACED AT 16" O.C. WITH 1-LAYER OF 5/8" GYP BD APPLIED TO ALL SIDES OF STUD. PROVIDE FRP PANEL OVER GYP BD. IN ALL KITCHEN AND PREP AREAS.
- 4
1HR INTERIOR WALL - 2x4 WOOD STUDS SPACED AT 16" O.C. WITH 1-LAYERS OF 5/8" GYP BD APPLIED TO BOTH SIDES OF STUD. SEAL TO DECK ABOVE AS REQUIRED. UL DESIGN NO. U-305

EQUIPMENT SCHEDULE

MARK	ITEM	MANUFACTURER	MODEL NO. / SIZE	FUEL / POWER REQUIREMENT
1	DISH WASHER	PURE FORCE	PA-1	15 v., 80 Hz., 12 A. (MIN IS A CIRCUIT)
2	WATER HEATER	RINNAI	RL841	NATURAL GAS / 120 V.
3	ICE MACHINE	CENTAUR	CIM450	115 V. 205 / 230 V.
4	COOLER	NORLAKE	FIT TO SIZE	208 / 230V
5	RANGE	SOUTH BEND	580 DD-ZGR	NATURAL GAS
6	GRILL	MAGIKITCHN	FM848RL841	NATURAL GAS
7	FRYER	SOUTH BEND	SB355S	NATURAL GAS
8	HOOD	CAPTIVE AIRE	I2 FT. x 5 FT.	115 V. / 208 OR 230 V.
9	SALAD WELL	APIW	CW-1	115 V., 1 PH
10	PRESS			
11	HOT WELL	DELFIELD	N8859	205/230 V., 20/22 A.
12	LINE COLD WELL	DELFIELD	N81568	115 V.
13	SOUP / QUESO WELLS	APW	SM-SO-TD	120 V.
14	CHIP WARMER	VULCAN	VC22	120 V.
15	REACH-IN COOLER	TO BE SUPPLIED BY COCA-COLA COMPANY		
16	DRINK DISPENSER	TO BE SUPPLIED BY COCA-COLA COMPANY		
17	TEA MACHINE	BUNN	TB3Q	
18	SALSA COLD WELL	DELFIELD	N81508	115 V.



DIABLOS SOUTHWESTERN GRILLE
 3102 Washington Rd.
 Martinez, GA 30907

Approved by:

 Date: 04-24-16

Print Record
 04-24-16

Drawn By: GKD
 Checked by: Alan Venable
 Date: 4/24/16

Revisions

Sheet Title

Sheet No.
A-03

Scale:
