


21 SEP 2017 10:04:50 AM BFC_Hoyden\1904-SD\A210.dwg BFC_Hoyden 21 SEP 2017 10:04:50 AM BFC_Hoyden\1904-SD\A210.dwg



SECTION KEYNOTES

- 1 REINFORCED CONCRETE FOOTING (SEE STRUCT.)
- 2 REINFORCED CMU FOOTING WALL
- 3 REINFORCED CONCRETE SLAB ON VAPOR BARRIER
- 4 COMPACTED GRANULAR FILL ON FILTER FABRIC
- 5 MANUFACTURED STONE VENEER ON GALVANIZED METAL LATH WITH RAIN SCREEN ON TWO LAYERS OF 30# FELT (BALUST)
- 6 CAST STONE WATER TABLE WITH FLASHPANEL INTEGRAL DRIP EDGE
- 7 2x6 P.T. HOOD FRAMING @ 16" O.C.
- 8 1" EXTERIOR STRUCTURAL PLYWOOD SHEATHING ON FACE OF HOOD FRAMING (SEE STRUCT.)
- 9 5/8" EXTERIOR GYPSUM SHEATHING
- 10 GALVANIZED METAL SCREED
- 11 FIBERGLASS BATT INSULATION
- 12 FINISHED WOOD SILL
- 13 P.T. WOOD NAILED
- 14 WINDOW AS SCHEDULED (PRICE AS COMMERCIAL SINGLE-HUNG VINYL WINDOW W/ INSECT SCREEN)
- 15 BRICK FRAMING HEADER
- 16 FIBER CEMENT TRIM
- 17 STARTER FLASHING
- 18 FIBER CEMENT CLADDING
- 19 STEEL BEAM (SEE STRUCT.)
- 20 BASE AS SCHEDULED
- 21 1" POLYISOCYANURATE RIGID INSULATION BOARD W/ VAPOR-PERMEABLE BUILDING WRAP ON FACE OF INSULATION
- 22 5/8" INTERIOR GYPSUM BOARD (FIRE-RATED ON UNDERSIDE OF ROOF/FLOOR FRAMING)
- 23 GALVANIZED STEEL ANGLE (SEE STRUCT.)
- 24 PREFIN. ALUM. STARTER FLASHING W/ P.T. WOOD STARTER STRIP
- 25 PREFINISHED ALUMINUM SNAP-ON FASCIA TRIM
- 26 POLY ISO. ROOF INSULATION ON GALVANIZED METAL DECKING (SEE STRUCT.)
- 27 FULLY-ADHERED ROOF MEMBRANE ON 1/2" GYPSUM COVER BOARD
- 28 PREFINISHED THRU-WALL SCUFFER
- 29 PREFINISHED ALUMINUM DOWNEPOUT
- 30 LAY-IN CEILING AS SCHEDULED
- 31 PREFABRICATED WOOD TRUSS @ 24" O.C. (SEE STRUCT.)
- 32 2X WOOD FLOOR JOISTS @ 16" O.C. (SEE STRUCT.)
- 33 ARCHITECTURAL WOODWORK (PLASTIC LAMINATED ON PARTICLE BOARD SUBSTRATE EXCEPT @ NET CONDITIONS WHERE WATER-RESISTANT MDF TO BE PROVIDED)
- 34 ATTIC BAFFLES ANCHORED TO ADJACENT TRUSSES/FRAMING
- 35 GUARD RAIL
- 36 HAND RAIL
- 37 PREFIN. ALUM. GUTTER
- 38 PREFAB. RIDGE VENT ASSEMBLY; LEAVE 2" GAP, MIN. IN ROOF DECKING AT ROOF RIDGE
- 39 ALUMINUM THRESHOLD AS SCHEDULED
- 40 ISOLATION JOINT W/ SEALANT
- 41 1 1/2" @ HANDRAIL ON WALL BRACKETS @ 5'-0", MAX.
- 42 3/4" T&G PLYWOOD DECKING SCREWED & GLUED TO FRAMING
- 43 WOOD TRIM APRON (PAINTED)
- 44 SEAL EDGE/PERIMETER
- 45 P.T. WOOD SUB-FASCIA
- 46 LVL BEAM (SEE STRUCT.)
- 47 BRICK VENEER
- 48 THRU-WALL FLASHING
- 49 CONTINUOUS LATERAL BRACING (SEE STRUCT.)
- 50 BOLLARD AS SCHEDULED
- 51 1" STRUCTURAL INSULATED SHEATHING
- 52 ARCHITECTURAL ASPHALT SHINGLES ON ROOF UNDERLAYMENT ON T&G P.T. ROOF DECKING
- 53 DOOR AND FRAME AS SCHEDULED
- 54 PREFINISHED ALUMINUM DRIP EDGE
- 55 PARAPET GAP W/ INTEGRAL FIRE BARRIER & EXPANSION JOINT
- 56 SELF ADHERED UNDERLAYMENT
- 57 FIBER CEMENT SOFFIT PANELS SECURED TO FRAMING (VENTED)
- 58 F.R. WOOD BLOCKING / NAILED ANCHORED IN PLACE
- 59 ANCHOR SILL PLATE TO CONCRETE SLAB W/ "J" BOLTS @ 32" O.C. MAX. (SEE STRUCT.)
- 60 ROOF DRAIN ASSEMBLY
- 61 CMU AS SCHEDULED
- 62 FOOTING DRAIN (PERFORATED HDPE PIPE (IN FILTER SOCK); CONNECT TO STORM PIPING)
- 63 WOOD LVL FLOOR JOIST @ 12" O.C. (SEE STRUCT.)
- 64 FOAM INSULATION
- 65 REINFORCED CMU BOND BEAM/LINTEL (SEE STRUCT.)
- 66 3/8" GYP. BD. ON 3/8" MTL. FURRING CHANNEL @ 16" O.C.

D1 MULTI-PURPOSE BUILDING CROSS SECTION
SCALE: 3/8" = 1'-0"

Order Plans

WWW.LDILINE.COM

SCHEMATIC DESIGN - FOR PRICING ONLY - Not for Construction

Corley Timothy Sweeney McCormac
 ARCHITECTS, INC.
 THREE RIVERCHASE OFFICE PLAZA / SUITE 124 / HOOPER, ALABAMA 35244
 T 205.443.3790 F 205.443.3790 W ctsmarchitects.com

FIRST BAPTIST CHURCH
CHILDREN'S ADDITION
 HAYDEN, ALABAMA

09-29-17 1904

REVISID:

A211