

| ISSUE BLOCK | |
|-------------|----------|
| DTB | 11/30/17 |
| | |
| | |
| | |
| | |
| | |
| | |


CHECKED BY: DGH
DRAWN BY: BWN
PROTO CYCLE: 042817
DOCUMENT DATE: 09/13/17
JBA PROJECT NO: 96601904R

BID SET
NOT FOR
CONSTRUCTION


RACK
ANCHORAGE
DETAILS

NOTE: HALF GONDOLAS SHALL BE ANCHORED TO WALL AS SHOWN TO SATISFY OWNER REQUIREMENTS. WALL ANCHORAGE IS NOT REQUIRED FOR SEISMIC DESIGN OR CODE COMPLIANCE.


- INSTALLATION NOTES:
1. GAPS BETWEEN SHELVES SHALL NOT EXCEED 5".
 2. UPRIGHT DEFLECTION SHALL NOT EXCEED 1/32" IN A HORIZONTAL PLANE.
 3. SHELVES SHALL NOT BE WEDGED DOWN TO THE POINT OF UPRIGHT DEFLECTION.
 4. SHELVES ABOVE BASE DECK SHALL NOT BE WEDGED DOWN TO THE POINT OF SHELVING AT WALL.
 5. EXTENDERS SHALL BE USED ON ALL HALF GONDOLA THAT WILL CREATE A HEIGHT TO THE WALL. GONDOLAS 72" OR TALLER MUST BE ANCHORED TO THE WALL AT 72" AFF. REF ANCHOR DETAIL AT WALL.




10 WALL ANCHOR AT HALF GONDOLA UPRIGHT
NTS




11 TYPICAL 4 BOLT ANCHOR AT EXTERIOR GC RACK FRAMES
1 1/2" x 1'-0"




12 CONCRETE EXPANSION ANCHOR BOLT DETAIL
NTS




13 TYPICAL ANCHORAGE PLAN AT CHANGING ROOM WALL PANELS
3/8" x 1'-0"




14 TYPICAL ANCHOR AT CART RAIL POST
1 1/2" x 1'-0"




4 ANCHOR BOLT DETAIL
NTS




5 TYPICAL ANCHOR AT GONDOLA FRAMES
1 1/2" x 1'-0"




6 TYPICAL ANCHOR AT RACK FRAMES
1 1/2" x 1'-0"




7 ANCHOR AT BIKE RACK
1 1/2" x 1'-0"



8 ANCHOR AT END CAP FRAMES
1 1/2" x 1'-0"



9 TYPICAL ANCHOR AT PHARMACY T-FRAMES
1 1/2" x 1'-0"



1 BIKE RACK ELEVATION
1/4" x 1'-0"

2 STORAGE AREA AND SALES FLOOR RACK ELEVATIONS
3/16" x 1'-0"

1 TYPICAL GONDOLA, PHARMACY T-FRAME AND END CAP SHELVING ELEVATIONS
3/8" x 1'-0"

10 TYPICAL ANCHOR AT GONDOLA FRAMES
1 1/2" x 1'-0"

4 ANCHOR BOLT DETAIL
NTS

Order Plans @