

GENERAL NOTES

A. PROJECT OFFICE WALL SWPPP POSTINGS:
THE FOLLOWING ITEMS MUST BE POSTED TOGETHER IN A SINGLE ORGANIZED LOCATION ON A WALL INSIDE THE PROJECT OFFICE: 1) SWPPP SITE MAP; 2) SWPPP DETAIL SHEETS; 3) MAP SHOWING LOCATION OF OFFSITE REPORT OR EXPORT FACILITY; 4) REVISIONS TO DETAILS, SITE MAPS OR SWPPP-RELATED INFO; 5) SITE SWPPP BINDER; 6) SWPPP TRACKER; 7) CURRENT OWNER STORMWATER COMPLIANCE TRAINING CERTIFICATES FOR SUPERINTENDENTS AND COMPLIANCE OFFICERS; AND 8) CERTIFICATIONS AND/OR TRAINING CERTIFICATES REQUIRED TO PERFORM INSPECTIONS BY THE APPLICABLE CONSTRUCTION GENERAL PERMIT OR AUTHORITY HAVING JURISDICTION.

B. PERMITTED PROJECT AREA:
FOR PURPOSES OF THIS SWPPP AND ASSOCIATED STORMWATER PERMIT, PERMITTED PROJECT AREA IS DEFINED AS ANY AND ALL AREAS WITHIN THE PROJECT LIMITS OF DISTURBANCE AS SHOWN ON THE SWPPP SITE MAPS AND IDENTIFIED IN THE NOTICE OF INTENT TO THE AGENCY. ALL GROUND DISTURBING AND CONSTRUCTION-RELATED ACTIVITIES (MATERIAL STORAGE, EXCAVATED PAVING AREA, PROJECT OFFICE TRAILER, ETC.) MUST BE INCLUDED WITHIN THE PERMITTED PROJECT AREA LIMITS OF DISTURBANCE.

OFFSITE AREAS TO BE DISTURBED AS PART OF THIS PROJECT (NOT ON OWNER PROPERTY):
MINIMAL AREAS TO THE NORTH AND SOUTH OF THE PROPERTY BOUNDARY REQUIRED FOR GRADING TIE-OUTS, UTILITY CONNECTIONS TO EXISTING UTILITIES LOCATED WITHIN COMPASS CREEK PARKWAY, AND GRADIENT AND PAVEMENT TIE-OUTS TO THE TWO EXISTING CURB CUTS LOCATED WEST OF THE PROPERTY BOUNDARY ALONG COMPASS CREEK PARKWAY.

ALL AREAS OUTSIDE THE PERMITTED PROJECT AREA (E.G. LIMITS OF DISTURBANCE ACQUIRED FOR USE BY THE GC OR A SUBCONTRACTOR OF THE GC (BORROW SOURCES, DISPOSAL AREAS, ETC.) MUST BE MANAGED IN ACCORDANCE WITH APPROVED E - TAB 21 OF THE CDDO SPECIFICATION. THE CONTRACTOR IS REQUIRED TO LOCATE OFFICE TRAILERS AND MATERIAL STORAGE AREAS FOR THE PROJECT WITHIN THE LIMITS OF DISTURBANCE. THE CONTRACTOR MAY REQUEST USE OF OFF-SITE LOCATIONS FOR OFFICE TRAILERS OR NON-ERODIBLE MATERIAL STORAGE; HOWEVER, APPROVAL MUST BE OBTAINED FROM THE CONSTRUCTION MANAGER, THE CEC AND THE WAL-MART STAFF PRIOR TO THEIR USE. REQUESTS WILL BE REVIEWED ON A CASE BY CASE BASIS AND IF APPROVED, LIMITATIONS OR USE WILL BE PROVIDED BY THE CEC.

C. SPECIAL PROJECT AREAS:
THERE ARE NO SPECIAL PROJECTS, LOCATED BEYOND THE OWNER PERMITTED PROJECT AREA, REQUIRING INSPECTION AND MAINTENANCE ASSOCIATED WITH THIS CONSTRUCTION PROJECT.

D. NON-STORMWATER DISCHARGES:
THE GENERAL PERMIT FOR STORMWATER DISCHARGES ASSOCIATED WITH CONSTRUCTION ACTIVITIES PROHIBITS MOST NON-STORMWATER DISCHARGES DURING THE CONSTRUCTION PHASE. ALLOWABLE NON-STORMWATER DISCHARGES THAT OCCUR DURING CONSTRUCTION ON THIS PROJECT ARE INCLUDED IN SECTION 1000-800 OF THE CODE OF VIRGINIA.

- DISCHARGES FROM FIREFIGHTING ACTIVITIES.
- FIRE HYDRANT FLOODINGS.
- WATER USED TO WASH VEHICLES OR EQUIPMENT WHERE SOAPS, SOLVENTS, OR DETERGENTS HAVE NOT BEEN USED AND THE WASH WATER HAS BEEN FILTERED, SETTLED, OR SIMILARLY TREATED PRIOR TO DISCHARGE.
- WATER USED TO CONTROL DUST THAT HAS BEEN FILTERED, SETTLED, OR SIMILARLY TREATED PRIOR TO DISCHARGE.
- POTABLE WATER SOURCE, INCLUDING UNCONTAMINATED WATERLINE FLOODINGS.
- LOTLINE EXTERNAL BUILDING WASH DOWN WHERE SOAPS, SOLVENTS, OR DETERGENTS HAVE NOT BEEN USED AND THE WASH WATER HAS BEEN FILTERED, SETTLED, OR SIMILARLY TREATED PRIOR TO DISCHARGE.
- PAVEMENT WASH WATER WHERE SPILLS OR LEAKS OF TOXIC OR HAZARDOUS MATERIALS HAVE NOT OCCURRED WHERE ALL SPILLED OR LEAKED MATERIAL HAS BEEN REMOVED PRIOR TO WASHING; WHERE SOAPS, SOLVENTS, OR DETERGENTS HAVE NOT BEEN USED; AND WHERE THE WASH WATER HAS BEEN FILTERED, SETTLED, OR SIMILARLY TREATED PRIOR TO DISCHARGE.
- UNCONTAMINATED AIR CONDITIONING OR COMPRESSOR CONDENSATE.
- UNCONTAMINATED GROUNDWATER OR SPRING WATER.
- FOUNDATION OR FOOTING DRAINS WHERE FLOWS ARE NOT CONTAMINATED WITH PROCESS MATERIALS SUCH AS SOLVENTS.
- UNCONTAMINATED EXCAVATION DEWATERINGS, INCLUDING DEWATERING OF TRENCHES AND EXCAVATIONS THAT HAVE BEEN FILTERED, SETTLED, OR SIMILARLY TREATED PRIOR TO DISCHARGE AND
- LANDSCAPE IRRIGATIONS.

BEST MANAGEMENT PRACTICES (BMPs) MUST BE IMPLEMENTED FOR THE GENERAL PERMIT ALLOWABLE DISCHARGES FOR THE DURATION OF THE PERMIT. THE TECHNIQUES DESCRIBED IN THIS SWPPP FOCUS ON PROVIDING CONTROL OF POLLUTANT DISCHARGES WITH PRACTICAL APPROACHES THAT UTILIZE REASONABLY AVAILABLE EXPERTISE, MATERIAL, AND EQUIPMENT.

NON-STORMWATER COMPONENTS OF SITE DISCHARGES MUST BE UNCONTAMINATED NON-HARMFUL WATER. ALL NON-STORMWATER DISCHARGES MUST BE ROUTED TO A STORMWATER CONTROL PRIOR TO DISCHARGE. WATER USED FOR CONSTRUCTION WHICH DISCHARGES FROM THE SITE MUST ORIGINATE FROM A PUBLIC WATER SUPPLY OR PRIVATE WELL APPROVED BY THE STATE HEALTH DEPARTMENT. WATER USED FOR CONSTRUCTION THAT DOES NOT ORIGINATE FROM AN APPROVED PUBLIC SUPPLY MUST NOT DISCHARGE FROM THE SITE. IT CAN BE RETAINED IN RETENTION PONDS UNTIL IT EVAPORATES OR ENCAPSULATES. WHEN NON-STORMWATER IS DISCHARGED FROM THE SITE, IT MUST BE DONE IN A MANNER SUCH THAT IT DOES NOT CAUSE EROSION OF THE SOIL DURING DISCHARGE.

D.2 POWER WASHING:
PROCESS WATER SUCH AS POWER WASHING WATER AND CONCRETE CUTTING EFFLUENT, AMONG OTHERS, MUST BE COLLECTED FOR TREATMENT AND DISPOSAL. IT MUST NOT BE FLUSHED INTO THE SITE STORM DRAIN SYSTEM OR DISCHARGED OFF-SITE.

D.3 DISCHARGE POINTS:
ALL DISCHARGE POINTS MUST BE INSPECTED TO DETERMINE WHETHER EROSION AND SEDIMENTATION CONTROL MEASURES ARE EFFECTIVE IN PREVENTING DISCHARGE OF SEDIMENT FROM THE SITE AND/OR IMPACTS TO RECEIVING WATERS. SEDIMENT ACCUMULATION DOWNSTREAM OF DISCHARGE LOCATIONS SHALL BE REPORTED AS A SEDIMENT DISCHARGE (SEE APPENDIX E - TAB 14 SEDIMENT RELEASES OF THE CDDO SPECIFICATION) AND THE POTENTIAL UPSTREAM CAUSE SHALL BE INVESTIGATED TO PREVENT FUTURE OCCURRENCE. CONTACT THE CEC AND SWAGT TO DETERMINE APPROPRIATE ACTION FOR CLEANUP OF DISCHARGED SEDIMENT THAT MAY BE OUTSIDE OF THE LIMITS OF DISTURBANCE. SEE SAMPLING AND MONITORING OF EFFLUENT PLAN IF APPLICABLE.

EROSION AND SEDIMENT CONTROL NOTES

A. CONTRACTOR SHALL IMPLEMENT BEST MANAGEMENT PRACTICES AS RECOMMENDED BY THE STORM WATER POLLUTION PREVENTION PLAN. ADDITIONAL BEST MANAGEMENT PRACTICES SHALL BE IMPLEMENTED AS DICTATED BY CONDITIONS AT NO ADDITIONAL COST TO OWNER THROUGHOUT ALL PHASES OF CONSTRUCTION.

B. BEST MANAGEMENT PRACTICES (BMPs) AND CONTROLS SHALL CONFORM TO FEDERAL, STATE, OR LOCAL REQUIREMENTS OR MANUAL OF PRACTICE AS APPLICABLE. CONTRACTOR SHALL IMPLEMENT ADDITIONAL CONTROLS AS DIRECTED BY PERMITTING AGENCY OR OWNER.

C. SITE MAP MUST CLEARLY DELINEATE ALL STATE WATERS. PERMITS FOR ANY CONSTRUCTION ACTIVITY IMPACTING STATE WATERS OR REGULATED WETLANDS MUST BE MAINTAINED ON SITE AT ALL TIMES.

D. CONTRACTOR TO LIMIT DISTURBANCE OF SITE IN STRICT ACCORDANCE WITH SWPPP IMPLEMENTATION SEQUENCE, OR AS REQUIRED BY THE APPLICABLE GENERAL PERMIT. NO UNNECESSARY OR IMPROPERLY SEQUENCED CLEARING AND/OR GRADING SHALL BE PERMITTED.

E. ALL OBVIOUSLY BARE AREAS THAT WILL BE INACTIVE FOR 14 DAYS OR MORE, MUST BE STABILIZED IMMEDIATELY UPON COMPLETION OF MOST RECENT GRADING ACTIVITY, WITH THE USE OF FAST-GERMINATING ANNUAL GRASSSEED MIXTURES, STRAWMAY MULCH, WOOD CELLULOSE FIBERS, TADPOLES, NETTING AND/OR BLANKETS. COMPLETION MUST BE ACHIEVED WITHIN 7 DAYS.

F. DISTURBED PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITY HAS PERMANENTLY STOPPED SHALL BE PERMANENTLY STABILIZED AS SHOWN ON THE PLANS. THESE AREAS SHALL BE SEEDED, SOILED, AND/OR VEGETATED IMMEDIATELY AND COMPLETED NO LATER THAN 7 DAYS AFTER THE LAST CONSTRUCTION ACTIVITY OCCURRING IN THESE AREAS. REFER TO THE GRADING PLAN AND/OR LANDSCAPE PLAN.

G. SLOPES SHALL BE LEFT IN A ROUGHENED CONDITION DURING THE GRADING PHASE TO REDUCE RUNOFF VELOCITIES AND EROSION. TEMPORARY AND/OR PERMANENT STABILIZATION SHALL BE INSTALLED PER REQUIREMENTS IN THESE E&C CONTROL NOTES.

H. DUE TO THE GRADE CHANGES DURING THE DEVELOPMENT OF THE PROJECT, THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADJUSTING THE EROSION AND SEDIMENT CONTROL MEASURES (SILT FENCES, ETC.) TO PREVENT EROSION AND POLLUTANT DISCHARGE OFF-SITE.

I. ALL MEASURES STATED ON THIS SITE MAP AND IN THE STORM WATER POLLUTION PREVENTION PLAN, SHALL BE MAINTAINED IN FULL FUNCTIONAL CONDITION UNTIL NO LONGER REQUIRED FOR A COMPLETED PHASE OF WORK OR FINAL STABILIZATION OF THE SITE. ALL EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE CHECKED BY A QUALIFIED PERSON IN ACCORDANCE WITH THE CONTRACT DOCUMENTS OR THE APPLICABLE PERMIT, WHICHEVER IS MORE STRINGENT, AND REPAIRED IN ACCORDANCE WITH THE SITE PLANS.

J. STORM WATER POLLUTANT CONTROL MEASURES INSTALLED DURING CONSTRUCTION THAT WILL ALSO PROVIDE STORM WATER MANAGEMENT AFTER CONSTRUCTION, ARE INCLUDED IN THE CONTRACT DOCUMENTS. THE SITE SPECIFIC POST CONSTRUCTION STORM WATER OPERATION AND MAINTENANCE OWNER MANUAL IS INCLUDED IN THE CONTRACT DOCUMENTS.

K. ALL PERMANENT CONTROLS AND SYSTEMS MUST BE INSTALLED AND FUNCTIONING AS DESIGNED AND FREE OF ACCUMULATED SEDIMENT AND DEBRIS DURING FINAL PROJECT INSPECTION AND APPROVAL.

HAZARDOUS MATERIAL MANAGEMENT & SPILL REPORTING

ANY HAZARDOUS OR POTENTIALLY HAZARDOUS MATERIAL THAT IS BROUGHT ONTO THE CONSTRUCTION SITE SHALL BE HANDLED PROPERLY TO REDUCE THE POTENTIAL FOR STORMWATER POLLUTION. ALL MATERIALS USED ON THIS CONSTRUCTION SITE SHALL BE PROPERLY STORED, HANDLED, DISPOSED AND DISPOSED OF FOLLOWING ALL APPLICABLE LABEL DIRECTIONS. FLAMMABLE AND COMBUSTIBLE LIQUIDS SHALL BE STORED AND HANDLED ACCORDING TO APPLICABLE REGULATIONS, AND AT A MINIMUM, ACCORDING TO 29 CFR 1926.102 ONLY APPROVED CONTAINERS AND PORTABLE TANKS SHALL BE USED FOR STORAGE AND HANDLING OF FLAMMABLE AND COMBUSTIBLE LIQUIDS.

MATERIAL SAFETY DATA SHEETS (MSDS) INFORMATION SHALL BE KEPT ON SITE FOR ANY AND ALL APPLICABLE MATERIALS. HOWEVER, MSDS MAY ALSO BE ACCESSED VIA TELEPHONE OR OTHER ELECTRONIC MEANS OR APPARATUS.

IN THE EVENT OF AN ACCIDENTAL SPILL, IMMEDIATE ACTION SHALL BE TAKEN BY THE GC TO CONTAIN AND REMOVE THE SPILLED MATERIAL. THE SPILL SHALL BE REPORTED TO THE APPROPRIATE AGENCIES IN THE REQUIRED TIME FRAMES, AS REQUIRED, UNDER THE PROVISIONS OF THE CLEAN WATER ACT. ANY SPILL OR DISCHARGE ENTERING WATERS OF THE UNITED STATES SHALL BE PROPERLY REPORTED.

ALL HAZARDOUS MATERIALS, INCLUDING CONTAMINATED SOIL AND LIQUID CONCRETE WASTE, SHALL BE DISPOSED OF BY THE CONTRACTOR IN THE MANNER SPECIFIED BY FEDERAL, STATE AND LOCAL REGULATIONS AND BY THE MANUFACTURER OF SUCH PRODUCTS.

THE GC SHALL PREPARE A WRITTEN RECORD OF ANY SPILL AND ASSOCIATED CLEANUP ACTIVITIES OF PETROLEUM PRODUCTS OR HAZARDOUS MATERIALS IN EXCESS OF 1 GALLON OR REPORTABLE QUANTITIES, WHICHEVER IS LESS, ON THE DAY OF THE SPILL. THE GC SHALL PROVIDE NOTICE TO OWNER VIA THE ONLINE CRITICAL INCIDENT REPORT IMMEDIATELY UPON IDENTIFICATION OF ANY SPILL. SPILL REPORT FORMS ARE AVAILABLE IN THE ONLINE SWPPP REPORTING SYSTEM PROVIDED BY THE OWNER. COPIES OF SPILL CRITICAL INCIDENT REPORTS SHALL BE PRINTED AND MAINTAINED IN THE JOBSITE BINDER.

ANY SPILLS OF PETROLEUM PRODUCTS OR HAZARDOUS MATERIALS IN EXCESS OF REPORTABLE QUANTITIES AS DEFINED BY EPA ON THE STATE OR LOCAL AGENCY REGULATIONS, SHALL BE IMMEDIATELY REPORTED TO THE EPA NATIONAL RESPONSE CENTER (1-800-424-9292) AND LOUDOUN COUNTY EROSION AND SEDIMENT CONTROL PROGRAM (1-502-77-6118).

THE STATE REPORTABLE QUANTITY FOR PETROLEUM PRODUCTS IS: 25 GALLONS (CODE OF VIRGINIA SECT. 90A23-280-220 REPORTING DISCHARGE.)



NOTE: OPERATORS MUST CONTAIN AND IMMEDIATELY CLEAN UP A SPILL OR OVERFILL, REPORT TO THE BOARD WITHIN 24 HOURS.

THE REPORTABLE QUANTITY FOR HAZARDOUS MATERIALS CAN BE FOUND IN 40 CFR PART 110, 40 CFR PART 117, 40 CFR PART 302, CFR 401.144-144.159 OF THE CODE OF VIRGINIA.

(HTTP://WWW.LIB.VIRGINIA.GOV/AM/CM/COOP/FILE/REG/AGENCY/25/CHAPTER/SECTION/220)

TO MINIMIZE THE POTENTIAL FOR A SPILL OF PETROLEUM PRODUCT OR HAZARDOUS MATERIALS TO COME IN CONTACT WITH STORMWATER, THE FOLLOWING STEPS SHALL BE IMPLEMENTED:

- ALL MATERIALS WITH HAZARDOUS PROPERTIES, SUCH AS PESTICIDES, PETROLEUM PRODUCTS, FERTILIZERS, SOAPS, DETERGENTS, CONSTRUCTION CHEMICALS, ACIDS, BASES, PAINTS, PAINT SOLVENTS, ADDITIVES FOR SOIL STABILIZATION, CONCRETE CURING COMPOUNDS AND ADDITIVES, ETC. SHALL BE STORED IN A SECURE LOCATION, UNDER COVER AND IN APPROPRIATE TIGHTLY SEALED CONTAINERS WHEN NOT IN USE.
- THE MINIMUM PRACTICAL QUANTITY OF ALL SUCH MATERIALS SHALL BE KEPT ON THE JOB SITE AND SCHEDULED FOR DELIVERY AS CLOSE TO TIME OF USE AS PRACTICAL.
- A SPILL CONTROL AND CONTAINMENT KIT (CONTAINING FOR EXAMPLE, ABSORBENT MATERIAL SUCH AS KITTY LITTER OR SAWDUST), ADD, BASE, NEUTRALIZING AGENT, BROOMS, DUST PANS, MOPS, GLOVES, GOGGLES, PLASTIC AND METAL TRASH CONTAINERS, ETC.) SHALL BE PROVIDED AT THE CONSTRUCTION SITE AND ITS LOCATIONS SHALL BE IDENTIFIED WITH LEGIBLE SIGNAGE AND SHOWN ON SITE MAPS.
 - THE SPILL CONTROL AND CONTAINMENT KIT SUPPLIES SHALL BE OF SUFFICIENT QUANTITIES AND APPROPRIATE CONTENTS TO CONTAIN A SPILL FROM THE LARGEST ANTICIPATED PIECE OF EQUIPMENT AND FROM THE LARGEST ANTICIPATED QUANTITIES OF PRODUCTS STORED ON THE SITE AT ANY GIVEN TIME.
 - CONCRETE SHALL BE INSPECTED DAILY DURING THE ONLY STORMWATER INSPECTION.
- ALL PRODUCTS SHALL BE STORED IN AND USED FROM THE ORIGINAL CONTAINER WITH THE ORIGINAL PRODUCT CONTAINERS MUST BE STORED IN A MANNER TO PROTECT THEM FROM THE ELEMENTS AND TO AVOID DAMAGE.
- ALL PRODUCTS SHALL BE USED IN STRICT COMPLIANCE WITH INSTRUCTIONS ON THE PRODUCT LABEL.
- THE DISPOSAL OF EXCESS OR USED PRODUCTS SHALL BE IN STRICT COMPLIANCE WITH THE INSTRUCTIONS ON THE PRODUCT LABEL AND REGULATIONS.



REVISIONS	BY
REVISION PER COUNTY AND TOWN COMMENTS	
REVISION PER COUNTY AND TOWN COMMENTS	
REVISION PER COUNTY AND TOWN COMMENTS	
REVISION PER COUNTY AND TOWN COMMENTS	
REVISION PER COUNTY AND TOWN COMMENTS	

BOHLER ENGINEERING

22636 DAVIS DRIVE, SUITE 260
STERLING, VIRGINIA 20154
Phone: (703) 709-9500
Fax: (703) 709-9501
VA@BohlerEng.com

WALMART STORES, INC.

WAL-MART STORES, INC.
BENTONVILLE, AR

SWPPP NOTES

WALMART SUPERCENTER #1904-005 - SPAM #1
CATOCTIN ELECTION DISTRICT
LEESBURG, LOUDOUN COUNTY, VA

DRAWN	DRP
CHECKED	
M/S	
DATE	12/22/16
SCALE	AS SHOWN
JOB NO.	S148200
SHEET	

SW-1

SHEET 35 OF 103

DEVELOPER/OWNER:
WAL-MART REAL ESTATE BUSINESS TRUST
MAIL STOP 5570
2001 SE 10TH STREET
BENTONVILLE, AR
72716-5570
479-204-3314

OPERATIONS/GENERAL CONTRACTOR:

SUPERINTENDENT:

ALERT TO CONTRACTOR: GROUNDWATER PROTECTION PLAN COMPLIANCE NOTES:

- CONTRACTOR SHALL PROVIDE TRAINING TO ALL EMPLOYEES ON THE COMPONENTS AND PROCEDURES FOR GROUND PROTECTION PRIOR TO THE EMPLOYEE STARTING WORK ON-SITE. THIS TRAINING SHALL INCLUDE, BUT IS NOT LIMITED TO, DESCRIPTIONS OF ALL GROUNDWATER PROTECTION MEASURES USED ON-SITE, SPECIFIC PROTECTION AND CLEANUP MEASURES FOR ON-SITE CONTAMINANTS, EMPHASIZING THE LEGAL REQUIREMENTS FOR PROTECTING GROUNDWATER, HOW TO RECOGNIZE POTENTIAL GROUNDWATER CONTAMINANTS, AND PROCEDURES FOR SPILL NOTIFICATION AND DOCUMENTATION.
- CONTRACTOR SHALL INSPECT ALL OPP COMPONENTS AT A MINIMUM OF QUARTERLY OR AS REQUIRED BY WAL-MART, WHICHEVER IS MORE STRINGENT. RECORDS SHALL BE KEPT FROM EACH INSPECTION INVOLVING THE INSPECTION PROCEDURE. EACH COMPONENT INSPECTED AND ANY DEFICIENCIES FOUND, ALL DEFICIENCIES FOUND MUST BE FIXED IN A TIMELY MANNER AND RE-INSPECTED FOR COMPLIANCE ONCE FIXED.

IMPORTANT: GC MUST SIGN ALL PLAN SHEETS AND ANY NEW PLAN SHEETS ISSUED BY THE CEC.

SWPPP NOTES

Order Plans @