



MOUNTING HEIGHTS

NOTE: VERIFY FIXTURES & EQUIPMENT MOUNTING HGTS. PER ROOM NAME & ROOM USE PER CURRENT ARCHITECTURAL DESIGN CRITERIA TYP.

MOUNTING HEIGHT NOTES:

1. MOUNTING HEIGHTS INDICATED ABOVE ARE BASED UPON TOILET ACCESSORIES SUPPLIED BY BOBRICK WASHROOM EQUIPMENT, INC. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING THE MOUNTING HEIGHTS OF TOILET ACCESSORIES SUPPLIED BY OTHER MANUFACTURERS.
2. MOUNTING HEIGHT DRAWING INDICATES A ONE PIECE GRAB BAR. GRAB BAR MAY BE A ONE PIECE OR A TWO PIECE GRAB BAR. REFER TO SPECIFICATIONS FOR SPECIFIC TYPE OF GRAB BAR TO BE USED.
3. ACCESS = ACCESSIBLE
4. UNDERScore () SEE PLANS FOR MISSING LETTER OR NUMBER.
5. REFER TO AMERICANS WITH DISABILITIES ACT SECTION 308 REACH RANGES.
6. COUNTERTOPS/ COMPUTER COUNTERTOPS ARE 30" H. GRADES PRE-K THRU 5 AND 34" H. GRADES 6-12

SAMPLE TOILET ACCESSORY LABELING

RH1A INDICATES TOILET ACCESSORY NAME (RH = TOILET ROLL HOLDER)

1 INDICATES TOILET ACCESSORY TYPE WHEN MORE THAN ONE TYPE IS SPECIFIED (IF NO NUMBER IS USED, ONLY ONE TYPE IS SPECIFIED)

A INDICATES THE GRADE LEVEL, WHICH DETERMINES THE MOUNTING HEIGHT

WCA INDICATES PLUMBING FIXTURE AT MOUNTING HEIGHT "A" SEE PLUMBING DRAWINGS FOR PLUMBING FIXTURE SCHEDULE

AGE LEVEL LEGEND- ALSO REFER TO TABLE 604.9

A= ADULT ACCESSIBLE HEIGHTS AGES 13 AND ABOVE- MIDDLE & HIGH SCHOOL THRU ADULTS (AGES 13- ABOVE)

B= INTERMEDIATE- GRADES 4 THRU 5 (AGES 9-12)

C= PRIMARY- GRADES 1 THRU 3 (AGES 5-8)

D= GRADES PRE-K (AGES 3-4) THRU KINDERGARTEN

NOTE: ALL DIMENSIONS SHOWN ON ENLARGED RESTROOM PLANS ARE FROM FINISHED WALL TO FINISHED WALL. LAYOUT WALLS ACCORDINGLY TO MEET THE REQUIRED MOUNTING CLEARANCES.

Advisory 604.9 Water Closets and Toilet Compartments for Children's Use.
 The requirements in 604.9 are to be followed where the exception for children's water closets in 604.1 is used. The following table provides additional guidance in applying the specifications for water closets for children according to the age group served and reflects the differences in the size, stature, and reach ranges of children ages 3 through 12. The specifications chosen should correspond to the age of the primary user group. The specifications of one age group should be applied consistently in the installation of a water closet and related elements.

ADVISORY SPECIFICATIONS FOR WATER CLOSETS SERVING CHILDREN AGES 3 THROUGH 12	Ages 3 and 4	Ages 5 through 8	Ages 9 through 12
Water Closet Centerline	12 inches (305 mm)	12 to 15 inches (305 to 380 mm)	15 to 18 inches (380 to 455 mm)
Toilet Seat Height	11 to 12 inches (280 to 305 mm)	12 to 15 inches (305 to 380 mm)	15 to 17 inches (380 to 430 mm)
Grab Bar Height	18 to 20 inches (455 to 510 mm)	20 to 25 inches (510 to 635 mm)	25 to 27 inches (635 to 685 mm)
Dispenser Height	14 inches (355 mm)	14 to 17 inches (355 to 430 mm)	17 to 19 inches (430 to 485 mm)

Comm. No: 16117.00
 Date: 10-23-17
 Drawn: us

Revisions		
No.	Date	Note

TO THE BEST OF MY KNOWLEDGE, THE PLANS AND SPECIFICATIONS COMPLY WITH THE SPECIFIC BUILDING CODES.

RENÉ TERCILLA AIA, REFP
 © 2017 HARVARD JOLLY, INC.

MNTG. HGHTS.

A4.1

Order Plans @ WJWA

P:\1817_00_Benjamin Lower School New STEM Building\18 Project Development\14 Drawings\Sheet\A4.1.dwg, 10/23/2017 10:08:20 AM DWG TO PDF.ppt