



1. ALL SIGNAGE SHALL COMPLY WITH THE FOLLOWING REQUIREMENTS
  - 1.1. ANSI A117.1 - Specifications for Making Buildings and Facilities Accessible To and Usable By Physically Handicapped People
  - 1.2. Florida Accessibility Code for Building Construction - Latest Version
  - 1.3. FBC - Florida Building Code Section 423.14.2
  - 1.4. NFPA 101: 7.10.1.3
  - 1.5. Specification section 10 14 00
2. COLORS SHALL BE SELECTED BY ARCHITECT

INTERIOR SIGNAGE CHART				
TYPE	MOUNTING	LOCATION	QUANTITY	BRAILLE
A	-	NOT USED		
B	A	ALL SPACES LISTED ON THE FINISH SCHEDULE EXCEPT : CORRIDORS, STAIRS, IT, MECHANICAL, ELECTRICAL, STORAGE, RESTROOMS, ELEVATOR MACHINE, RESTROOMS	AS REQUIRED	1/4" ADA GRADE II BRAILLE
C	A	ALL SPACES THAT ARE NOT SIGN TYPE "B" LISTED ON THE FINISH SCHEDULE	AS REQUIRED	1/4" ADA GRADE II BRAILLE
D	A	PROVIDE 1 AT EACH END OF EVERY CORRIDOR AND HALLWAY	AS REQUIRED	1/4" ADA GRADE II BRAILLE
E	A	AT EVERY RESTROOM / TOILET / SHOWER PER SEX	AS REQUIRED	1/4" ADA GRADE II BRAILLE
F	A	AT EVERY DOOR WITH AN EXIT LIGHT	AS REQUIRED	1/4" ADA GRADE II BRAILLE
G	A	TO BE DETERMINED	10	1/4" ADA GRADE II BRAILLE
H	A	AT EVERY LABELED MECHANICAL, ELECTRICAL, DATA ROOM, MACHINE ROOM AND EMERGENCY GENERATOR	AS REQUIRED	1/4" ADA GRADE II BRAILLE
J	A	TO BE DETERMINED	10	
K	A	AT EVERY ELEVATOR LANDING		1/4" ADA GRADE II BRAILLE
L	A	AT EVERY SPACE WITH AN OCCUPANT CAPACITY OF 50 OR MORE	SEE LIFT SAFETY PLANS	
L2	A	SPACES WITH ROOF HATCHES	SEE ROOF PLANS	
L3	A	TO BE DETERMINED	20	




**J** SIGN TYPE  
SCALE: 6"=1'-0"



**K** SIGN TYPE  
SCALE: 6"=1'-0"



**L** SIGN TYPE  
SCALE: 6"=1'-0"



**L3** SIGN TYPE  
SCALE: 6"=1'-0"

Order Plans

P:\1817\_00\Benjamin Lower School\New STEM Building\10-Project Development\11-Coverage\Sheet\1817\_00\_PCF\_P03.dwg, 10/27/2017 9:46:11 AM, DWG TO PDF, P03

**HARVARD JOLLY**  
ARCHITECTURE

STEM BUILDING  
THE BENJAMIN SCHOOL - LOWER/MIDDLE SCHOOL  
11000 Ellison Wilson Road, North Palm Beach, FL 33408  
CONSTRUCTION DOCUMENTS

Comm. No.	16117.00	
Date:	10-23-17	
Drawn:	ms	
Revisions		
No.	Date	Note

TO THE BEST OF MY KNOWLEDGE, THE PLANS AND SPECIFICATIONS COMPLY WITH THE MINIMUM BUILDING CODES.

RENÉ TERCILLA AIA, REFP  
© 2017 HARVARD JOLLY, INC.

SIGNAGE

A4.5