

BIM 360://38227-11-Kissimmee\_FL\_Central\_A\_R16.rvt  
12/19/2017 2:50:57 PM  
BIM 360://38227-11-Kissimmee\_FL\_Central\_A\_R16.rvt

INTERIOR BUILDING PAINT SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)									
NO.	APPLICATION	COLOR	SHERWIN WILLIAMS #	PAINT DESCRIPTION	REPAINT PRIMER	NEW CONSTRUCTION PRIMER	JURISDICTIONAL EXCEPTIONS	REMARKS	
P-4	EXPOSED WALL ABOVE 10' (SALES AREA) & CEILING	PEARLY WHITE	SW 7009	SOLO SEMI-GLOSS NON BLOCKING ENAMEL, A78W51	SELF PRIMING ON DRYWALL	PROMAR 200 ZERO VOC WALL PRIMER		TWO COATS ON BARE DRYWALL	
P-5	DOOR AND FRAME FOR MANAGER'S OFFICE	PEARLY WHITE	SW 7009	PRO INDUSTRIAL PRE-CATALYZED EPOXY, K46W00151	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	SAND, CLEAN, DRY, AND DULL ALKYL AND GLOSSY SURFACE	
P-7	BULKHEAD AT SALES	GECKO	SW 6719	PRO INDUSTRIAL PRE-CATALYZED EPOXY, K46W00151	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	SAND, CLEAN, DRY, AND DULL ALKYL AND GLOSSY SURFACE	
P-8	MANAGER'S OFFICE WALLS AND CEILING, BACKROOM CEILING, TOTE ROOM WALLS AND CEILING, AND RESTROOM CEILING	PEARLY WHITE	SW 7009	SOLO SEMI-GLOSS NON BLOCKING ENAMEL, A78W51	SELF PRIMING ON DRYWALL	PROCRYL METAL PRIMER B66W310		TWO COATS ON BARE DRYWALL	
P-35	DOORS & FRAMES; INTERIOR FACE OF THE DOOR AND FRAME	BRAINSTORM BRONZE	SW 7033	PRO INDUSTRIAL PRE-CATALYZED EPOXY, K46W00151	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	SAND, CLEAN, DRY, AND DULL ALKYL AND GLOSSY SURFACE	

EXTERIOR BUILDING PAINT SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)									
NO.	APPLICATION	COLOR	SHERWIN WILLIAMS #	PAINT DESCRIPTION	REPAINT PRIMER	NEW CONSTRUCTION PRIMER	JURISDICTIONAL EXCEPTIONS	REMARKS	
P-1	VENT RACK	DO NOT PAINT							
P-1	EXTERIOR ABOVE WAINSCOT (TYPICALLY 3'-0")	ASETHETIC WHITE	SW 7035	SHERCRYL HPA SEMI-GLOSS, B66W351	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-2	EXTERIOR BELOW WAINSCOT (TYPICALLY 3'-0") AND TRIM	BALANCED BEIGE	SW 7037	SHERCRYL HPA SEMI-GLOSS, B66W351	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-3	EXTERIOR METAL DOORS & FRAMES, GATE STRUCTURE, TRASH ENCLOSURES, AND ACCENT BAND AT THE TOP OF TOWERS AS SHOWN IN THE PICTURE INDER PAINTS' SECTION	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-6	BOLLARDS IN FRONT OF THE STORE	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-9	PIPING, ROOF CAPS	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-10	MANSARD	MATCH EXISTING		SHERCRYL HPA SEMI-GLOSS, B66W351	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-11	DOCK	HAZE GRAY	B65A220 & B65V220	ARMORSEAL HS POLYURETHANE	DTM BONDING PRIMER B66A50	AMORSEAL 1000HS REDUCED 1PT PER GAL	HIGH SOLIDS POLYURETHANE 100 WITH A PRIME WITH PRIME COAT OF MACROPHY 646-100		
P-12	PARKING LOT TRAFFIC MARKING	WHITE	B97YD2434	PROPARK PREMIUM WATERBASED TRAFFIC PAINT					
P-13	PARKING LOT TRAFFIC MARKING	YELLOW	B97YD2467	PROPARK PREMIUM WATERBASED TRAFFIC PAINT					
P-14	PARKING LOT TRAFFIC MARKING	RED	B97RD2012	PROPARK PREMIUM WATERBASED TRAFFIC PAINT					
P-15	PARKING LOT TRAFFIC MARKING	BLUE	B97LD2022	PROPARK PREMIUM WATERBASED TRAFFIC PAINT					
P-16	PARKING LOT TRAFFIC MARKING	BLACK	B97BD2021	PROPARK PREMIUM WATERBASED TRAFFIC PAINT					
P-17	UNDERSIDE OF GAS CANOPY	DECK WHITE	SW 7006	SHERCRYL HPA SEMI-GLOSS, B66W351	DTM BONDING PRIMER B66A50	DTM BONDING PRIMER B66A50	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-18	CANOPY COLUMNS	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-19	BOLLARDS IN FUELING AREA	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-20	FUEL ISLAND CURBS	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-21	YARD LIGHT POLES	SEAL SKIN	SW 7675	SHERCRYL HPA SEMI-GLOSS, B66T354	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	USE B66W310 OVER BARE METAL B66A50 OVER SLICK PREVIOUSLY PAINTED SURFACES	
P-22	VENT PIPE	EXTRA WHITE	SW 7006	SHERCRYL HPA SEMI-GLOSS, B66W351	DTM BONDING PRIMER B66A50	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-23	REGULAR GAS FILL LID	EXTRA WHITE	SW 7009	SHERCRYL HPA SEMI-GLOSS, B66W351	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X	FIBRELITE LIDS SHOULD NOT BE PAINTED	
P-24	REGULAR GAS MANHOLE CROSS	TRICORN BLACK	SW 6258	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-25	MID GRADE GAS FILL LID	SAFETY BLUE	B71T454	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-26	MID GRADE GAS MANHOLE CROSS	EXTRA WHITE	SW 7009	SHERCRYL HPA SEMI-GLOSS, B66W351	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-27	PREMIUM GAS FILL LID	SAFETY RED	B71T454	SHERCRYL HPA GLOSS, B66R300	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-28	PREMIUM GAS MANHOLE CROSS	EXTRA WHITE	SW 7009	SHERCRYL HPA SEMI-GLOSS, B66W351	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-29	DIESEL FILL LID	SAFETY YELLOW	B71W45X	SHERCRYL HPA GLOSS, B66R300	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-30	KEROSENE FILL LID	API OLIVE/BROWN	B71T454	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-32	E-85 FILL LID	API OLIVE/BROWN	B71T454	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-33	VAPOR RECOVERY MANHOLE LID	SAFETY ORANGE	B71T454	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		
P-34	ALL OTHER MANHOLES	TRICORN BLACK	SW 6258	SHERCRYL HPA SEMI-GLOSS, B66T354	PROCRYL METAL PRIMER B66W310	PROCRYL METAL PRIMER B66W310	FOR SCAQMD - PROINDUSTRIAL ZERO VOC SEMI-GLOSS, B66W60X		

ALL PAINT IS PROVIDED. CONTACT A SHERWIN WILLIAMS STORE OR 1-888-621-6622 OR WWW.MYS-W.COM  
7-ELEVEN PARENT JOB CODE IS 15. CONTACT PAT BUSCH AT 407-3057 / pat.busch@sherwin.com OR SHERWIN BEHM AT 218-566-1558 / kevin.c.behm@sherwin.com

EXTERIOR MATERIALS SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)			
NO.	MATERIAL	MANUFACTURER	COLOR/PATTERN
MR-1	MEMBRANE ROOFING	USG	WHITE
P-3	EXTERIOR HM DOORS, FRAMES, TRASH ENCLOSURE GATE, GRAVEL GUARDS AND LIGHT POLES	SHERWIN WILLIAMS	SEAL SKIN SW 7675
C	FINISHED ALUMINUM BAKED ENAMEL	WINNING	BRONZE
P-6	EXTERIOR BOLLARDS	SHERWIN WILLIAMS	SEAL SKIN SW 7675
V-1	VENEER STONE	BORALSTONE CO	COBBLEFIELD STONE (F-3)
T-1	PAINTED STEEL	SHERWIN WILLIAMS	BALANCED BEIGE SW 7037
	PAINTED BRUCCO	SHERWIN WILLIAMS	AESTHETIC WHITE SW 7035
S-1	ALUMINUM STOREFRONT GLAZING, CAP FLASHING	KAWNEER/DURO-LAST	DARK BRONZE

INTERIOR MATERIALS SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)			
NO.	MATERIAL	MANUFACTURER	COLOR/PATTERN
A-1	LAY-IN FRP WALL PANEL	MARCO	2" x 2" VINYL FACED
FRP-1	FRP P-100	MARLITE	SIREN MAPLE
B-1	VINYL BASE	ROPPE	BLACK / BROWN
G-1	GYP SUM BOARD	INTERCERAMIC	LINEN / MARRONE
B-2	TILE BASE	INTERCERAMIC	BOSTON BEIGE
B-3	TILE BASE	INTERCERAMIC	LIGHT GRAY
TE-1	TILE EDGE	SCHLUTER	EB BRUSH SS REF. SPECS
B-4	TILE BASE	INTERCERAMIC	IC BRITES / ULTRA WHITE
T-2	16x24 CERAMIC TILE	INTERCERAMIC	BOSTON / BEIGE
TE-2	TILE EDGE	SCHLUTER	EB BRUSH SS REF. SPECS
CG-1	CORNER GUARD	MARLITE	P-100 (WHITE)
B-5	TILE BASE	MARLITE	SMOOTH PEBBLE TEXTURE

INTERIOR MATERIALS SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)			
NO.	MATERIAL	MANUFACTURER	COLOR/PATTERN
T-2	13x13 CERAMIC TILE	INTERCERAMIC	BOSTON / BEIGE
VCT-1	VINYL COMPOSITION TILE	ARMSTRONG	SANDRIFT WHITE
CG-2	CORNER GUARD	SCHLUTER	BRUSHED STAINLESS STEEL
T-3	16x24 CERAMIC TILE	INTERCERAMIC	BOSTON / LIGHT GRAY
A-4	16x24 CERAMIC TILE	INTERCERAMIC	LINEN / MARRONE
T-4	LAY-IN	USG	IC BRITES / ULTRA WHITE
T-5	3/8 CERAMIC TILE	INTERCERAMIC	IC BRITES / ULTRA WHITE
SC-1	SEALED CONCRETE	SCOFFIELD	SCOFFIELD SYSTEMS

MATERIALS SCHEDULE (NOT ALL MATERIALS IN SCHEDULE ARE USED)	
NO.	DESCRIPTION
1.	CERAMIC TILE
T-1	16x24 COLOR BODY CERAMIC, BOSTON / BEIGE
-	PATTERN: 1/3 RUNNING BOND
-	GROUT LINE: 3/16"
-	THINSET: VERSABOND GRAY THINSET, 50LB BAG
GROUT:	POLYBLEND SANDED GROUT, NEW TAUPE, 25LB BAG
T-2	13x13 COLOR BODY CERAMIC, BOSTON / BEIGE
-	PATTERN: RUNNING BOND
-	GROUT LINE: 3/16"
-	THINSET: VERSABOND GRAY THINSET, 50LB BAG
GROUT:	POLYBLEND SANDED GROUT, NEW TAUPE, 25LB BAG
T-3	16x24 COLOR BODY CERAMIC, BOSTON / LIGHT GRAY
-	(ORDERED BY SQUARE FOOT)
-	PATTERN: 1/3 RUNNING BOND
-	THINSET: VERSABOND GRAY THINSET, 50LB BAG
GROUT:	POLYBLEND SANDED GROUT, NEW TAUPE, 25LB BAG
T-4	16x24 COLOR BODY CERAMIC, LINEN / MARRONE
-	PATTERN: STACK BOND
-	GROUT LINE: 3/16"
-	THINSET: VERSABOND GRAY THINSET, 50LB BAG
GROUT:	POLYBLEND SANDED GROUT, NEW TAUPE, 25LB BAG
T-5	3/8 COLOR BODY CERAMIC, IC BRITES / ULTRA WHITE
-	PATTERN: RUNNING BOND
-	GROUT LINE: 1/8"
-	THINSET: VERSABOND WHITE THINSET, 50LB BAG
GROUT:	POLYBLEND SANDED GROUT, NEW TAUPE, 25LB BAG
-	PROVIDE BULLNOSE TILE EDGE AS SPECIFIED ON ELEVATIONS.
2.	CLEANING PRODUCTS
3.	FLOOR LEVELING COMPOUND
4.	LEVELING BOSTIK UNIVERSAL PRIMER (USED WITH SL 150)
5.	ALL PRE-PACKAGED THIN SET MORTAR IS FORMULATED TO MEET THE INDUSTRY REQUIREMENTS OF ANSI AND TCNA TO PROPERLY PERFORM IN SPECIFIC TYPES OF INSTALLATION. BLENDING OF STANDARD THIN SET MORTAR WITH RAPID SETTING MORTAR WILL AFFECT SHRINKAGE AND ULTIMATE STRENGTH OF THE MORTAR. CUSTOM BUILDING PRODUCTS WILL NOT WARRANT JOBS WHERE THIN SET MORTARS HAVE BEEN MODIFIED WITH UNAUTHORIZED MATERIALS, WHICH INCLUDES BLEND WITH OTHER CUSTOM BUILDING PRODUCTS THIN SET MORTARS. TILES TO BE BACK BUTTERED
6.	VINYL TILE FLOORING
1.	VCT-1 - TYPE 1 - VINYL COMPOSITION TILE ARMSTRONG "EXCELON"
2.	INSTALLATION: VCT IS HIGHLY POROUS, THIS POROSITY IS NECESSARY TO ACHIEVE COMPLETE CURING. ONLY DRY MOPPING W/ CLEAR WATER IS ACCEPTABLE FOR THE FIRST FOUR DAYS AFTER INSTALLATION.
3.	SEALING: TO SEAL AND PROTECT, A MINIMUM OF 5-7 WAX COATS ARE REQUIRED OVER 48 HOURS.
4.	CLEANING: ONLY NEUTRAL FLOOR CLEANERS W/ A DILUTED PH OF 6.5 - 7.5 WILL NOT DAMAGE THE FINISH OR COMPOSITION OF THE TILE.
5.	SEALED CONCRETE SLAB
1.	EXPOSED CONCRETE - SEALED, 2 COATS SCOFFIELD SYSTEMS CURE SEAL - S
2.	CEILING TILE
A-1	USG VINYL FACED LAY IN
2	2" x 2" #70562 KAPOK
-	FIRE CLASSIFICATION: TYPE A
-	FLAME SPREAD: 25
-	SMOKE DENSITY: 50
A-2	USG CLEAN ROOM (AS REQUIRED BY AHJ)
-	FIRE CLASSIFICATION: TYPE 1
-	FLAME SPREAD: 25
-	SMOKE DENSITY: 50
3.	GRID: WHITE, SUSPENSION SYSTEM - DXL
4.	BASE
1.	VINYL BASE - WITH 3/8" RADIUS
2.	PE - 4" x 8" BRUSHED "BROWN" (ONLY IF USED IN LOCAL BROWN)
3.	TILE BASE - CERAMIC TILE - 3/8" RADIUS
B-2	BOSTON BEIGE
-	6" x 12" COVE BASE
-	1/8" CORNER
-	1/8" OUTSIDE CORNER
B-3	LIGHT / GRAY
-	6" x 12" COVE BASE
-	1/8" CORNER
-	1/8" OUTSIDE CORNER
-	1/8" IC BRITES / ULTRA WHITE
-	6" x 12" COVE BASE
-	1/8" CORNER
-	1/8" OUTSIDE CORNER
3.	GALVANIZED COVE BASE: WITH 3/8" RADIUS
B-5	SMOOTH PEBBLE TEXTURE 4" COVE BASE AROUND INTERIOR PERIMETER OF WALK-IN COOLER UNITS
NOTE:	1. VERIFY WITH AHJ WALL & FLOOR SQUARE TRANSITION IS ALLOWED USE CERAMIC COVE BASE (B-2, B-3, B-4) AS REQUIRED BY AHJ. 2. VERIFY WITH AHJ VINYL BASE (B-1) IS ALLOWED, USE CERAMIC COVE BASE (B-2) AS REQUIRED BY AHJ.
RETAIL INFORMATION SYSTEM (RIS) BACKBOARD	1. BACKBOARD SHALL BE U-TECK, MODEL 501082J-FRG CONTACT: DEBRA WOLFE TEL: (800) 542-7011 REFERENCE SHEET A5.2, DETAIL 5 FOR LOCATION.
1.	METAL STUDS
1.	CLARKDIE TRICH METAL FRAMING
ICCF - ESR 1166P	(APMOF - ES-016)
2.	WALL COVERING
1.	FRP WALL PANELS
FRP - A - WALL PANELS	- MANUFACTURER: MARLITE - COLOR: P-100 (WHITE) - FINISH: SMOOTH GLOSS, PEBBLE FINISH - FIRE CLASSIFICATION: TYPE C - FLAME SPREAD: <200 - SMOKE DENSITY: <450 - LIGHT RV: 83.0% - NOTE: APPLY WITH MARLITE C-375 CONSTRUCTION ADHESIVE
FRP - A - WALL PANELS	- MANUFACTURER: MARCO - COLOR: SIREN MAPLE - #WMP FRP ST - PANEL SIZE: 47" X 118" TRIM PANEL FOR FINISH HEIGHT OF 9'-4" AFF (OR 10'-0" WHEN 6" TILE BASE IS REQUIRED) OR AS REQ TO FIT BELOW SCHEDULED CEILING HEIGHT AND J TRIM. - FIRE CLASSIFICATION: TYPE C - FLAME SPREAD: <100 - SMOKE DENSITY: <300 - LIGHT RV: 83.0% - NOTE: APPLY WITH TITEBOND GREENCHOICE FRP ADHESIVE (REFERENCE PLAN FOR LOCATION OF ACCENT PANEL, MAPLE FRP-A, FRP WALL PANEL)
FRP - A - WALL PANELS	- PROVIDE "L" MOLDING AT ALL OUTSIDE CORNERS, 3-CUT MOLDING AT ALL INSIDE CORNERS, AND "J" MOLDING WHERE WALL PANEL TERMINATES. ALL MOLDING SHALL BE FULL HEIGHT OF WALL FROM TOP OF WALL BASE
2.	WALK-IN COOLER UNIT WALLS
INTERIOR:	SMOOTH PEBBLE TEXTURE GALVANIZED SKIN
EXTERIOR:	FRP WALL PANELS APPLIED WITH TITEBOND ADVANCED POLYMER FRP ADHESIVE
3.	CORNER GUARDS
1.	CORNER GUARDS
CG-1	MARLITE FRP CORNER GUARDS APPROX. 12" HIGH - SIZE: 1-1/2" X 1-1/2" X 12" - COLOR: P-100 (WHITE) - PROVIDE FULL HEIGHT CORNER GUARDS AT "T" MOLDING AT ALL OUTSIDE CORNERS, 3-CUT MOLDING AND CORNER GUARDS FLUSH TO TOP OF WALL BASE - APPLIED WITH TITEBOND ADVANCED POLYMER FRP ADHESIVE
CG-2	SCHLUTER FC-303 (K32 V2A/300) OR APPROVED EQUAL - PROVIDED BY GC - SIZE: 1/2" X 1/2" X 118" - COLOR: BRUSHED STAINLESS STEEL - APPLIED PER MANUFACTURERS RECOMMENDATIONS
2.	WALL EDGE
1.	EDGE
TE-1	SCHLUTER SCHIENE (E80) APPROVED EQUAL (USED WITH T-5) - SIZE: 5/16" DEEP X 118" HIGH - COLOR: BRUSHED STAINLESS STEEL 304 - APPLIED PER MANUFACTURERS RECOMMENDATIONS
TE-2	SCHLUTER SCHIENE (E125) OR APPROVED EQUAL (USED WITH T-4) - PROVIDED BY GC - SIZE: 1/2" DEEP, 118" HIGH - COLOR: BRUSHED STAINLESS STEEL 304 - APPLIED PER MANUFACTURERS RECOMMENDATIONS
3.	TOILET PAPER DISPENSER
B-2892	SURFACE MOUNTED TWIN JUMBO ROLL TOILET TISSUE DISPENSER
4.	TRANSITION STRIP
1.	CERAMIC TILE TO DOOR THRESHOLDS SCHLUTER SYSTEMS, AEVT100B20 8 LF/PC ORDER FROM INTERCERAMIC
2.	CERAMIC TILE TO FINISHED CONCRETE OR VCT SCHLUTER SYSTEMS, AEU 100 8 LF/PC ORDER FROM INTERCERAMIC
3.	CERAMIC TILE TO CERAMIC TILE SCHLUTER SYSTEMS, DECO, AE 100 D ORDER FROM INTERCERAMIC
4.	VINYL TILE TO FINISHED CONCRETE NGP, 8132 AL TRANSITION, 6" ORDER FROM HOME DEPOT
5.	MUELLER GATES (COR-6)
1.	GATES SHALL BE BY MUELLER DOOR CO. INC. CONTACT: SUZANNE MILLER TEL: (800) 981-2040
2.	INSTALL BOLLARDS FOR GATES PER GATE MANUFACTURERS INSTRUCTIONS
3.	G.C. TO VERIFY AND CONFIRM GATE BOLLARD HEIGHTS FROM GRADE. CENTER TO CENTER DIMENSIONS AND BOLLARD OUTSIDE DIAMETER AND COMMUNICATE DIMENSIONS TO MUELLER FOR FABRICATION OF GATES.
4.	ALLOW 14 BUSINESS DAYS AFTER SUBMITTAL OF CONFIRMED BOLLARD DIMENSIONS FOR FABRICATION AND DELIVERY OF GATES.
5.	NICHIHA FIBER CEMENT PANELS
1.	NICHIHA (FIBER CEMENT)
2.	INSTALLING CONTRACTOR MUST BE NICHIHA TRAINED
3.	WARRANTY INFO (50 YEARS)
4.	PRIOR TO BIDDING, CONSTRUCTION PROJECT MANAGER TO CONTACT NICHIHA, ATTN: JAMES WUESTE
5.	APPROVED CONTRACTOR NAMES AND ORDERING INFO CAN BE PROVIDED BY CONTACTING NICHIHA AT (770)805-9466 ATTENTION: JAMES WUESTE JWUESTE@NICHIHA.COM OR WWW.NICHIHA.COM

ROOM NUMBER	ROOM NAME	FLOORS		BASE		WALLS		CEILING		COMMENTS											
		CERAMIC TILE (T-1)	CERAMIC TILE (T-3)	VINYL COMPOSITION TILE (VCT-1)	SEALED CONCRETE (SC-1)	CERAMIC TILE (T-2)	CERAMIC TILE (T-3)	CERAMIC TILE (T-4)	CERAMIC TILE (T-5)		CORNER GUARD (CG-1)	CORNER GUARD (CG-2)	TILE EDGE (TE-1)	TILE EDGE (TE-2)	2"x2" LAY-IN ACOUSTICAL TILE (A-1)	SMOOTH FINISH PAINTED GYP. BD	X	EXPOSED STRUCTURE (P-4)	CEILING HEIGHTS		
101	MERCHANDISE	X																	9'-4"	NO BASE AT TILE T-4	
102	SALES	X																		10'-0"	
103	OFFICE		X	X																8'-0"	
104	BACK ROOM		X	X																8'-0"	
105	WOMEN'S		X							X	X										
106	MEN'S		X							X	X										
107	ELECTRICAL			X				X	X												
108	FREEZER			X				X	X												PRE-FAB FINISH
109	ICE			X				X	X												