

PB DOOR SCHEDULE

DOOR TYPES AND NOTES

DOOR NUMBER	DESCRIPTION	SIZE	DOOR DATA				FRAME DATA					FIRE RATING	HARDWARE								REMARKS
			THICKNESS	MATERIAL	TYPE	FINISH	MATERIAL	FINISH	HEAD	JAMB	SILL		BUTTS	LOCKSET	EXIT DEVICES	CLOSER	STOP	PUSH/PULL BARS	WEATHERSTRIP THRESHOLD	MISC	
FIRST FLOOR																					
6	PB ENTRY (EXISTING)	3'-0" X 8'-0" (PAIR)	1 3/4"	ALUM	A	F1 SF-2	ALUM	F1 SF-2	--	--	--	--	B5	L1	--	C1	--	PP1	W1,W2,T1	--	DOOR AND HARDWARE BY LL GC TO VERIFY IN FIELD
7	PB ENTRY VESTIBULE (EXISTING)	3'-0" X 8'-0" (PAIR)	1 3/4"	ALUM	A	F1 SF-2	ALUM	F1 SF-2	--	--	--	--	B5	--	--	C1	--	PP1	W1,W2,T1	--	DOOR AND HARDWARE BY LL GC TO VERIFY IN FIELD
8	PB ENTRY (EXISTING)	3'-0" X 8'-0" (PAIR)	1 3/4"	ALUM	A	F1 SF-2	ALUM	F1 SF-2	--	--	--	--	B5	L1	--	C1	--	PP1	W1,W2,T1	--	DOOR AND HARDWARE BY LL GC TO VERIFY IN FIELD
9	PB ENTRY VESTIBULE (EXISTING)	3'-0" X 8'-0" (PAIR)	1 3/4"	ALUM	A	F1 SF-2	ALUM	F1 SF-2	--	--	--	--	B5	--	--	C1	--	PP1	W1,W2,T1	--	DOOR AND HARDWARE BY LL GC TO VERIFY IN FIELD
10	PB SALES TO STOCKROOM	3'-6" X 7'-0"	1 3/4"	HM	B	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	--	--	B3	L10	--	C4	S1,S3	--	--	M4,M10,M11	*PRIVATE* SIGN BY SIGN VENDOR
11	TOILET ROOM #2	3'-0" X 7'-0"	1 3/4"	SCW	B	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	C5/A-803	--	B3	L2	--	C4	S4	--	--	M3, M4	UNDERCUT DOOR BY 1"
12	TOILET ROOM #1	3'-0" X 7'-0"	1 3/4"	SCW	B	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	C5/A-803	--	B3	L2	--	C4	S4	--	--	M3, M4	UNDERCUT DOOR BY 1"
13	CORRIDOR TO VESTIBULE	3'-6" X 7'-0"	1 3/4"	HM	B	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	--	--	B3	--	ED3	C4	S1,S3	--	--	M4, M10	
14	STOCKROOM EXIT DOOR - LOADING (EXISTING)	3'-0" X 7'-0" (PAIR)	1 3/4"	HM	C	MATCH EXIST	MATCH EXIST	--	--	--	--	20 MIN	B2	L8, L9	ED1, ED2	C3	S2	--	W1	M4,M5,M10	DOOR AND HARDWARE BY LL GC TO VERIFY IN FIELD
15	STOCKROOM TO CORRIDOR	3'-0" X 7'-0" (PAIR)	1 3/4"	HM	C	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	--	--	B2	L8, L9	ED1, ED2	C4	S2	--	--	M3,M4,M5	
16	MANAGER'S OFFICE	3'-0" X 7'-0"	1 3/4"	HM	B	F1 PB3-SG	WELD METAL	F1 PB3-SG	E1/A-803	E1/A-803	A3/A-803	--	B3	L3	--	C4	S1, S3	--	W3	M3,M5,M11	
17	DISPLAY	3'-0" X 7'-0"	1 3/4"	SCW	E	F1 PB1-ES	WELD METAL	F1 PB1-ES	E7/A-803	E7/A-803	--	--	B4	L12	--	C4	--	PP2	--	--	

- EXIT DOORS AT STOREFRONT TO HAVE SIGN ON TOP RAIL STATING "THIS DOOR TO REMAIN UNLOCKED WHEN BUILDING IS OCCUPIED" IN 1" HIGH BLACK VINYL LETTERS ON A SILVER BACKGROUND. LOCKING DEVICE TO BE OF TYPE THAT IS READILY DISTINGUISHABLE AS LOCKED.
- DOORS WITHIN THE PATH OF TRAVEL FOR HANDICAPPED TO BE OPENABLE WITH A SINGLE EFFORT BY LEVER, PANIC BAR OR PUSH / PULL HARDWARE.
- EXIT DOORS TO BE OPENABLE FROM THE INSIDE WITHOUT USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT.
- EXTERIOR DOOR CLOSERS TO BE ADJUSTED TO PROVIDE FOR A MAXIMUM EFFORT TO OPERATE OF 15 LBF (1008.1.2.7). AT FIRE DOOR, USE DEVICE ACCEPTABLE BY FIRE MARSHAL.
- INTERIOR DOOR CLOSERS TO BE ADJUSTED TO PROVIDE FOR A MAXIMUM EFFORT TO OPERATE OF 5.0 LBF.
- THRESHOLDS SHALL NOT EXCEED 1/2" IN HEIGHT.
- WOOD AND HM DOORS TO HAVE 1-1/2" PAIR BUTTS PER LEAF.
- BOTH SIDES OF DOOR LEAFS AND FRAMES SHALL BE FINISHED THE SAME, UNLESS OTHERWISE NOTED.
- WOOD DOOR FRAMES AND TRIMS SHALL BE HWY OR WIC CUSTOM GRADE UON
- DOORS AND CASED OPENINGS ADJACENT TO WALL INTERSECTIONS SHALL BE LOCATED WITH THE EDGE OF FINISH OPENING 1/4" INCHES FROM THE ADJACENT WALL UNLESS OTHERWISE INDICATED; OTHER DOORS AND CASED OPENINGS SHALL BE CENTERED BETWEEN NEAREST ADJACENT WALL INTERSECTIONS, UNLESS OTHERWISE DIMENSIONED.
- LEGAL EGRESS SHALL BE PROVIDED WITH SELF-ILLUM. EXIT SIGNS HAVING 1" LETTERS WITH 3/4" STROKES IN CONTRASTING COLORS.
- CAUTION: HM DOORS TAKE LARGER STRIKES THAN SOLID CORE DOORS.
- HARDWARE CONTRACTOR TO COORDINATE ALL HARDWARE WITH DOORS AND FRAMES AS SPECIFIED, INCLUDING LOCKSETS AND STRIKES.
- MILLWORK IN THE SCOPE OF WORK SHALL BE DELIVERED ON SITE SHOP-PRIMED AND SANDED.
- INSTALLATION OF DOORS AND HARDWARE SHALL MEET LOCAL, STATE, AND FEDERAL ACCESSIBILITY REQUIREMENTS.

HARDWARE NOTES

- SUBSTITUTIONS TO BE SUBMITTED WITH CATALOG FOR ARCH APPROVAL.
- GENERAL CONTRACTOR TO INSTALL LOCKSET WITH CONSTRUCTION CORES.
- SUBMIT THREE (3) COPIES OF HARDWARE LIST AND CUT SHEETS. CUT SHEETS TO CLEARLY INDICATE HARDWARE TO BE USED.
- CONTRACTOR TO ORDER HARDWARE IMMEDIATELY UPON APPROVAL OF HARDWARE LIST.
- G.C. IS RESPONSIBLE TO BID HARDWARE THAT CONFORMS TO REQUIREMENTS OF THE JURISDICTIONAL CODE AUTHORITIES.
- WHERE OPENINGS ARE NOTED WITH AN HOURLY FIRE RESISTANCE RATING, PROVIDE HARDWARE COMPONENTS LABELED BY UNDERWRITERS LABORATORY, OR OTHER TESTING LABORATORY APPROVED BY THE LOCAL CODE AUTHORITIES, TO MEET THE HOURLY FIRE RATING NOTED.
- HARDWARE SHALL CONFORM TO LOCAL CODES FOR FIRE RATED CLASS INDICATED.
- DOOR CLOSERS SHALL BE ADJUSTED SO THAT FROM AN OPEN POSITION OF 90 DEGREES, THE TIME REQUIRED TO MOVE THE DOOR TO A POSITION OF 12 DEGREES FROM THE LATCH IS 5 SECONDS MINIMUM IN ACCORDANCE WITH ICC/ANSI A117.1 CLOSING SPEED.

HARDWARE NOTES

IMPORTANT: ALL LOCKS AND CYLINDERS ARE TO BE COMPATIBLE WITH BEST 7-PIN KEY SYSTEM

BUTTS

B1 MCKINNEY TA386 613 4.5X4.5NRP 10 EA BUTTS

B2 MCKINNEY TA786 26D 4.5X4.5NRP 3 EA BUTTS

B3 MCKINNEY TA2714 26D 4.5X4.5

B4 SOSS 218 26D HINGES

B5 CONTINUOUS HINGE BY STOREFRONT MANUFACTURER. (HURRICANE ZONE)

B6 MCKINNEY CONTINUOUS GEARED HINGE 26D NRP (HURRICANE ZONE)

LOCKSET

L1 ADAMS RITE 3-POINT DEADLOCK - MS 1850/4015/4016 W/ EXIT INDICATOR 4089

L2 BEST 9K30L14C 26D PRIVACY LOCK

L3 BEST 9K37AB14C 26D X S3 ENTRANCE LOCK

L4 BEST 38H7L 26D DEADLOCK

L5 BEST RIM CYLINDERS 1E72 626 * AT OUTSIDE TRIM OF ACTIVE LEAF AT PAIR

L6 G. JOHNSON ALARM LOCK PG-21 PILFER GUARD 2C

L7 BEST 9K30N14C 26D PASSAGE SET

L8 BEST 1E74 MORTISE CYLINDER 626

L9 DETEX EAX500SK1 (FOR SINGLE DOOR) DETEX EAX500SK2 (FOR DOUBLE DOORS) BATTERY POWERED EXIT ALARM

L10 ALARM LOCK T2 TRILogy DL2700C/26D

L11 ROCKWOOD 550 X 613 (ACTIVE LEAF)

L12 IVES ROLLER LATCH 626 - 626

EXIT DEVICES

ED1 PRECISION FIRE RATED EXIT DEVICE (ACTIVE DOOR) FL2203 ALK X 1703A X RHR - 630

ED2 PRECISION FIRE RATED EXIT DEVICE (INACTIVE DOOR) FL2203 ALK X 1701 LHR - 630

ED3 PRECISION EXIT DEVICE FL2114 X 1701 (HANDED RHR OR LHR) - ALUM

ED4 PRECISION EXIT DEVICE FL2201 X 1701 (HANDED RHR OR LHR) - ALUM

ED5 PRECISION EXIT DEVICE FL2114 X 1701 (HANDED RHR OR LHR) - ALUM

ED6 PRECISION EXIT DEVICE FL2114 X 1714 (HANDED RHR OR LHR) - ALUM

ED7 PRECISION EXIT DEVICE FL2114 X 4914A (HANDED RHR OR LHR) - ALUM

ED8 PRECISION EXIT DEVICE FL2101 X ALK (HANDED RHR OR LHR) - ALUM

CLOSER

C1 ALCN 2030 X 3088H X WMS X 2030-417 ALUM CEILING MOUNTED OVERHEAD CLOSER W/ BUILD-OPEN AND BUMPER

C2 LCN 2033 X ALUM (MT FOR 180 DEGREES) OVERHEAD CLOSERS

C3 SARGENT EN1431-0 SNB CLOSER

C4 NORTON 8501-BF X S/B CLOSER ALUM

C5 NOT USED

C6 SARGENT EN1431-0 X EN1430-B INVERTED BRACKET CLOSER

C7 DORMA BTS-80 CENTER HUNG PIVOTS W/ HOLD OPEN UP TO 105 DEGREES

STOPS

S1 IVES FLOOR STOP FS438 26D

S2 GLYNN JOHNSON 90 DEGREE OVERHEAD STOP 415S 32D

S3 IVES KICKDOWN STOP FS452 26D

S4 GLYNN JOHNSON DOME STOP X RISER FB13 X FB14R 626

S5 TICE PEXOR HOOKERS 852

S6 GLYNN JOHNSON 100H SERIES HOLD-OPEN / STOP - STAINLESS STEEL FINISH

PUSH/PULL BARS

PP1 1390.18 ASHLEY NORTON URBAN PULL BZ

PP2 HAFELE PULL 151.01.729 - 626

WEATHERSTRIP/THRESHOLDS

W1 BOTTOM SWEEPS BY DOOR MANUFACTURER

W2 WEATHERSTRIP BY DOOR MANUFACTURER

W3 PEMKO SMOKE SEAL S88W-21'-WHITE

W4 PEMKO 300P MEETING STILE GASKET

W5 PEMKO S88D SET GASKET

T1 PEMKO 229D X FHSL-25 THRESHOLD DARK BRONZE ANODIZED ALUM

T2 MARBLE THRESHOLD

MISC

M1 IVES DP-613 DUST PROOF STRIKE

M2 NOT USED

M3 TICE B4E 10 X 34 X 32D KICKPLATE

M4 IVES SR65 SILENCERS

M5 IVES U700B26D VIEWER

M6 NOT USED

M7 G.JOHNSON LP-2 LOCKGUARD 2C


M8 NOT USED

M9 ASTRAGAL BY DOOR SUPPLIER

M10 TICE B4E 10 X 38 X 32D KICKPLATE

M11 LIBERTY COAT HOOKS 129849

PB DOOR TYPES



OWNER:
WILLIAMS-SONOMA, INC.
 3250 Van Ness Avenue
 San Francisco, CA 94109
 T 415 616 8602
 F 415 439 8164
 www.williams-sonomainc.com

CALLISONRTKLTM
 A DESIGN CONSULTANCY OF ARCADIS
CALLISONRTKL INC.
 www.callisonrtkl.com

P O T T E R Y B A R N
WILLIAMS-SONOMA
 Town Center Virginia Beach
 173/177 Central Park Avenue
 Virginia Beach, VA 23462
 PROJECT #006-151817.00/#006-151412.00

ISSUED / REVISED	DATE
FEASIBILITY SET	08/10/17
PRELIMINARY SET	09/28/17
LL CD SET	11/30/17
PERMIT SET	12/18/17
BID SET	01/04/18

PB DOOR SCHEDULE, NOTES, HARDWARE & DOOR TYPES

A-005