



TYPICAL NON-BEARING WALL
 362S200-54 STUDS @ 16"OC W/
 362T150-54 BOT TRACK &
 362T200-54 TOP DEFLECTION TRACK
 -OR-
 600S125-33 STUDS @ 24"OC W/
 600T150-33 BOT TRACK &
 600T200-43 TOP DEFLECTION TRACK
 WALL TYPE PER ARCH

WWW.LDILine.com

Order Plans @

FLOOR PLAN NOTES:

1. STRUCTURAL GENERAL NOTES, DESIGN CRITERIA, ABBREVIATIONS AND LEGEND PER S-101 AND S-102.
2. VERIFY ALL DIMENSIONS AND ELEVATIONS WITH THE ARCHITECTURAL DRAWINGS. ALL EXISTING DIMENSIONS SHALL BE FIELD VERIFIED.
3. ALL DUCTS, CHASES AND PIPES SHALL BE PER MECHANICAL, PLUMBING, ELECTRICAL AND SPRINKLER DRAWINGS.
4. PROVIDE BRIDGING @ 4'-6" ABOVE FINISHED FLOOR AT ALL BEARING WALLS. WHERE WALLS ARE GREATER THAN 10'-0" TALL, PROVIDE BRIDGING @ 48"OC MAXIMUM ABOVE FIRST ROW.
5. CONTRACTOR IS RESPONSIBLE FOR ALL TEMPORARY SHORING AND ALL TEMPORARY BRACING/STABILITY OF THE SYSTEM DUE TO CONSTRUCTION LOADS.
6. TYPICAL COLD FORMED STEEL FRAMING DETAILS PER S-301.

ISSUED / REVISED	DATE
QA SET	11/22/17
LL CD SET	11/30/17
PERMIT SET	12/18/17
BID SET	01/04/18

FLOOR PLAN
 SCALE: 1/8"=1'-0"



STRUCTURAL FLOOR PLAN

S-201

LDI ENGINEERS
 818 STEWART STREET, SUITE 1000
 SEATTLE, WASHINGTON 98101
 PHONE: (206) 332-1900 • FAX: (206) 332-1600
 WEBSITE: www.ldi-engineers.com
 CIVIL / STRUCTURAL
© Copyright © 2018 LDI, Inc. All Rights Reserved. In each state, where applicable, LDI is a registered professional engineer or architect. LDI is not responsible for any reproduction of its documents.

CALLISONRTKL
 A DESIGN CONSULTANCY OF ARCADIS
 CALLISONRTKL INC.
 www.callisonrtkl.com

POTTERY BARN
WILLIAMS-SONOMA
 Town Center Virginia Beach
 173/177 Central Park Avenue
 Virginia Beach, VA 23462
 PROJECT #006-151817-00/#006-151412-00

OWNER:
WILLIAMS-SONOMA, INC.
 3250 Van Ness Avenue
 San Francisco, CA 94109
 T 415 616 8602
 F 415 439 8164
 www.williams-sonomainc.com