




1 KEY PLAN
 H1 A2 SCALE: 1/32" = 1'-0"




2 HAAS-HOWELL 6th FLOOR RESTROOM RCP
 H1 A2 SCALE: 1/4" = 1'-0"




3 HAAS-HOWELL 6th FLOOR RESTROOM CONSTRUCTION PLAN
 H1 A2 SCALE: 1/4" = 1'-0"



4 HAAS-HOWELL CASEWORK ELEVATION
 H1 A2 SCALE: 1/4" = 1'-0"



5 HAAS-HOWELL CASEWORK SECTION
 H1 A2 SCALE: 1/4" = 1'-0"




6 HAAS-HOWELL CASEWORK SECTION
 H1 A2 SCALE: 1/4" = 1'-0"

WALL TYPES

- 1 5 INCH (NOMINAL) GYPSUM WALL BOARD PARTITION
 ONE LAYER 5/8 INCH THICK INTERIOR FIBER REINFORCED GYPSUM PANELS ON EACH SIDE OF 3-5/8 INCH METAL STUDS (20 GAUGE, MINIMUM) SPACED 16 INCHES ON CENTER w/ 3/4" SOUND BATT. TERMINATE PARTITION AT STRUCTURAL DECK ABOVE. WHERE TILE IS CALLED FOR, SUBSTITUTE 1 LAYER OF 3/4" CEMENT BACKER BOARD FOR GYPSUM BD. CONTINUE CERAMIC TILE 6" ABOVE CEILING.
- 1A 5 INCH (NOMINAL) GYPSUM WALL BOARD PARTITION - 1 HOUR RATED - ULL U465
 ONE LAYER 5/8 INCH THICK TYPE X INTERIOR FIBER REINFORCED GYPSUM PANELS ON EACH SIDE OF 3-5/8 INCH METAL STUDS (20 GAUGE, MINIMUM) SPACED 16 INCHES ON CENTER w/ 3/4" SOUND BATT. TERMINATE PARTITION AT BOTTOM OF FLOOR DECK ABOVE.
- 2 8 INCH C.M.U. PARTITION, ONE HOUR RATED
 8" (NOMINAL) C.M.U. FULL HEIGHT FROM FLOOR SLAB TO UNDERSIDE OF FLOOR SLAB/ROOF DECK ABOVE. CORRELATIONS TO U.L. DESIGN No. 103 SEAL OPENINGS APPROX. SAFING OR FIRE-RATED BLOCK.
- 2a 8 INCH C.M.U. PARTITION
 8" (NOMINAL) C.M.U., FULL HEIGHT FROM FLOOR SLAB TO UNDERSIDE OF FLOOR SLAB/ROOF DECK ABOVE.
- 3 FURRING FOR PORCELAIN TILE
 7/8" FURRING CHANNELS HORIZONTALLY @ 16" O.C. ON SUBSTRATE w/ 3/4" CEMENT BACKER BOARD FOR NEW PORCELAIN TILE. TILE TO CONTINUE 6" ABOVE CEILING. SAW CUT EXISTING COVE BASE TO ACCOMMODATE NEW FURRING.

LEGEND

- [Symbol] NEW CEILING GRID SYSTEM AND ACOUSTICAL TILES
 NOTE: REUSE EXISTING WHERE POSSIBLE
- [Symbol] NEW OR RELOCATED 2'x4' & 2'x2' LIGHTS FOR LAY IN CEILING SYSTEM
- [Symbol] DIFFUSER
- [Symbol] RETURN AIR DISTRIBUTION DEVICE




THE ARCHITECTURE GROUP, INC.

381 Virginia St.
 Atlanta, GA 30313
 Phone: (678) 222-0375
 Fax: (678) 222-0384
 tag@architecturegroup.com

COPYRIGHT © 2018 BY THE ARCHITECTURE GROUP, INC. ALL RIGHTS RESERVED.

THIS DRAWING MAY NOT BE USED IN ANY MANNER NOR REPRODUCED IN ANY FORM WITHOUT PRIOR WRITTEN CONSENT FROM THE ARCHITECTURE GROUP, INC.



2018 MRRF CAMPUS-WIDE ADA IMPROVEMENTS
 PROJECT No. 1GSU-026-18
 TAG PROJECT No. 1706
 GEORGIA STATE UNIVERSITY
 ATLANTA, GEORGIA

NO.	REVISIONS

DATE	2/5/2017
DRAWN BY	MW
CHECKED	MC
APPROVED	BU
SCALE	AS NOTED
PROJECT NUMBER	1706
DRAWING TITLE	HAAS-HOWELL DEDUCTIVE ALTERNATE #2 6th FLOOR RESTROOM CONSTRUCTION PLAN & RCP
DRAWING NUMBER	

HH A2.1