



LIGHTING & SECURITY		POWER DEVICES, DATA & AUDIO	
X*	0" RECESSED CAN + EXHAUST	SW	ELECTRICAL SWITCH
CB	15" SUSPENDED CYLINDER LIGHT	SW	ELECTRICAL SWITCH WITH MOUNTING SERVICE
C1	3" SURFACE MOUNTED CYLINDER LIGHT	DO	DATA OUTLET
C2	4" RECESSED CAN - MUD-IN TRIM	DR	DUPLEX RECEPTACLE
CB1	4" RECESSED CAN - DIRECTIONAL WITH MUD-IN TRIM	EX	EXHAUST FAN
CB2	4" RECESSED CAN - WITH TRIM	TH	THERMOSTAT
CB3	4" RECESSED CAN - WITH TRIM	ES	EXIT SIGN
L	LINEAR LENSED LED	LR	LEARN RETURN DIFFUSER
H	STORAGE ROOM LIGHT	LS	LINEAR SUPPLY DIFFUSER
RS	MANUAL ROLLER SHADE - W/ INTEGRATED VALANCE TO MATCH STOREFRONT MULLION	R	RETURN DIFFUSER
		S	SUPPLY DIFFUSER

**NOTE:** THIS LEGEND IS FOR GRAPHIC PURPOSES ONLY. REFERENCE ELECTRICAL AND MECHANICAL DRAWINGS FOR LIGHT FIXTURE TYPE DESIGNATIONS & DESCRIPTIONS.  
 \* "F" TYPE LINEAR LENSED LED MOUNTING EXTRUSION TO BE TIGHT BETWEEN ADJACENT FINISHED FACE OF WALLS OR FINISHED MATERIAL. CONFIRM MAXIMUM MOUNTING EXTRUSION LENGTH AND LENS LENGTH WITH ARCHITECT PRIOR TO MOUNTING.  
 \* "N" = NUMBER DESIGNATION AFTER LETTER DESIGNATED VARIATION OF LIGHTS TYPE. RE. ELECTRICAL.  
 \* MANUAL ROLLER SHADES TO BE VERTICAL. ALL SEPARATED AT TRANSOM IN TWO SEPARATE SHADES. NO UPPER SHADE REQ. ABV. ROOMS 101 - 103

RCP GENERAL NOTES & LEGEND		11	
A.	DURING BIDDING / PRICING PHASE, GC SHALL DETERMINE AVAILABILITY OF ALL MATERIALS. ANY DELIVERY SCHEDULE THAT MAY CAUSE COORDINATION PROBLEMS SHALL BE REVIEWED BY ARCHITECT PRIOR TO ORDER AND INSTALLATION.		
B.	COORDINATE WITH OWNER, PROVIDE CONDUIT AND PULL STRING AS NEEDED.		
C.	ALL WIRING AND CABBING TO BE IN HARD CONDUIT IN AREAS EXPOSED TO STRUCTURE. MC CABBING NOT ACCEPTABLE. ALL NEW EXPOSED ELECTRICAL AND DATA IN CONDUIT, USE RIGID PULL ELBOWS WHERE POSSIBLE IF EXPOSED, TYP.		
D.	PROVIDE ACOUSTICAL BATT INSULATION ABOVE ALL CEILING.		
E.	ALL Gypsum BOARD SOFFITS SHALL BE PAINTED PER SCHEDULE.		
F.	ACCESS PANELS SHALL BE PROVIDED FOR INSTALLATION AND MAINTENANCE OF ABOVE CEILING ELEMENTS. LOCATIONS AND TYPES OF ACCESS PANELS SHALL BE COORDINATED WITH OTHER TRADES AND REVIEWED BY THE ARCHITECT PRIOR TO ORDER AND INSTALLATION.		
G.	SUBMIT A FULLY COORDINATED AND DIMENSIONED REFLECTED CEILING PLAN INDICATING THE PLACEMENT OF ALL LIGHT FIXTURES, SPEAKERS, FIRE LIFE SAFETY ELEMENTS, ETC. WHETHER INDICATED OR NOT FOR ARCHITECT'S REVIEW. PROVIDE SHOP DRAWING SHOWING SPECIFIC, DIMENSIONED LOCATIONS OF EACH ITEM.		
H.	ALL LIGHT FIXTURE DIMENSIONS ARE TO THE CENTER LINE, UNLESS NOTED OTHERWISE.		
I.	REMOVE ALL MANUFACTURER'S TAGS FROM FIXTURES. DO NOT REMOVE UL LABELS.		
J.	PROVIDE EXIT SIGNS PER ELECTRICAL AND AHJ.		
K.	ALL NEW CEILING DIFFUSER/ RETURN GRILLE LOCATIONS SHALL BE COORDINATED WITH ARCHITECT PRIOR TO INSTALLATION.		
L.	CONTACT ARCHITECT IF THERE IS A DISCREPANCY BETWEEN ELECTRICAL LIGHTING PLAN AND ARCHITECTURAL REFLECTED CEILING PLAN.		
M.	ALL COLORS OF CEILING MOUNTED ELECTRICAL DEVICES, COVER PLATES, SPRINKLER HEAD COVERS, ETC. SHALL BE REVIEWED BY ARCHITECT PRIOR TO ORDER AND INSTALLATION.		
N.	ALL LIGHTS SHALL BE ACCESSIBLE FOR MAINTENANCE. NOTIFY ARCHITECT OF ANY ISSUES PRIOR TO ORDER AND INSTALLATION.		
O.	INFORM ARCHITECT OF ALL FIRE MARSHAL'S LOCATION DIRECTIVES PRIOR TO INSTALLATION OF DEVICES.		
P.	REFER TO INTERIOR ELEVATIONS FOR PENDANT FIXTURE MOUNTING HEIGHTS.		
Q.	REFER TO ELECTRICAL FOR ALL FIXTURE AND LAMPING SPECIFICATIONS.		
R.	PAINT ALL EXPOSED UNPAINTED PIPES, DUCTS CONDUIT AND HANGERS. COLOR PER ARCHITECT.		
S.	ONLY NEW SWITCHING AND ELECTRICAL OUTLETS SHOWN IN ARCHITECTURAL RCP. NOTIFY ARCHITECT OF ANY CONFLICTS PRIOR TO INSTALLATION / RELOCATION OF ELECTRICAL DEVICES. COORDINATE MOUNTING HEIGHTS WITH ARCHITECT PRIOR TO INSTALLATION.		
T.	COORDINATE LOCATION OF ALL ACCESS PANELS WITH ARCHITECT IN FIELD PRIOR TO INSTALLATION.		
U.	OTR = OPEN TO STRUCTURE.		
V.	CONFIRM MOUNTING HEIGHT AND LOCATION OF SUSPENDED PENDANT LIGHTS WITH ARCHITECT PRIOR TO INSTALLATION.		
W.	ALL DRAINS FROM UNITS ABOVE TO BE INSULATED.		

	EXISTING TO REMAIN CONSTRUCTION		ADJACENT, EXISTING CONSTRUCTION - NOT IN SCOPE
	NEW PARTITION		GYPSUM BOARD CEILING, PAINT PER SCHEDULE
	CONTAINER INTERIOR CEILING		ACOUSTICAL CEILING BAFFLE (AP-2 OR AP-3)
			ACOUSTICAL CEILING PANEL AP-1

#	NUMBER	DESCRIPTION
	003C	RE. A301 FOR HANGING FIXTURE ELEVATIONS INFORMATION IN OPEN OFFICE
	004C	EXPOSED CEILING OF CONTAINER - ALL EXPOSED AND VISIBLE SURFACES OF CONTAINER TO RECEIVE PA-2, U.N.O.
	007C	FIXTURE MOUNTED TO BOTTOM OF EXISTING CONCRETE CEILING
	009C	NEW STEEL STRUCTURE - RE. STRUCTURAL FINISH PA-2
	015C	CONDUIT FOR LIGHT FIXTURES IN CONTAINER HALLWAY FEED IN FROM ABOVE CONTAINER. RUN TIGHT TO TOP OF CONTAINER LID.

MEZZANINE REFLECTED CEILING PLAN  
 3/16" = 1'-0"  
**6A**

**RCP KEYNOTE LEGEND** **1A**

ISSUED FOR:  
 P.R. #01 - SHELL OPENINGS 01.05.2018  
 PERMIT 01.12.2018

**MEZZANINE REFLECTED CEILING PLAN**  
**A112**

**KEM STUDIO**  
 1515 GENESSEE ST SUITE 11 KANSAS CITY MO 64102  
 816 756 1808 f 816 756 1828

RELATED DOCUMENTS: This Drawing may be part of an integrated set of Construction Documents, including the executed Agreement, the General and Supplemental Conditions of the Contract, Division-01 "General Requirements", and applicable "technical" Specification Sections. The Contract Documents are complementary; what is required by one is as binding as if required by all. Other documents affecting the Work may include Geotechnical recommendations, Manufacturer's Product Data and installation requirements, Shop Drawings and Coordination Drawings. Failure to review applicable documents does not reduce the obligation to provide complete and operationally building components.

THE INTENT OF THE CONTRACT DOCUMENTS is to include all items necessary for completion of the construction Work indicated. Except as otherwise indicated, provide (furnish and install) all products, materials, equipment, options, items or accessories necessary for proper operation and use, in accordance with product manufacturer's requirements, and comply with applicable laws, codes and ordinances of Authorities Having Jurisdiction (AHJ).

VERIFY EXISTING CONDITIONS AND DIMENSIONS prior to construction. Calculate and measure dimensions - DO NOT SCALE THE DRAWINGS unless so directed by the Architect. Dimensions indicated are to the face of a material unless otherwise indicated. Application of a material or equipment item to Work installed by others constitutes acceptance of that Work, and assumption of responsibility for subsequent satisfactory installation.

THIS DRAWING WAS PREPARED under the Architect's supervision, and is an "Instrument of Service" in limited liability for use on this Project. The Architect's Services are performed solely in the interest of the Architect's Client; no obligation is assumed by the Architect for the benefit of any other entity involved in the Construction Work. The information, ideas and designs indicated - including the overall form, arrangement and composition of spaces or building elements - constitutes the original, confidential, and unpublished Work and property of the Architect. Possession of this Drawing confers no right or license to disclose to others the subject matter contained herein for any but authorized purposes. Unauthorized use, reproduction or distribution - in whole or in part - is strictly prohibited. Copyright © 2018 by KEM STUDIO.

**PORT KC OFFICES**  
 1000 BERKLEY PARKWAY - SPACE E177  
 KANSAS CITY, MO 64106  
 PROJECT NUMBER: A1118

