

GENERAL PLUMBING NOTES

1. REFER TO GENERAL NOTES ON MEP COVER SHEET FOR ADDITIONAL REQUIREMENTS OF WORK.
2. REFER TO PLUMBING FIXTURE / DRAIN SCHEDULES FOR PIPE SIZES FOR INDIVIDUAL CONNECTIONS TO FIXTURES AND PIPES NOT SHOWN ON PLANS.
3. NO SANITARY OR VENT PIPING BELOW GRADE SHALL BE LESS THAN 2".
4. ALL VENT PIPING SHOWN IS DIAGNOSTIC. USE APPROPRIATE FITTINGS FOR VENT PIPING BELOW FLOOR OF FIXTURE.
5. INTERIOR CLEANOUTS SHOWN FOR DRAWING CLARITY. CONTRACTOR SHALL INSTALL ALL CODE-REQUIRED CLEANOUTS (RE: GENERAL NOTES ON COVER SHEET). COORDINATE EXACT LOCATIONS OF CLEANOUTS WITH ARCHITECT.
6. PROVIDE TRAP SEAL ON ALL FLOOR DRAINS.

PLUMBING PLAN KEYED NOTES

- ① EXISTING SANITARY PIPING BELOW SLAB CONTRACTOR SHALL FIELD VERIFY EXACT LOCATION AND DEPTH.
- ② ROUTE DISHWASHER DRAIN CONNECTION TO SINK TAIL PIECE.
- ③ COORDINATE SANITARY PIPING WITH STEEL COLUMN. ROUTE PIPING AROUND.
- ④ CONNECT 3" VENT INTO NEAREST VENT THROUGH ROOF. CONTRACTOR SHALL FIELD VERIFY EXACT LOCATION.
- ⑤ PROVIDE VENT PIPING BELOW SLAB FROM SINK.
- ⑥ EXISTING FLOOR CLEAN OUT TO REMAIN. VERIFY EXACT LOCATION AND COORDINATE WITH ARCHITECT PRIOR TO POURING SLAB.
- ⑦ INSTALL WATER HEATER ON SHELF ABOVE JANITOR SINK (JS-1). EXTEND DRAIN LINE TO SINK, ALLOW FOR PROPER AIR GAP.
- ⑧ MODIFY EXISTING FLOOR CLEAN OUT TO A WALL CLEAN OUT. COORDINATE WITH ARCHITECT FOR WALL CLEAN OUT ELEVATION.


FIRST FLOOR PLAN - SANITARY PLUMBING
3/16" = 1'-0"

RISER DIAGRAM
NTS

KEM STUDIO

1515 GENESEE ST SUITE 11 KANSAS CITY MO 64102
816 756 1808 f 816 756 1828

kemstudio.com



S & S ENGINEERING, INC.
10551 Berkley, Suite 601
Overland Park, Kansas 66212
Ph: 913-754-3673
F: 913-754-3674
E-mail: corporate@ss-engr.com
Web: www.ss-engr.com

PORT KC OFFICES

1000 BERKLEY PARKWAY - SPACE E177
KANSAS CITY, MO 64106
PROJECT NUMBER: A1718



ISSUED FOR:	DATE:
95% CDS	12.22.2017
Permit Set	01.12.2018

SANITARY PLUMBING PLAN

P201