

STATEMENT OF SPECIAL INSPECTIONS

PROJECT: WESTPOINT 2
LOCATION: 7810 NC HWY 751 DURHAM NC 27713
OWNER'S REPRESENTATIVE: DOYLE REED, MONTGOMERY DEVELOPMENT
OWNER'S ADDRESS: 7806 NC SUITE 100 DURHAM NC 27713
ARCHITECT OF RECORD: KERRY GRAY FINLEY AIA, FINLEY DESIGNS
STRUCTURAL ENGINEER OF RECORD: DIANE THOMPSON PE, STEWART

THIS STATEMENT OF SPECIAL INSPECTIONS IS SUBMITTED AS A CONDITION FOR PERMIT ISSUANCE IN ACCORDANCE WITH THE SPECIAL INSPECTION REQUIREMENTS (CHAPTER 17) OF THE NORTH CAROLINA STATE BUILDING CODE. THE STATEMENT INCLUDES A SCHEDULE OF SPECIAL INSPECTIONS APPLICABLE TO THIS PROJECT AS WELL AS THE REQUIRED QUALIFICATIONS FOR THE SPECIAL INSPECTOR AND AGENTS OF THE SPECIAL INSPECTOR TO PERFORM ON THIS PROJECT.

THE SPECIAL INSPECTOR SHALL KEEP RECORDS OF ALL INSPECTIONS, FURNISH INSPECTION REPORTS, AND IDENTIFY DISCREPANCIES AS DETAILED BY PROJECT SPECIFICATIONS SECTION 014100 - "SPECIAL INSPECTIONS". A FINAL REPORT OF SPECIAL INSPECTIONS, DOCUMENTING THE COMPLETION OF ALL REQUIRED SPECIAL INSPECTIONS AND CONFIRMING THE CORRECTION OF ANY DISCREPANCIES, WILL BE SUBMITTED PRIOR TO ISSUANCE OF A CERTIFICATE OF USE AND OCCUPANCY.

THE SPECIAL INSPECTIONS PROGRAM DOES NOT RELIEVE THE CONTRACTOR OF HIS OR HER RESPONSIBILITIES. JOB SITE SAFETY AND MEANS AND METHODS OF CONSTRUCTION ARE SOLELY THE RESPONSIBILITY OF THE CONTRACTOR.

THE FOLLOWING TABLES COMPRISE THE REQUIRED SCHEDULE OF SPECIAL INSPECTIONS FOR THIS PROJECT. THE CONSTRUCTION DIVISIONS WHICH REQUIRE SPECIAL INSPECTIONS FOR THIS PROJECT ARE AS FOLLOWS:

SOILS	STRUCTURAL STEEL
SITE RETAINING WALLS	SPRAYED FIRE RESISTANT MATERIALS AND COATINGS
CAST-IN-PLACE CONCRETE	EXTERIOR INSULATION AND FINISH SYSTEMS (EIFS)
STRUCTURAL MASONRY (LEVEL 1)	
COLD-FORMED STEEL FRAMING	

SEISMIC DESIGN CATEGORY: B
BASIC WIND SPEED: 90 MPH
WIND EXPOSURE CATEGORY: C

STATEMENT OF SPECIAL INSPECTIONS PREPARED BY DIANE THOMPSON, PE (STRUCTURAL ENGINEER OF RECORD). THE SEAL AND SIGNATURE ON THIS DRAWING SHALL BE CONFIRMATION OF THE STATEMENT HEREIN.

QUALIFICATIONS OF INSPECTORS AND AGENTS OF SPECIAL INSPECTORS

THE QUALIFICATIONS OF ALL PERSONNEL PERFORMING SPECIAL INSPECTION ACTIVITIES ARE SUBJECT TO THE APPROVAL OF THE BUILDING OFFICIAL. THE CREDENTIALS OF ALL INSPECTORS SHALL BE PROVIDED IF REQUESTED. WHEN THE STRUCTURAL ENGINEER OF RECORD DEEMS IT APPROPRIATE THAT THE INDIVIDUAL PERFORMING A STIPULATED TEST OR INSPECTION HAVE A SPECIFIC CERTIFICATION OR LICENSE AS INDICATED BELOW, SUCH DESIGNATION WILL APPEAR ON THE SCHEDULE OF SPECIAL INSPECTIONS. THE SPECIAL INSPECTOR (SI) SHALL BE A LICENSED PROFESSIONAL ENGINEER WITH A MINIMUM OF 3 YEARS OF EXPERIENCE AS A SPECIAL INSPECTOR.

SE STRUCTURAL ENGINEER: A LICENSED PE OR SE SPECIALIZING IN THE DESIGN OF BUILDING STRUCTURES.
GE GEOTECHNICAL ENGINEER: A LICENSED PE SPECIALIZING IN SOIL MECHANICS AND FOUNDATIONS.
S-EI STRUCTURAL ENGINEERING INTERN: A GRADUATE ENGINEER WHO HAS PASSED THE FUNDAMENTALS OF ENGINEERING EXAMINATION, WITH EXPERIENCE IN THE DESIGN OF BUILDING STRUCTURES AND WORKING UNDER THE SUPERVISION OF A LICENSED STRUCTURAL PE OR SE.
G-ET GEOTECHNICAL ENGINEERING INTERN: A GRADUATE ENGINEER WHO HAS PASSED THE FUNDAMENTALS OF ENGINEERING EXAMINATION, WITH EXPERIENCE IN SOIL MECHANICS AND FOUNDATIONS AND WORKING UNDER THE SUPERVISION OF A LICENSED GEOTECHNICAL PE OR SE.
G-TECH 1 GEOTECHNICAL TECHNICIAN 1: AN EXPERIENCED TECHNICIAN WITH NATIONAL INSTITUTE FOR CERTIFICATION IN ENGINEERING TECHNOLOGIES: LEVEL 2 - SOILS CERTIFICATION.
G-TECH 2 GEOTECHNICAL TECHNICIAN 2: AN EXPERIENCED TECHNICIAN WITH NATIONAL INSTITUTE FOR CERTIFICATION IN ENGINEERING TECHNOLOGIES: LEVEL 2 - GEOTECHNICAL ENGINEERING CERTIFICATION.
C-TECH 1 CONCRETE TECHNICIAN 1: AN EXPERIENCED TECHNICIAN WITH AMERICAN CONCRETE INSTITUTE - GRADE I CONCRETE FIELD TESTING TECHNICIAN OR GRADE I CONCRETE LABORATORY TESTING TECHNICIAN CERTIFICATION.
C-TECH 2 CONCRETE TECHNICIAN 2: AN EXPERIENCED TECHNICIAN WITH AMERICAN CONCRETE INSTITUTE - GRADE II CONCRETE LABORATORY TESTING TECHNICIAN OR ICBO REINFORCED CONCRETE SPECIAL INSPECTOR CERTIFICATION.
S-TECH 1 STEEL TECHNICIAN 1: AN EXPERIENCED AMERICAN WELDING SOCIETY - CERTIFIED ASSOCIATE WELDING INSPECTOR (CAWI) OR NON-DESTRUCTIVE TESTING TECHNICIAN ASNT-TC-1A LEVEL I.
S-TECH 2 STEEL TECHNICIAN 2: AN EXPERIENCED AMERICAN WELDING SOCIETY - CERTIFIED WELDING INSPECTOR (CWI) OR NON-DESTRUCTIVE TESTING TECHNICIAN ASNT-TC-1A LEVEL II OR ICBO CERTIFIED STRUCTURAL STEEL AND BOLTING SPECIAL INSPECTOR.
S-TECH 3 STEEL TECHNICIAN 3: AN TECHNICIAN WHO IS AN AMERICAN WELDING SOCIETY - CERTIFIED WELDING INSPECTOR (CWI) WITH A MINIMUM OF 10 YEARS OF WELD INSPECTION EXPERIENCE OR A NON-DESTRUCTIVE TESTING TECHNICIAN ASNT-TC-1A LEVEL III OR ICBO CERTIFIED STRUCTURAL WELDING SPECIAL INSPECTOR.
SMSI STRUCTURAL MASONRY SPECIAL INSPECTOR: AN EXPERIENCED MASONRY INSPECTOR WHO IS AN ICBO CERTIFIED STRUCTURAL MASONRY SPECIAL INSPECTOR.
SFSI ICBO CERTIFIED SPRAY-APPLIED FIREPROOFING SPECIAL INSPECTOR.
PCSI ICBO CERTIFIED PRESTRESSED CONCRETE SPECIAL INSPECTOR.
PTI CONCRETE TECHNICIAN WITH POST TENSIONING INSTITUTE - LEVEL 2 CERTIFICATION.
SCSI INSPECTION/TESTING COMPANY WITH FIRE PROTECTION ENGINEERING EXPERIENCE, MECHANICAL ENGINEERING EXPERIENCE, AND CERTIFICATION AS AIR BALANCERS.

SCHEDULE OF SPECIAL INSPECTIONS - SOILS

ITEM	QUALIFICATIONS	SCOPE
SITE PREPARATION	SI, SE, GE, S-EI, G-ET, G-TECH 1	COLLECT TESTING AGENCY'S FIELD AND LABORATORY TEST REPORTS DURING SITE WALL PREPARATION AND VERIFY THE FOLLOWING COMPLIES WITH THE PROJECT SPECIFICATIONS/GEOTECHNICAL REPORT: - SITE STRIPPING AND SUBGRADE PREPARATION. - FILL MATERIAL (ON-SITE AND/OR IMPORTED) CLASSIFICATION. - FILL MATERIAL PLACEMENT (LIFT THICKNESS, MOISTURE CONTENT AND COMPACTION). - ALLOWABLE BEARING CAPACITY FOR FOOTINGS AND FOUNDATIONS. PERIODIC INSPECTION OF TESTING OF FILL MATERIAL PLACEMENT INCLUDING PERIODIC OBSERVATION OF TESTING AGENCY'S DENSITY TESTING METHODS AND FREQUENCY OF TESTING TO VERIFY COMPLIANCE WITH PROJECT SPECIFICATIONS/GEOTECHNICAL REPORT. CONTINUOUS INSPECTION OF DENSITY AND LIFT THICKNESSES DURING PLACEMENT AND COMPACTION OF CONTROLLED FILLS WITHIN THE BUILDING FOOTPRINT. CONTINUOUS VERIFICATION FOR THE USE OF PROPER MATERIALS DURING PLACEMENT AND COMPACTION OF CONTROLLED FILLS WITHIN THE BUILDING FOOTPRINT. SPECIAL INSPECTION OF SOILS IS ONLY REQUIRED FOR SUBGRADE AND FILL PLACEMENT UNDER STRUCTURES REQUIRING SPECIAL INSPECTIONS.

SCHEDULE OF SPECIAL INSPECTIONS - CAST-IN-PLACE CONCRETE

ITEM	QUALIFICATIONS	SCOPE
MIX DESIGN VERIFICATION	SI, SE, S-EI, C-TECH 1, C-TECH 2	COLLECT ACCEPTED MIX DESIGNS AND VERIFY APPROPRIATE MIX IS USED DURING SPECIFIC INSTALLATION.
REINFORCEMENT INSTALLATION	SI, SE, S-EI, C-TECH 2	PERIODIC INSPECTION OF REINFORCING STEEL, WELDED WIRE FABRIC, EMBED PLATES AND ANCHORS TO CONFIRM SIZE, SPACING AND DETAILS CONFORM TO CONTRACT DOCUMENTS: - FOOTINGS AND FOUNDATIONS - FILL CAPS AND GRADE BEAMS - FOUNDATION WALLS, BASEMENT WALLS, AND PEDESTALS - SLABS ON METAL DECK - COLUMNS AND SHEAR WALLS - ELEVATED SLABS, JOISTS, AND BEAMS - CONTINUOUS INSPECTION OF ALL APPROVED WELDING OF REINFORCING STEEL.
FORMWORK	SI, SE, S-EI, C-TECH 2	PERIODIC INSPECTION OF FORMWORK FOR SHAPE, LOCATION, AND DIMENSIONS OF THE CONCRETE MEMBER BEING FORMED.
CONCRETE PLACEMENT, MONITORING FRESH CONCRETE, SAMPLING AND PREPARATION OF TEST SAMPLES	SI, SE, S-EI, C-TECH 2	CONTINUOUS INSPECTION OF CAST-IN-PLACE CONCRETE PLACEMENT. CONTINUOUS MONITORING OF SAMPLING OF FRESH CONCRETE, SLUMP TEST, AIR CONTENT TEST, TEMPERATURE OF CONCRETE AND CREATION OF STRENGTH TEST SPECIMENS.
CURING AND PROTECTION	SI, SE, S-EI, C-TECH 2	PERIODIC INSPECTIONS OF CURING TECHNIQUES. PERIODIC INSPECTIONS OF COLD AND HOT WEATHER CONCRETING TECHNIQUES.
CONCRETE STRENGTH VERIFICATION	SI, SE, S-EI, C-TECH 2	VERIFY WITH TESTING AGENCY REPORTS IN-SITU CONCRETE STRENGTH OF ELEVATED BEAMS AND SLABS PRIOR TO REMOVAL OF SHORES AND FORMS.
POST-INSTALLED ADHESIVE AND MECHANICAL ANCHORS	SI, SE, S-EI, C-TECH 2	VERIFY CONTRACTOR PERFORMING WORK IS TRAINED AND CERTIFIED FOR INSTALLATION. CONTINUOUS MONITORING OF ADHESIVE ANCHORS DURING INSTALLATION PROCEDURE TO VERIFY IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATION AND INSTALLATION INSTRUCTIONS FOR SPECIFIC PRODUCT. PERIODIC INSPECTION OF MECHANICAL ANCHORS.

SCHEDULE OF SPECIAL INSPECTIONS - STRUCTURAL MASONRY (LEVEL 1)

ITEM	QUALIFICATIONS	SCOPE
MATERIAL CERTIFICATION	SI, SE, S-EI, SMSI	VERIFY THAT PROPORTIONS OF SITE PREPARED MORTAR CONFORM TO CONTRACT DOCUMENTS. COLLECT MIX DESIGN FOR GROUT AND VERIFY IT CONFORMS TO CONTRACT DOCUMENTS.
INSTALLATION OF MASONRY	SI, SE, S-EI, SMSI	PERIODIC INSPECTION OF CONSTRUCTION OF MORTAR JOINTS, AS CONSTRUCTION BEGINS AND DURING CONSTRUCTION. PERIODIC VERIFICATION OF SIZE AND LOCATION OF STRUCTURAL ELEMENTS TO CONFORM TO CONTRACT DOCUMENTS.
WELDING OF REINFORCING STEEL	S-TECH 1, S-TECH 2, S-TECH 3	CONTINUOUS INSPECTION OF ALL APPROVED WELDING OF REINFORCING STEEL.
REINFORCEMENT INSTALLATION	SI, SE, S-EI, SMSI	PERIODIC VERIFICATION OF LOCATION OF REINFORCEMENT AND CONNECTIONS TO STRUCTURE PRIOR TO CONSTRUCTION. PERIODIC VERIFICATION, PRIOR TO GROUTING, OF SIZE, GRADE, PLACEMENT, AND LAP LENGTHS OF REINFORCEMENT AND CONNECTION OF MASONRY TO STRUCTURAL FRAME.
GROUTING OPERATIONS	SI, SE, S-EI, SMSI	CONTINUOUS OBSERVATION OF THE PLACEMENT OF ALL GROUT, CONFIRMING GROUT SPACE IS CLEAN AND PLACEMENT OF THE REINFORCING AND CONNECTIONS ARE IN CONFORMANCE WITH CONTRACT DOCUMENTS.
WEATHER PROTECTION	SI, SE, S-EI, SMSI	VERIFY PROTECTION TECHNIQUES FOR CONSTRUCTION OF MASONRY BELOW 40°F AND ABOVE 90°F (COLD AND HOT WEATHER CONCRETING).
OBSERVATIONS OF THE EVALUATION OF MASONRY STRENGTH	SI, SE, S-EI, SMSI	CONTINUOUS OBSERVATION OF THE PREPARATION OF GROUT SPECIMENS, MORTAR SPECIMENS OR PRISMS.
POST-INSTALLED ADHESIVE AND MECHANICAL ANCHORS	SI, SE, S-EI	VERIFY CONTRACTOR PERFORMING WORK IS TRAINED AND CERTIFIED FOR INSTALLATION. CONTINUOUS MONITORING DURING INSTALLATION PROCEDURE TO VERIFY IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATION AND INSTALLATION INSTRUCTIONS FOR SPECIFIC PRODUCT.

SCHEDULE OF SPECIAL INSPECTIONS - COLD-FORMED STEEL FRAMING

ITEM	QUALIFICATIONS	SCOPE
MECHANICAL CONNECTIONS	SI, SE, S-EI	PERIODIC INSPECTION OF ALL FIELD CONNECTIONS INCLUDING ANCHORAGE TO THE STRUCTURAL FRAME.
WELDING	SE, S-EI	PERIODIC INSPECTION OF ALL FIELD CONNECTIONS INCLUDING ANCHORAGE TO THE STRUCTURAL FRAME.
FRAMING DETAILS	SE, S-EI	PERIODIC INSPECTION OF FRAMING AND DETAILS.

SCHEDULE OF SPECIAL INSPECTIONS - SITE RETAINING WALLS

ITEM	QUALIFICATIONS	SCOPE
SITE PREPARATION	SI, SE, GE, S-EI, G-ET, G-TECH 1	COLLECT TESTING AGENCY'S FIELD AND LABORATORY TEST REPORTS DURING SITE WALL PREPARATION AND VERIFY THE FOLLOWING COMPLIES WITH THE PROJECT SPECIFICATIONS/GEOTECHNICAL REPORT: - FILL MATERIAL (ON-SITE AND/OR IMPORTED) CLASSIFICATION. - FILL MATERIAL PLACEMENT (LIFT THICKNESS, MOISTURE CONTENT AND COMPACTION). - ALLOWABLE BEARING CAPACITY FOR FOOTINGS. PERIODIC INSPECTION OF TESTING OF FILL MATERIAL PLACEMENT INCLUDING PERIODIC OBSERVATION OF TESTING AGENCY'S DENSITY TESTING METHODS AND FREQUENCY OF TESTING TO VERIFY COMPLIANCE WITH PROJECT SPECIFICATIONS/GEOTECHNICAL REPORT. CONTINUOUS INSPECTION OF DENSITY AND LIFT THICKNESSES DURING PLACEMENT AND COMPACTION OF BACKFILL. CONTINUOUS VERIFICATION FOR THE USE OF PROPER MATERIALS DURING PLACEMENT AND COMPACTION OF BACKFILL. VERIFICATION OF INSTALLED DRAINAGE SYSTEM.

ALL SITE RETAINING WALLS RETAINING MORE THAN 5'-0" REQUIRE SPECIAL INSPECTIONS. THIS INCLUDES FOOTINGS AND WALLS. SEE APPROPRIATE MATERIAL SPECIAL INSPECTION SCHEDULES FOR SPECIFIC REQUIREMENTS.

SCHEDULE OF SPECIAL INSPECTIONS - STRUCTURAL STEEL

ITEM	QUALIFICATIONS	SCOPE
FABRICATOR CERTIFICATION, QUALITY CONTROL PROCEDURES	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	ENSURE FABRICATOR IS AISC CERTIFIED PER CONTRACT DOCUMENTS TO SATISFY REQUIREMENTS OF NCSBC 1704.2.2 OR SI SHALL VERIFY FABRICATOR MEETS REQUIREMENTS OF NCSBC 1704.2.1. COLLECT CERTIFICATE OF COMPLIANCE FROM FABRICATOR AT COMPLETION OF FABRICATION.
WELDING	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	COLLECT CERTIFICATE OF COMPLIANCE FOR WELD FILLER MATERIAL AND CONFIRM COMPLIANCE WITH CONTRACT DOCUMENTS. CONFIRM WELD FILLER MATERIAL IDENTIFICATION MARKINGS CONFORM TO AWS SPECIFICATION IN THE CONTRACT DOCUMENTS. CONTINUOUS VISUAL INSPECTION OF ALL COMPLETE AND PARTIAL PENETRATION WELDS. CONTINUOUS VISUAL INSPECTION OF ALL MULTIPLE PASS FILLET WELDS. CONTINUOUS VISUAL INSPECTION OF ALL SINGLE PASS FILLET WELDS GREATER THAN 5/16". PERIODIC VISUAL INSPECTION OF FILLET WELDS 5/16" OR SMALLER. PERIODIC VISUAL INSPECTION OF ROOF AND FLOOR DECK WELDS. PERIODIC VISUAL INSPECTION OF WELDED REINFORCING STEEL. CONTINUOUS INSPECTION OF ALL APPROVED WELDING OF REINFORCING STEEL.
STRUCTURAL DETAILS	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	PERIODIC INSPECTION OF STEEL FRAMING JOINT DETAILS TO CONFIRM MEMBER SIZE AND CONNECTION DETAILS.
BOLTING	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	COLLECT MATERIAL DATA SHEETS FOR A305 AND A490 BOLTS, NUTS AND WASHERS, AND CONFIRM COMPLIANCE WITH CONTRACT DOCUMENTS. COLLECT CERTIFICATE OF COMPLIANCE FROM BOLT SUPPLIER AT COMPLETION OF FABRICATION. PERIODIC INSPECTION OF BOLTED CONNECTIONS TO CONFIRM BOLT MARKINGS CONFORM TO ASTM STANDARDS. PERIODIC INSPECTION OF INSTALLATION OF A325/A490 BOLTED (BARKING TYPE) CONNECTIONS. PERIODIC INSPECTION OF INSTALLATION OF A325/A490 BOLTED (SLIP CRITICAL) CONNECTIONS WITH INDICATORS (TC BOLTS). CONTINUOUS INSPECTION OF INSTALLATION OF A325/A490 BOLTED (SLIP CRITICAL) CONNECTIONS. PERIODIC INSPECTION OF ALL PRE-TENSIONED BOLTS TO CONFIRM TENSIONING CONFORMS TO CONTRACT DOCUMENTS.
MATERIAL CERTIFICATION	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	COLLECT CERTIFIED MILL TEST REPORTS FOR ALL TYPES OF STRUCTURAL STEEL SPECIFIED IN THE CONTRACT DOCUMENTS AND CONFIRM COMPLIANCE WITH CONTRACT DOCUMENTS.
COMPOSITE SHEAR CONNECTORS	SI, SE, S-EI, S-TECH 1, S-TECH 2, S-TECH 3	PERIODIC VISUAL INSPECTION OF SHEAR STUD WELDS TO CONFIRM 360° FLASH. PERIODIC INSPECTION OF SHEAR STUD WELDS BY 15° BEND TEST. PERIODIC INSPECTION OF COMPOSITE BEAMS TO CONFIRM NUMBER OF SHEAR STUDS INSTALLED CONFORMS TO CONTRACT DOCUMENTS.

SCHEDULE OF SPECIAL INSPECTIONS - SPRAYED FIRE RESISTANT MATERIALS AND COATINGS

ITEM	QUALIFICATIONS	SCOPE
SPRAYED FIRE RESISTANT MATERIALS	SI, SFSI, SCSI	PERIODIC TESTING AND INSPECTION OF FIREPROOFING SYSTEM IN ACCORDANCE WITH SECTION 1704.10 OF THE CODE, WHICH INCLUDES BUT IS NOT LIMITED TO: - INSPECT PREPARATION OF SUBSTRATE PRIOR TO INSTALLATION IN ACCORDANCE WITH APPROVED FIRE RESISTANCE DESIGN AND APPROVED MANUFACTURER'S WRITTEN INSTRUCTIONS. - INSPECT THAT SUBSTRATE HAS MINIMUM AMBIENT TEMPERATURE BEFORE AND AFTER APPLICATION AS SPECIFIED BY THE FIRE RESISTANCE DESIGN AND APPROVED MANUFACTURER'S WRITTEN INSTRUCTIONS. - TEST THICKNESS OF SPRAYED ON MATERIAL PER FIRE RESISTANCE DESIGN AND APPROVED MANUFACTURER'S WRITTEN INSTRUCTIONS PER ASTM E695. - TEST DENSITY OF SPRAYED ON MATERIAL PER FIRE RESISTANCE DESIGN AND APPROVED MANUFACTURER'S WRITTEN INSTRUCTIONS. - TEST BOND STRENGTH TO ENSURE A VALUE GREATER THAN 150 POUNDS PER SQUARE FOOT.
MASTIC AND INTUMESCENT FIRE RESISTANT COATINGS	SI, SFSI, SCSI	PERIODIC INSPECTION OF FIREPROOFING SYSTEM IN ACCORDANCE WITH NCSBC SECTION 1704.11 AND AWC 12-B. - INSPECT FIRE RESISTANT COATINGS AS DESIGNATED IN THE APPROVED CONSTRUCTION DOCUMENTS. - INSPECT SUBSTRATES.

SCHEDULE OF SPECIAL INSPECTIONS - EXTERIOR INSULATION AND FINISH SYSTEMS (EIFS)

ITEM	QUALIFICATIONS	SCOPE
FABRICATION	SI, SE, S-EI	VERIFY QUALITY CONTROL PROGRAM AND INSPECT THE FABRICATION PLANT AS REQUIRED TO CONFIRM THAT MATERIALS, METHODS, PRODUCTS AND QUALITY CONTROL COMPLY WITH PROJECT SPECIFICATIONS.
APPLICATION	SI, SE, S-EI	VERIFY THAT EXTERIOR INSTALLATION & FINISH SYSTEM IS INSTALLED IN CONFORMANCE WITH CONTRACT DOCUMENTS.

FINLEY DESIGN
ARCHITECTURE + INTERIORS

Finley Design PA
7806 nc hwy 751
Suite 110
Durham, NC 27713
919-493-8200
FINLEYDESIGNARCH.COM

STEWART
432 FAYETTEVILLE ST.
RALEIGH, NC 27601
1-819-382-5700
FROM LICENSE #C-1993
PROJECT #410000.00

04/06/2017

Westpoint 2 Durham, NC

REVISIONS

PROJECT: S16028.00
DATE: 04/06/2017
DRAWN BY: DJT
CHECKED BY: JCP

SPECIAL INSPECTIONS

SO.2

\\VOLUMES\F DRIVE\FINLEY DESIGN\PROJECTS\1342 WESTPOINT 2\DRAWINGS\TITLEBLOCKS\1342-X-TB.DWG

Order Plans