


1 ROOF FRAMING PLAN

1" = 10'-0"

NOTES:

1. FOR GENERAL NOTES AND ABBREVIATIONS, SEE S6.0.
2. (No) INDICATES TOP OF STEEL/BOTTOM OF DECK BEARING ELEVATION. [-No] INDICATES TOP OF STEEL BELOW BOTTOM OF DECK BEARING ELEVATION. FROM REFERENCE ELEVATION 56'-8" = 0'-0".
3. [D] INDICATES TAPERED INSULATION. SLOPE TO DRAIN.
4. [D] INDICATES STEEL DECK SPAN DIRECTION. CONSTRUCTION SHALL BE 1 1/2" x 20GA METAL DECK. SEE 1/56.0 FOR TYPICAL ROOF CONSTRUCTION DETAIL.
5. W10* INDICATES W10x15 BEAM.
6. *MC#KT* INDICATES MOMENT CONNECTION TYPE, SEE S3.1.
7. FOR TYPICAL ROOF FRAMING DETAILS, SEE S6.0.
8. FOR STEEL COLUMN SCHEDULE, SEE S3.0.
9. [D] INDICATES DRAIN LOCATIONS. COORDINATE WITH OTHER TRADES.
10. [D] INDICATES CONCRETE RTU SUPPORT SLAB. TOP OF CONCRETE ELEVATION 56'-10 1/2". SEE DETAIL 7/56.0. RTU SIZE, LOCATION, AND ROOF DECK DUCT PENETRATIONS SHALL BE VERIFIED PRIOR TO FABRICATION OF THE ROOF STEEL. THE CONTRACTOR SHALL NOTIFY THE EOR AND ARCHITECT OF ANY DISCREPANCIES FOR RESOLUTION PRIOR TO STEEL SHOP DRAWING PRODUCTION.




Order Plans

www.wldline.com



Finley Design PA
7806 nc hwy 751
Suite 110
Durham, NC 27713
919-493-8200
FINLEYDESIGNARCH.COM



Westpoint 2 Durham, NC

REVISIONS

| NO. | DATE | DESCRIPTION |
|-----|------|-------------|
| | | |
| | | |
| | | |
| | | |

PROJECT: S16038.00
DATE: 04/06/2017
DRAWN BY: DR
CHECKED BY: DJT

ROOF FRAMING PLAN

S1.5