


**F1 ROUND FOOTING OPTION**  
N.T.S. FI-ABI

**F6 NOT USED**  
N.T.S.

**FII SPREAD FOOTING OPTION**  
N.T.S. FI-ABI



**A1 ANCHOR BOLT DETAIL**  
N.T.S. FI-AB2, FII-AB2

**A6 NOT USED**  
N.T.S.


DEAD LOAD = 3 p.s.f. (DECK + LIGHTS) +  
WEIGHT OF STRUCTURAL COMPONENTS  
LIVE LOAD = 20 p.s.f.  
SNOW LOAD = 5 p.s.f.  
V, ULT = 116 m.p.h. EXP C  
V, ASD = 90 m.p.h. EXP C  
BLDG CODE = 2012 INTERNATIONAL BUILDING CODE  
w/ GEORGIA AMENDMENTS 2014, 2015, 2017  
EQUIVALENT LATERAL FORCE PROCEDURE  
LATERAL FORCE RESISTING SYSTEM = CANTILEVERED  
COLUMN SYSTEM-ORDINARY STEEL MOMENT FRAME  
SITE CLASS = D  
S<sub>s</sub> (0.2) = 0.20  
S<sub>1</sub> (1.0) = 0.09  
SDS = 0.21  
SD1 = 0.15  
F<sub>a</sub> = 1.50  
F<sub>v</sub> = 2.40  
R = 1.25  
IMPORTANCE FACTOR = 1.0  
RISK CATEGORY = II  
SEISMIC DESIGN CATEGORY = C  
CS = 0.170  
CONSTRUCTION TYPE = IIB  
OCCUPANCY CATEGORY = M  
TOTAL SEISMIC BASE SHEAR BOTH DIRECTIONS = 0.73 KIPS

**A14 DESIGN LOADS**  
N.T.S.



**Chick-fil-A**  
5200 Buffington Road  
Atlanta, Georgia 30349-2998

**LANE**  
SUPPLY, INC.  
120 FAIRVIEW  
ARLINGTON, TX. 76010  
(817) 261-9116



OCT 24 2017

**CHICK-FIL-A**  
SAR South Cobb Dr FSR  
3100 South Cobb Dr SE  
Smyrna, GA 30080

**FSR# 00810**

REVISION SCHEDULE		
NO.	DATE	DESCRIPTION

CONSULTANT PROJECT #	59684
PRINTED FOR	Permit
DATE	2017/10/20
DRAWN BY	JH
CHECKED BY	DTN

Information contained on this drawing and all digital files produced for above noted project may not be reproduced in any manner without express written or verbal consent from authorized project representatives.

**CANOPY FOOTINGS**

SHEET NUMBER  
**OMD-2**  
**AB2 OF 2**