




1 TYPICAL HANDICAPPED PARKING - PLAN
C112




2 HANDICAP RAMP
C112
NOTE: RAMP TO BE OUTLINED WITH 4" WHITE STRIPING.




3 TYPICAL DUMPSTER CONCRETE PAD
C112




4 HANDICAP SYMBOL - PLAN
C112
NOTES: 1. THE GRID IS FOR LAYOUT PURPOSES ONLY. ONE SQUARE EQUALS 4' x 4'.
2. USE WHITE PAINT APPROVED BY THE OWNER.




5 TYPICAL HANDICAPPED SIGN - ELEVATION
C112




6 SIDEWALK - DETAIL
C112
NOTE: CONTRACTOR TO VERIFY SUITABILITY AND COMPACTION OF NATIVE OR FILL SUBGRADE MATERIAL PRIOR TO INSTALLATION OF SIDEWALK.




7 TYPICAL 18" REJECT CURB & GUTTER - SECTION
C112



8 TYPICAL 18" RETAIN CURB & GUTTER - SECTION
C112



9 TYPICAL PAVEMENT - SECTION
C112
NOTES: 1. MINIMUM 24" COMPACTED SUITABLE SUBGRADE. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ADEQUACY OF SUBGRADE PRIOR TO PLACEMENT OF BASE PER GEOTECHNICAL CONSULTANT REQUIREMENTS. SUBGRADE TO BE HAILED IN.
2. LOOSE LIFTS TO BE A MAXIMUM OF 8" IN THICKNESS.
3. THE CONTRACTOR, SHALL BE RESPONSIBLE FOR COMPACTION AND OTHER TESTING OF SUBGRADE, BASE AND ASPHALT. COORDINATE WITH THE OWNER'S SECTION 17 INSPECTOR.
4. FILL TO MEET USCS CLASSIFICATION SP, SP-SM, SP-SW, SW, SM (PASSING #200-125)
5. MOISTURE CONTENT TO BE WITHIN 2% OF OPTIMUM (MODIFIED PROCTOR).



10 TYPICAL PAVEMENT UNDERDRAIN SECTION
C112
NOTES:
1. UNDERDRAIN SHALL BE PLACED AS SHOWN ON THE PLAN.
2. SLOPE UNDERDRAIN TO CATCH BASIN.
3. TIE UNDERDRAIN TO NEAREST STORM DRAIN CATCH BASIN OR DRAINAGE BOX AS SHOWN ON DRAINAGE PLAN.
4. SEE PAVEMENT DETAIL FOR ASPHALT, BASE & SUBGRADE SECTION DETAIL 9 C112.
5. FOR MONOLITHIC SIDEWALK AREA, PLACE UNDERDRAIN AT EOP AS SHOWN ON PLAN AND UNDERNEATH SIDEWALK.
6. FINISH GRADES AS SHOWN ON GRADING PLAN.

Georgetown County Regional Parks
Andrew Regional Recreation Center
Owner:
Georgetown County
716 Prince Street
Georgetown, SC 29442
ARCHITECTURE
Pawleys Island / Charleston
245 Business Center Lane PO Box 1859
Pawleys Island, SC 29555
Phone: 843.237.3421 / Fax: 843.237.1992
www.SGAarchitecture.com

Civil Consultant:
ETS
ENGINEERING AND TECHNICAL SERVICES, INC.
CONSULTING ENGINEERS
56 Centermarsh Lane
P.O. Box 2040
Pawleys Island, S.C. 29555
Phone: (843) 237-3002 Fax: (843) 237-2269

MEP Consultant:
Charleston Engineering
125 B Wappoo Creek Dr.
Charleston, SC 29412
843-762-4242
Michael, Patrick & Beal

Structural Consultant:

Irrigation Consultant:

SOUTH CAROLINA PROFESSIONAL ENGINEERING AND TECHNICAL SERVICES INC.
No. C00439
Corporate Seal
Individual Seal
03.13.18

MEMBERS OF THE AMERICAN INSTITUTE OF ARCHITECTS
COPYRIGHT 2017 ALL RIGHTS RESERVED
PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM SGA ARCHITECTURE.

Job Number: 2017024
Date:
Drawn by: LW
Checked by: MFR

Notes:

Revisions:

SITE DETAILS
C112

Order Plans @