



1 REFLECTED CEILING PLAN
SCALE: 3/16" = 1'-0"
0 5 10 FEET

DRAWING LEGEND

- mm/XXX ROOM TAG. SEE FINISH SCHEDULE THIS SHEET.
- DETAIL NUMBER
- ELEVATION OR SECTION CALL-OUT
- DETAIL SHEET
- SPECIFIC NOTE TAG
- OPENING ASSEMBLY TAG. SEE SHEET AF6.1, TYP.

WALL LEGEND

- CONC MASONRY WALL. SEE GENERAL NOTE 8 THIS SHEET.
- CONC MASONRY WALL BELOW. T/O CMU EL. 8'-8". SEE STRUCT.

CEILING LEGEND

- FACE OF SOFFIT @ 10'-8" AFF WITH PAINT FINISH.
- ACOUSTICAL STEEL DECK @ 12'-8" AFF WITH PAINT FINISH.1
- STEEL DECK. SEE STRUCT.
- RECESSED LIGHTING FIXTURE. SEE ELEC.
- WALL MOUNTED LIGHTING FIXTURE @ 8'-0" AFF BELOW. SEE
- STRIP LIGHTING FIXTURE. SEE ELEC.

SPECIFIC NOTES

- 1 FACE OF SOFFIT
- 2 CONT 2-INCH-WIDE SOFFIT VENT
- 3 UNDERSIDE OF ROOF DECK. SEE STRUCT.
- 4 STUCCO SOFFIT @ EL. 10'-8". PAINT FINISH.
- 5 CONC MASONRY WALL, T/O CMU EL. 14'-8". SEE STRUCT.
- 6 CONC MASONRY WALL, T/O CMU EL. 12'-8". SEE STRUCT.
- 7 CONC MASONRY WALL BELOW, T/O CMU EL. 8'-8". SEE STRUCT.
- 8 RECESSED CAN LIGHTING FIXTURE. SEE ELEC.
- 9 STRIP LIGHTING FIXTURE. TYP. SEE ELEC.
- 10 WALL MOUNTED LINEAR LIGHTING FIXTURE BELOW @ 8'-0" AFF. SEE ELEC.
- 11 STEEL BEAM. SEE STRUCT.
- 12 UNDERSIDE OF ACOUSTIC ROOF DECK. SEE STRUCT.
- 13 STEEL COLUMN. SEE STRUCT.
- 14 SS SCREEN ASSEMBLY. SEE SHEET AB2.1.
- 15 STUCCO CONTROL JOINT REGLET

GENERAL NOTES

- A. PROVIDE LIGHT GAGE STEEL FRAMING MEMBERS AND SUSPENSION ASSEMBLIES THAT WILL ADEQUATELY CARRY THE WEIGHT OF THE GYP SD CEILINGS AND STUCCO SOFFITS SHOWN ON THE REFLECTED CEILING PLAN AND ADEQUATELY RESIST ANY LIVE LOADS, INCLUDING WIND PRESSURES AND WIND BORNE MISSILE IMPACT LOADS THAT COULD BE APPLIED TO THESE CEILING AND SOFFIT ASSEMBLIES. PROVIDE DESIGN (SHOP) DRAWINGS WITH CALCULATIONS PRODUCED, SIGNED AND SEALED BY A FLORIDA LICENSED ENGINEER FOR REVIEW AND APPROVAL BY THE ARCHITECT AND THE AUTHORITY HAVING JURISDICTION PRIOR TO INSTALLATION.
- B. PLAN DIMENSIONS ARE TO CENTERLINE OF FIXTURE, CENTERLINE OF CMU OR TO MG, TYP.
- C. COORDINATE PLACEMENT OF ALL CEILING DEVICES AND FIXTURES. IF CONFLICTS ARE DISCOVERED, NOTIFY THE ARCHITECT AND DO NOT PROCEED WITH THE WORK FOR THE ITEMS IN QUESTION UNTIL THE ARCHITECT RESPONDS WITH SUPPLEMENTAL INSTRUCTIONS.
- D. SEE ELEC FOR EMERGENCY LIGHTING AND EXIT SIGN FIXTURES.

Order Plans @ www.lidline.com

Kimley-Horn
2201 West Royal Lane, Suite 275, Irving, Texas 75063
PH: 972.261.1400
FLORIDA REGISTERED ENGINEERING FIRM #98
FLORIDA REGISTERED LANDSCAPE ARCHITECTURE FIRM LC-C000219
© 2017 KIMLEY-HORN AND ASSOCIATES, INC.

Jason Jensen
2017.12.15
18:05:15
-05'00"

BUTLER PARK
AQUATIC CENTER
CITY OF NORTHPORT, FL

FILTRATION BUILDING
REFLECTED CEILING PLAN

Scale:	AS SHOWN
Designed by:	CD
Drawn by:	CD
Checked by:	JJ
Date:	DECEMBER 2017
Project No.:	48285014

SHEET
AF2.1