

ZONE#7 (690 SQ.FT.)

FILTRATION BUILDING ROOF PLAN

ZONE#6 (246 SQ.FT.)

3*RD ,0

3,80

ZONE#8 (675 SQ.FT.)

3'RD @

ZONE#9 (690 SQ.FT.)

3*R0

(304 SQ.FT.)

NORTHPORT, FLORIDA 4.5 (Inches per hour) 1/8" per Foot PRIMARY DRAIN SIZE (SQ FT) 1024.0 4"Ø 4"Ø 939.0 939.0 4"Ø 720.0 3"Ø 4"Ø 1024.0 939.0 4"Ø 4"Ø 939.0 438.0 3"Ø ROOF DRAINAGE SYSTEMS WERE SIZED PER TABLE 1106.03 OF THE 2014 FLORIDA PLUMBING CODE.

Josep h R Stolz

Joseph R. Stolz P.E. No.58186

BUTLER PARK AQUATIC CENTER CITY OF NORTH PORT, FL

BATHHOUSE AND FILTRATION BUILDING ROOF PLAN

SHEET

PB-F3.0

Job Number: 84080 Colwill Engineering
Consulting Engineers, Inc.
Engineering Business No. 9021

ROOF D	RAIN SC	HEDULE-
FILTRAT	TION BL	JIILDING
LOCATION:		NORTHPORT, FLORIDA
PRIMARY RAINFALL RATE:		4.5 (Inches per hour)
SLOPE OF DRAIN PIPING:		1/8" per Foot
ZONE No	ROOF AREA (SQ FT)	PRIMARY DRAIN SIZ
1	304.0	3"Ø
2	532.0	4"Ø
3	238.0	3"Ø
4	315.0	3"Ø
5	551.0	3"Ø
6	246.0	3"Ø
7	690.0	3"Ø
8	675.0	3"Ø
9	690.0	3"Ø
ROOF DRAIN	AGE SYSTEMS \	VERE SIZED PER
TABLE 1106.03 OF	THE 2014 FLOR	IDA PLUMBING CODE.

PLUMBING KEYED NOTES: