



PARTITION TYPE NOTES


- UNLESS OTHERWISE NOTED, ALL DIMENSIONS ARE TO FACE OF STUD.
- PROVIDE FIRE TREATED WD BLOCKING FOR ALL WALL-MOUNTED ITEMS IN STEEL STUD WALLS INCLUDING, BUT NOT LIMITED TO ARCHITECTURAL WOODWORK, FINISH CARPENTRY, RAILINGS, HARDWARE, AT DOOR STOPS, TOILET AND BATH ACCESSORIES, AND SIMILAR MOUNTED ITEMS.
- SEE UL DESIGN DETAIL SHEETS FOR UL DESIGN AND CALCULATED FIRE RESISTANCE INFORMATION.
- INTERSECTING PARTITIONS SHALL BE CONSTRUCTED SO THAT THE HIGHER PRIORITY PARTITION IS CONSTRUCTED FIRST, CONTINUOUS, AND ABUTTED BY THE LOWER PRIORITY PARTITION. THE FOLLOWING PARTITION PRIORITIES ARE LISTED FROM HIGHEST TO LOWEST. SEE PLAN DETAILS AND PARTITION TYPE DETAILS FOR ADDITIONAL INFORMATION.
- AT ALL INTERIOR NON-BEARING METAL STUD PARTITION WALLS, HOLD STUD A MINIMUM OF 1/2-INCH SHORT AT TOP RUNNER TRACK AND PROVIDE SLIDE CONNECTION TO ALLOW FOR STRUCTURE DEFLECTION.
- PARTITION TYPES WITHIN TOILET ROOMS AND KITCHEN SHALL HAVE 5/8-INCH CEMENTITIOUS BACKER BOARD AND SHALL HAVE 5/8-INCH MOISTURE RESISTANT GYPSUM WALL BOARD AS INDICATED IN THE PARTITION TYPE DETAILS. PROVIDE TYPE "X" WHERE FIRE RATINGS ARE REQUIRED.




PARTITION TYPE 'S1'




PARTITION TYPE 'W1'



PARTITION TYPE 'W2'



PARTITION TYPE 'W3'



PARTITION TYPE 'W4'

RAD

Ragona Architecture & Design, PLLC
1447 Highway 138, Conyers, GA 30012
304.481.0116 www.rad-arch.com



03.22.2018

#ATL034
CONYERS, GA

Krystal

ISSUED FOR
CONSTRUCTION

1447 Highway 138
Conyers, Georgia 30012
Rockdale County, Georgia

Revisions		
#	Date	Description

Project Number: 18028
Issued for: CONSTRUCTION
Issue Date: 03/22/18

DRAWING TITLE
**INTERIOR
PARTITION TYPES**

SHEET NUMBER
A102

Order Plans @ www.lidilinc.com