



ROOF PLAN NOTES	
R1	WHITE TPO ROOFING OVER TAPERED INSULATION
R2	METAL COPING
R3	ROOF DRAIN
R4	OVERFLOW ROOF DRAIN, RE 3/4S251
R5	ROOF CRICKET
R6	PRECAST WALL, PROVIDE 1" SLOPED TOP TO OUTSIDE

GENERAL ROOF PLAN NOTES	
1	MAINTAIN MINIMUM SLOPE OF 1/4" PER FOOT ON ROOF. PROVIDE TAPERED RIGID INSULATION CRICKETS AT 1/4" PER FOOT SLOPE.
2	OVERFLOW DRAINS AND SCUPPERS ARE TO BE 2" HIGHER THAN PRIMARY ROOF DRAINS. REFER TO THE PLUMBING DRAWINGS FOR ADDITIONAL REQUIREMENTS.

one eighth inch = one foot
 one quarter inch = one foot
 one half inch = one foot
 three eighths inch = one foot
 one and one eighth inch = one foot
 one and one quarter inch = one foot
 one and one half inch = one foot
 one and three quarters inch = one foot
 two inches = one foot
 three inches = one foot
 four inches = one foot
 five inches = one foot
 six inches = one foot
 seven inches = one foot
 eight inches = one foot
 nine inches = one foot
 ten inches = one foot
 eleven inches = one foot
 twelve inches = one foot

Order Plans @ www.LDILine.com

U.S. Department of Veterans Affairs MEMPHIS VAMC 1030 JEFFERSON AVE, MEMPHIS, TN 38104		ARCHITECT/ENGINEERS: PROJECT LEAD Architect, Structural Engineer, Civil Engineer GUIDON DESIGN <small>905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN 46204 317.860.6388 WWW.GUIDONDESIGN.COM SUSTAINABLE ARCHITECTURE + ENGINEERING</small>	MEP Engineer APOGEE CONSULTING GROUP 1151 Kildaire Farm Rd. Suite 120 Cary, NC 27511 Tele: 919-858-7420	Functional Design CARL WALKER INC. 3211 Internet Blvd., Suite 220 Frisco, TX 75034 Tele: 469-777-5143	Drawing Title ROOF PLAN	Project Title CONSTRUCT PARKING GARAGE ON WEST LOT	Project Number 15.1067 Building Number	OFFICE OF FACILITIES MANAGEMENT VA Project Number 614-319
		Approved for Design Concept: FACILITY MANAGEMENT DIVISION MANAGER	Location MEMPHIS, TN	Drawing Number AS251	VA U.S. Department of Veterans Affairs			
Revisions: _____ Date _____					Date 11/14/2016	Checked By: UJ	Drawn By: KH	