

1 PP101 FIRST FLOOR PLUMBING PLAN
3/32" = 1'-0"

KEY	NOTE
1	SEE CU101 SITE UTILITY PLAN FOR CONTINUATION.
2	RPZ IN HOT BOX (30W). SEE 5/P1001.
3	INVERT ELEVATION FOR STORM PIPE IS 4.5 FEET BELOW FINISHED FLOOR ELEVATION. COORDINATE WITH CIVIL PRIOR TO INSTALLATION OF STORM PIPING.
4	CENTER DRAINS ON EDGE OF WASH. COORDINATE FLOOR DRAIN LOCATIONS WITH STRUCTURAL PLANS.
5	10" Ø STORM DRAIN CONDUCTOR UP. TRANSITION TO 12" Ø WHEN TURNING HORIZONTAL UNDER SLAB. PROTECT WITH PIPE GUARD. SEE 7/AP501
6	6" Ø STORM DRAIN CONDUCTOR UP. PROTECT WITH PIPE GUARD. SEE 7/AP501.
7	6" Ø STORM DRAIN CONDUCTOR UP. TRANSITION TO 8" Ø WHEN TURNING HORIZONTAL UNDER SLAB. PROTECT WITH PIPE GUARD. SEE 7/AP501.
8	PROVIDE CLEANOUT AT THE BASE OF THE RISER. COORDINATE WITH PIPE GUARD. SEE 7/AP501.

KEY	NOTE
9	SEE 4/PP001 SUMP PUMP DETAIL.
10	3" SUMP PUMP DISCHARGE. ELBOW PIPE DOWN 90° OUTSIDE THE BUILDING. DISCHARGE PIPE TO TERMINATE AT 24" ABOVE FINISHED GRADE. PROVIDE SPLASH BLOCK.
11	5" OVERFLOW STORM DRAIN UP TO STAIR TOWER. TERMINATE WITH DOWNSPOUT NOZZLE AND PROVIDE SPLASH BLOCK.
12	1" DOMESTIC COLD WATER UP AND 3/4" DOWN TO P-804 AT 15" AFF. SEE 1/PP102 FOR CONTINUATION.
13	INSTALL TIGHT TO BOTTOM OF DOUBLE TEES.
14	PIPE LOCATED UNDER SLAB, TYPICAL.
15	CONDENSATE DRAIN STANDPIPE. SEE DETAIL 8/P1001.

Order Plans @ WWW.LDLine.com

Revisions.	Date

VA U.S. Department of Veterans Affairs
MEMPHIS VAMC
1030 JEFFERSON AVE, MEMPHIS, TN 38104

ARCHITECT/ENGINEERS:

PROJECT LEAD
Architect, Structural Engineer, Civil Engineer
GUIDON DESIGN
805 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46204
317.800.6583 WWW.GUIDONDESIGN.COM
SUSTAINABLE ARCHITECTURE + ENGINEERING

MEP Engineer
APOGEE CONSULTING GROUP
1151 Kildaire Farm Rd. Suite 120
Cary, NC 27511
Tele: 919-858-7420

Functional Design
CARL WALKER INC.
3211 Internet Blvd., Suite 220
Frisco, TX 75034
Tele: 469-777-5143

BID SET

Drawing Title: FIRST FLOOR PLUMBING PLAN	Project Title: CONSTRUCT PARKING GARAGE ON WEST LOT	Project Number: 15.1067 / Building Number:	OFFICE OF FACILITIES MANAGEMENT
Approved for Design Concept: FACILITY MANAGEMENT DIVISION MANAGER	Location: MEMPHIS, TN / Date: 11/14/2016 / Checked By: DJR / Drawn By: ORD	Drawing Number: PP101	VA Project Number: 614-319

VA U.S. Department of Veterans Affairs

L:\Projects - Region 1\614-319\DWG\Work\15-412 Mech-Plumb Model.rvt