

GENERAL NOTES

GENERAL REQUIREMENTS:

- A. DRAWINGS. THE DRAWINGS ARE INTENDED TO DESCRIBE THE OVERALL SCOPE OF WORK. CONTRACTORS SHALL FIELD VERIFY EXISTING CONDITIONS AND ALERT ARCHITECT TO ANY UNFORESEEN CONSTRUCTION DIFFICULTIES BEFORE BEGINNING WORK. IN-FIELD REVISIONS SHALL NOT OCCUR WITHOUT ARCHITECT'S APPROVAL.
- B. PRE-CONSTRUCTION MEETING. PRIOR TO ANY CONSTRUCTION OR DEVELOPMENT ACTIVITY, THE CONTRACTOR SHALL SCHEDULE, WITH OWNERS APPROVAL, A PRE-CONSTRUCTION MEETING WITH THE LOCAL BUILDING DEPT. OR LOCAL PUBLIC WORKS DEPT. VERIFY WHICH AGENCY WOULD BE INVOLVED. THE CONTRACTOR SHALL PROVIDE LOCAL INSPECTOR WITH 24 HOURS NOTICE PRIOR TO INSPECTION.
- C. TYPICAL WALL SECTIONS, FINISHES, AND DETAILS ARE NOT INDICATED EVERYWHERE THEY OCCUR ON PLANS. ELEVATIONS AND SECTIONS. REFER TO DETAILED DRAWINGS. CONTRACTOR TO PROVIDE AS IF DRAWN IN FULL.
- D. CODES / PERMITS / REGULATIONS. ALL EXTERIOR SIGNAGE MUST BE SUBMITTED AND REVIEWED UNDER SEPARATE PERMIT APPLICATION.

CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS NECESSARY OTHER THAN THE BUILDING PERMIT. CONTRACTOR SHALL ALSO PAY FOR ALL OTHER CHARGES, FEES OR COSTS CHARGED BY THE BUILDING AND CONSTRUCTION DEPARTMENTS, UTILITY AGENCIES OR PRIVATE COMPANIES WHICH REQUIRE SUCH COSTS FOR OR PRIOR TO INSTALLATIONS.

NOTHING IN THE DRAWINGS SHALL BE CONSTRUCTED TO PERMIT AN INSTALLATION IN VIOLATION OF APPLICABLE CODES AND/OR RESTRICTIONS. SHOULD ANY CHANGE IN THE DRAWINGS BE NECESSARY IN ORDER TO COMPLY WITH APPLICABLE CODES AND/OR REQUIREMENTS, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT AT ONCE AND CEASE WORK. ALL PARTS PERFORMED UNDER THIS CONTRACT SHALL BE IN FULL ACCORDANCE WITH THE LATEST RULES, REGULATIONS, RESTRICTIONS, REQUIREMENTS AND CODES.

AMENDED BY GOVERNING CITY & ALL JURISDICTION RULES AND REGULATIONS.

E. DIMENSIONS ARE SHOWN TO FACE OF MASONRY OR CENTERLINE OF OPENING, UNLESS DETAILED OTHERWISE ON DRAWINGS.

DO NOT SCALE DRAWINGS. THE CONTRACTOR SHALL USE DIMENSIONS SHOWN ON THE DRAWINGS AND ACTUAL FIELD MEASUREMENTS. NOTIFY THE ARCHITECT IF ANY DISCREPANCIES ARE FOUND.

THE CONTRACTOR SHALL VERIFY ALL ROUGH-IN DIMENSIONS FOR THE EQUIPMENT FURNISHED AND INSTALLED BY HIMSELF/HERSELF OR OTHERS.

THE CONTRACTOR SHALL CONSULT THE PLANS OF ALL TRADES FOR OPENINGS THROUGH SLABS, WALLS, CEILINGS AND ROOFS.

F. SHOP DRAWINGS REVIEW. PROVIDE SHOP DRAWINGS FOR THE ARCHITECTS/OWNERS AND AS REQUIRED BY THE CITY PRIOR TO CONSTRUCTION.

G. CONTRACTOR TO FRAME OPENINGS IN WALLS, CEILINGS AND FLOORS FOR H.V.A.C. AND OTHER MECHANICAL OR ELECTRICAL WORK WHERE REQUIRED AND NOT OTHERWISE SHOWN ON THE PLANS.

H. COMPLY WITH APPLICABLE REGULATIONS FOR BARRIER-FREE FACILITIES INCLUDING:

- 1). MAXIMUM THRESHOLD HEIGHT TO BE ONE HALF INCH (1/2") ALONG ACCESSIBLE ROUTE OF TRAVEL.
- 2). STAIR NOSINGS TO BE FLUSH, SLIP RESISTANT AND ROUNDED TO RADIUS OF ONE HALF INCH (1/2") MAXIMUM.

DOORS/WINDOWS:

A. GLAZING. PROVIDE GLAZING PER CITY CODES. INSULATED UNITS SHALL BE CLASS 40 GLAZING WITH LOW ARGON GAS.

GLAZING IN LOCATIONS SUBJECT TO HUMAN IMPACT SUCH AS PANES IN DOORS, GLAZING WITHIN A 24" ARC OF A DOOR OPENING, GLAZING WITHIN 18" OF THE FLOOR (AND IS OVER 9 SQ. FT. PER PANEL) SHALL BE TEMPERED GLASS OR LAMINATED SAFETY GLASS PER CODE.

GLAZING U-VALUE (AMMA TESTED) U-40 MAXIMUM.

FIRE PROTECTION:

A. GC TO EXTEND THE EXISTING AUTOMATIC FIRE SPRINKLER SYSTEM AS REQUIRED. GET SYSTEM DESIGN APPROVED BY GOVERNING CITY'S BUILDING DEPARTMENT AND FIRE DEPARTMENT PRIOR TO INSTALLATION (IF APPLICABLE).

B. PROVIDE FIRE EXTINGUISHERS AS REQUIRED BY INTERNATIONAL BUILDING CODE AND LOCATE PER FIRE MARSHAL'S DIRECTION. 1 FIRE EXTINGUISHER PER 3,000 S.F. OF BUILDING AREA WITHIN 75'-0" TRAVEL DISTANCE BETWEEN EXTINGUISHERS.

C. MAINTAIN STRUCTURAL AND FIRE RESISTIVE INTEGRITY AT EXTERIOR AND RATED INTERIOR WALL PENETRATIONS FOR ELECTRICAL, MECHANICAL, PLUMBING AND COMMUNICATIONS CONDUITS, PIPED AND SIMILAR SYSTEMS PER CITY'S CODE.

THERMAL/MOISTURE PROTECTION:

A. OPENINGS. ALL OPENINGS TO BE CAULKED, SEALED OR WEATHER-STRIPPED.

ALL FLASHING AND ARCHITECTURAL SHEET METAL TO BE 24 GAUGE GALVANIZED STEEL, FACTORY PRIMED AND FIELD PAINTED. 10'-0" LENGTHS, PER SMACNA MANUAL UNLESS OTHERWISE NOTED.

B. CAULKING AND SEALANTS. USE PRIMERS AS REQUIRED BY MANUFACTURER. BACKING RODS OR TAPE AS RECOMMENDED BY MANUFACTURER. USE POLYURETHANE SEALANTS AT CONCRETE FLOOR AND SIDEWALK JOINTS. ALL OTHER LOCATIONS USE POLYSULFIDE OR SILICONE.

C. VAPOR BARRIERS. CONTINUOUS APPROVED VAPOR BARRIERS SHALL BE INSTALLED ON THE HEATED SIDE OF ALL THERMAL INSULATION INSTALLED.

D. INSULATION. PROVIDE INSULATION PER LOCAL CODE, COMPONENT PERFORMANCE APPROACH.

GENERAL NOTES:

- 1. PRIOR TO DEMOLITION, VERIFY IN FIELD EXISTING WALLS AND IF ANY STRUCTURAL COLUMNS EXIST. IF SO, CONTACT ARCHITECT IMMEDIATELY.
- 2. CONTRACTOR TO MAINTAIN PROPER LIGHTING, SANITATION AND VENTILATION AT ALL TIMES.
- 3. ALL WORK MUST BE APPROVED BY BUILDING INSPECTOR PRIOR TO COVERING WORK.
- 4. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO MAINTAIN A WATER TIGHT WEATHER TIGHT BUILDING.
- 5. ALL WORK TO BE PERFORMED TO CODE BY LICENSE CONTRACTORS PERFORMING WORK IN THEIR SPECIFIC TRADE ONLY.
- 6. ALL DESIGN, DRAWINGS, AND DETAILS REPRESENT COMPLETE WORK IN PLACE. ARCHITECT SHALL HAVE NO CONTROL OR CHANGE OF AND SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION.
- 7. INTERIOR PARTITIONS NOTED ON PLANS MAY BE SHOWN AS VERTICAL DIMENSIONS, SUCH AS 5" INTERIOR WALL REFERS TO GYPSUM BOARD EACH OVER 3-5/8" STUDS. STUB SPACING IS 24".
- 8. ALL DEBRIS GENERATED FROM CONSTRUCTION MUST BE KEPT ON THIS SITE IN EITHER AN ENCLOSED AREA OR HAULED AWAY DAILY, AND DISPOSED OF LEGALLY OFF-SITE.
- 9. EXTERIOR SIGNAGE IS NOT PART OF THIS CONTRACTOR PERMIT, EXCEPT ELECTRICAL ROUGH-IN AND BLOCKING. SIGN CONTRACTOR SHALL MAKE SEPARATE SUBMITTAL TO THE CITY FOR REVIEW AND PERMIT.
- 10. KEEP ALL PIPING AND CONDUIT AS CLOSE TO WALL AND ROOF DECK AS POSSIBLE AND ALL DUCTWORK AS CLOSE TO ROOF AS POSSIBLE. WHEN EXPOSED, ALL PIPING CONDUIT AND DUCTWORK SHALL BE PAINTED UNLESS NOTED. ALL PIPING CONDUIT SHALL BE ORGANIZED IN A NEAT MANNER RUNNING PARALLEL OR PERPENDICULAR TO ROOF FRAMING MEMBERS.
- 11. MAXIMUM FLAME SPREAD CLASSIFICATION OF FINISH MATERIALS USED ON INTERIOR WALLS AND CEILING SHALL NOT EXCEED THAT SET FORTH IN FLAME SPREAD TABLE OF THE BUILDING CODE.
- 12. VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO CONSTRUCTION AND COORDINATE WITH ARCHITECT ANY CONFLICTS WITH THE PLANS.
- 13. PERFORM THE REMOVAL, CUTTING, AND DRILLING WITH THE CARE USE OF THE SMALLEST TOOLS SO AS TO NOT DAMAGE THE STRUCTURAL INTEGRITY OF THE BUILDING.
- 14. TO SAW CUT AT EXISTING RESTROOM LOCATION, USE SAWS AND COREDRILLS. DO NOT USE JACKHAMMER UNDER ANY CIRCUMSTANCES.
- 15. GC TO COORDINATE FIRE ALARM INSTALL WITH LANDLORD, IF REQUIRED BY CITY.

A TENANT IMPROVEMENT FOR



STORE #785
975 W. POPLAR AVENUE
COLLIERVILLE, TN 38017

RUN RUN DESIGN

PROJECT TEAM DIRECTORY

CORPORATE INFORMATION:
WHICH WICH FRANCHISE, INC. (WWFI)
ATTN: DAVID THOMPSON
DIRECTOR OF CONSTRUCTION
1412 MAIN STREET, SUITE #2000
DALLAS, TX 75202
P: 214.747.9424
construction@whichwich.com

PROJECT MANAGER:
RUN RUN DESIGN, LLC
ATTN: STEPHANIE HENSCHEN
3334 N. 20TH STREET
PHOENIX, AZ 85016
P: 480.221.0851
stephanie@runrundesign.com

TENANT INFORMATION:
MEM 6, INC.
4055 GOOD SPRINGS LOOP
WILLISTON, TN 38076
P: 901-457-4580
sd.datpro@gmail.com

BUILDING DEPARTMENT:
TOWN OF COLLIERVILLE
500 POPLAR VIEW PARKWAY
COLLIERVILLE, TN 38017
P: 901-457-2310

HEALTH DEPARTMENT:
SHELBY COUNTY HEALTH DEPARTMENT
814 JEFFERSON AVENUE
MEMPHIS, TN 38105
P: 901-222-9000

LANDLORD:
MEM 6, INC.
HARISH YAKKALA
4055 GOOD SPRINGS LOOP
WILLISTON, TN 38076
harishyakkala@gmail.com

PROJECT DATA

SCOPE OF WORK: EXISTING FREESTANDING BUILDING TO BE REMODELED TO WHICH WICH SPECIFICATIONS. NEW EQUIPMENT, INTERIOR PARTITIONS, NEW PLUMBING, MECHANICAL, AND ELECTRICAL WORK. PREVIOUS TENANT WAS KRYSSTAL BURGERS.

PROJECT NAME: WHICH WICH

PROJECT ADDRESS: 975 W. POPLAR AVENUE
COLLIERVILLE, TN 38017

LOCAL JURISDICTION: BUILDING & SAFETY - TOWN OF COLLIERVILLE
HEALTH - SHELBY COUNTY

CODES UTILIZED: 2012 INTERNATIONAL BUILDING CODE
2012 INTERNATIONAL MECHANICAL CODE
2012 INTERNATIONAL FUEL GAS CODE
2012 INTERNATIONAL PLUMBING CODE
2008 NATIONAL ELECTRICAL CODE

PROPOSED USE: RESTAURANT

CONSTRUCTION TYPE: IV-B (NON-SPRINKLERED)

OCCUPANCY GROUP: B

TOTAL S.F.: 1,687 S.F.

DINING AREA: 603 S.F. / 15 = 40
KITCHEN/SERVICE AREA: 784 S.F. / 200 = 4
HALLWAY/RESTROOM: 300 S.F. / 0 = 0

TOTAL OCCUPANT LOAD: 44

1 EXIT(S) REQUIRED / 1 EXIT(S) PROVIDED (OCCUPANT LOAD < 50)
2 RESTROOM(S) REQUIRED / 2 RESTROOM(S) PROVIDED (OCCUPANT LOAD > 15)

TILE:
NO STRUCTURAL WORK TO BE PERFORMED UNDER THIS PERMIT.
NO SITEWORK IS TO BE PERFORMED UNDER THIS PERMIT.

(4) EMPLOYEES MAXIMUM

INDEX OF SHEETS

- A1.0 TITLE SHEET
- A1.1 RESPONSIBILITY SCHEDULES
- A1.2 DEMOLITION PLAN
- A2.0 FLOOR PLAN
- A2.1 FINISH/FURNITURE PLAN & DIMENSIONS
- A3.0 REFLECTED CEILING PLAN
- A4.0 EXTERIOR ELEVATIONS & FINISH SCHEDULE
- A4.1 EXTERIOR ELEVATIONS & FINISH SCHEDULE
- A4.2 INTERIOR ELEVATIONS
- A4.3 INTERIOR ELEVATIONS
- A5.0 EQUIPMENT PLAN
- A6.0 DETAILS
- M0 MECHANICAL COMCHECK COMPLIANCE
- M1 MECHANICAL FLOOR PLAN & SCHEDULES
- M2 MECHANICAL & EXHAUST FLENUM DETAILS
- M3 MECHANICAL SPECIFICATIONS
- P1 PLUMBING SCHEDULES & NOTES
- P2 PLUMBING FLOOR PLANS
- P3 PLUMBING DETAILS
- P4 PLUMBING RISER DIAGRAMS
- P5 PLUMBING SPECIFICATIONS
- E0.0 ELECTRICAL SPECIFICATIONS & COMCHECK
- E0.1 BUILDING SITE PLAN
- E1.0 LIGHTING FLOOR PLAN
- E2.0 POWER FLOOR PLAN
- E2.1 MECHANICAL POWER FLOOR PLAN
- E2.2 EQUIPMENT SCHEDULES
- E3.0 ONE-LINE DIAGRAM
- E3.1 PANEL SCHEDULES

VENDOR INFORMATION

KITCHEN/EQUIPMENT
ISI COMMERCIAL REFRIGERATION
ATTN: CHRIS MORQUECHO
9136 VISCOUNT ROW
DALLAS, TX 75247
P: 469.240.7258
cmorquecho@isi-texas.com

FURNITURE:
WILDWOOD MARKETING
ATTN: EMILIE KELLAR
455 BOSAL WAY
LAVONIA, GA 30553
P: 706.356.2000
emilee@wildwoodmarketing.net

MILLWORK:
MIDWEST CABINET CO., INC.
ATTN: SCOTT TETER
1874 INDUSTRIAL AVE.
OTTAWA, KS 66067
P: 918.681.0643
steter@midwestcabinet.com

LIGHTING:
VILLA LIGHTING SUPPLY
ATTN: DEREK VICKROY
2929 CHOUTEAU AVENUE
ST. LOUIS, MO 63103
P: 314.633.0500
derek.vickroy@villalighting.com

METAL WORKS:
NICHOLSON METAL WORKS
ATTN: VICTOR NICHOLSON
5112 MERCANTILE ROW
DALLAS, TX 75247
P: 214.920.3654
nicholsonmetalfab@sbcglobal.net

TILE:
CMC NATIONAL ACCOUNTS
ATTN: ERIKA FRETTO
ONE WASHINGTON SQUARE
ALBANY, NY 12205
P: 518.713.5369
efretto@creativematerialscorp.com
whichwichtile@creativematerialscorp.com

SIGN VENDOR:
T STOP SIGNS
ATTN: GARY GIBSON
500 W. 56TH STREET
DALLAS, TX 75226
P: 972.961.7446
gary@tstopsigns.com

PLUMBING SUPPLY:
HICIZI
ATTN: CHRISTINE LEANDER
3140 W. 11TH STREET
BENTONVILLE, AR 72712
P: 800.442.0099
whichwich@hijcinc.com

EXTERIOR SIGN UNDER SEPARATE PERMIT BY SIGN COMPANY - INSTALLED BY SIGN COMPANY

GENERAL CONTRACTOR NOTE:
THE GC MUST SUBMIT SEPARATE DRAWINGS FOR SPRINKLER AND FIRE ALARM WORK AND SHALL BE UNDER SEPARATE PERMIT - WHEN APPLICABLE.


REFERENCE SYMBOLS

DOOR TAG		ELEVATION		EQUIPMENT REFERENCE		DETAIL REFERENCE	
ROOM TAG		WALL SECTION		WALL REFERENCE		REVISION	

ABBREVIATIONS

ACP	ACOUSTICAL CLG. PANEL	FLASH	FLASHING	PLAM	PLASTIC LAMINATE
ACT	ACOUSTICAL CLG. TILE	FOIC	FURNISHED BY OWNER	PLYWD	PLYWOOD
AL	ALUMINUM	FRP	INSTALLED BY CONTRACTOR	R	RISER, RADIUS
ALUM	ALUMINUM	FO	FINISH OPENING	REBAR	REINFORCING BAR
ARCH	ARCHITECTURAL	FRP	FIBERGLASS REINFORCED	REF	REFERENCE
AVG	AVERAGE	PANELS	PANELS	REV	REVISION
BLDG	BUILDING	FRT	FIRE RETARDANT TREATED	RM, RMS	ROOM, ROOMS
BLKG	BLOCKING	GA	GAUGE	RO	ROUGH OPENING
BR	BRICK	GALV	GALVANIZED	S & V	SATIN AND VARNISH
CMU	CONCRETE BLOCK	GL	GLASS	SC	SOLID CORE
CT	CERAMIC TILE	GWB	GYPSUM WALLBOARD	SCHED	SCHEDULE
CFM	CUBIC FEET PER MINUTE	HDWE	HARDWARE	SEC	SECTION
CLG	CENTER LINE	HM	HOLLOW METAL	SHT	SHEET
CLG	CEILING	HOR	HORIZONTAL	SPECS	SPECIFICATIONS
CONC	CONCRETE	HT	HEIGHT	SF	SQUARE FEET
CONT	CONTINUOUS	HW	HOT WATER	ST	STEEL
CW	COLD WATER	HWH	HOT WATER HEATER	STOR	STORAGE
DTL	DETAIL	HWT	HOT WATER TANK	STRUCT	STRUCTURAL
DF	DRINKING FOUNTAIN	LAV	LAVATORY	SUSP	SUSPENDED
DIA	DIAMETER	LT	LIGHT	SV	SHEET VINYL
DIM	DIMENSION	MATL	MATERIAL	SS	STAINLESS STEEL
DN	DOWN	MAX	MAXIMUM	TB	TELEPHONE MOUNTING BOARD
DR	DOOR	MTL	METAL	TD	TRENCH DRAIN
DS	DOWNSPOUT	MIN	MINIMUM	THRESH	THRESHOLD
DWG	DRAWING	MO	MASONRY OPENING	TYP	TYPICAL
EA	EACH	MUL	MULLION	UNFIN	UNFINISHED
ELEV	ELEVATION	N/A	NOT APPLICABLE	UR	URINAL
EXIST	EXISTING	NIC	NOT IN THIS CONTRACT	VCT	VINYL COMPOSITION TILE
OR EX	OR EXISTING	NO	NUMBER	VERT	VERTICAL
EXT	EXTERIOR	NOM	NOMINAL	VST	VINYL SAFETY TILE
FDN	FOUNDATION	NTS	NOT TO SCALE	W	WIDTH
FIN	FINISH	OC	ON CENTER	WC	WATER CLOSET
FD	FLOOR DRAIN	OD	OUTSIDE DIMENSION	WD	WOOD
FL	FLOOR	PT	PAINT	WDW	WINDOW
				WP	WATERPROOF

VICINITY MAP



PROJECT NAME AND LOCATION :



STORE #785
975 W. POPLAR AVENUE
COLLIERVILLE, TN 38017

THIS DRAWING AND ITS CONTENTS ARE CONSIDERED INSTRUMENTS OF SERVICE AS SUCH THEY ARE COPYRIGHTED PROPERTY OF RUN RUN DESIGN, LLC. THE USE OF THESE DRAWINGS IS LIMITED TO THIS SPECIFIC PROJECT AND ARE NOT TO BE OTHERWISE REPRODUCED IN ANY WAY OR USED FOR SUPPLEMENTAL LOCATIONS WITHOUT WRITTEN PERMISSION FROM RUN RUN DESIGN, LLC.

DRAWING REVISIONS:

no.	description	date
A	ISSUE DATE	05/31/18
B	SUBMITTAL DATE	--
no.	revision	date
1	--	--
2	--	--
3	--	--

SHEET NAME:

TITLE SHEET

BID SET

project no: 17-085
dwg no: A1.0