


GMC
2701 1st Avenue S
Birmingham, AL 35233
T 205.879.4462
GMCNETWORK.COM



GATE	FORM	STRUCTURE	INVERT
G.I. #1			133.27
G.I. #2			133.06
G.I. #3			132.20
G.I. #4			132.40
G.I. #5			132.05
G.I. #6			133.16

- NOTES:
- EROSION CONTROL BMP'S FROM PRE CONSTRUCTION PHASE SHALL REMAIN IN PLACE UNTIL NECESSARY TO RELOCATE OR REMOVE THEM DUE TO CONSTRUCTION.
 - INLET PROTECTION SHALL BE INSTALLED IMMEDIATELY FOLLOWING COMPLETION OF ASSOCIATED STRUCTURE OR PIPE.
 - WHENEVER FEASIBLE, TRENCH SPOILS SHALL BE DEPOSITED ON UPHILL SIDE OF TRENCH TO REDUCE EROSION AND SEDIMENTATION.
 - JUTE MAT SHALL BE APPLIED TO ALL DISTURBED SLOPES STEEPER THAN 5:1. SEE SHEET CU206 FOR MATERIAL REQUIREMENTS.
 - CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVAL OF ALL SEDIMENT AND DEBRIS FROM STORM STRUCTURES AND PIPING PRIOR TO SUBSTANTIAL COMPLETION.
 - SEE SHEET EC1.04 FOR EROSION CONTROL DETAILS AND NOTES.

APPLY TO ALL DISTURBED AREAS

DC DUST CONTROL

- CIP CURB INLET PROTECTION
- GIP GRATE INLET PROTECTION
- GIPP GRATE INLET PROTECTION (PAVEMENT)
- OTIP OPEN THROAT INLET PROTECTION
- SF SILT FENCE
- TP TREE PROTECTION

NOTE:
THE UNDERGROUND UTILITIES AND STORM DRAIN PIPE SHOWN HAVE BEEN LOCATED FROM FIELD SURVEY INFORMATION AND EXISTING DRAWINGS. THE SURVEYOR MAKES NO GUARANTEE THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM THE INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED ALL OF THE UNDERGROUND UTILITIES AS TO SIZE, DEPTH OR CONDITION.

ISSUE	DATE
ISSUE FOR BID	2018.05.25

SIMULATION LABORATORY
BUILDING - USA JOB #16-07
MOBILE, ALABAMA
ABC #2017372
GMC # AMOB160019

CONSTRUCTION
EROSION CONTROL PLAN
EC1.02

1/31/2018 1:58:26 PM

Order Plans @ www.dline.com