




SMITH DESIGN GROUP, INC.
 200 WEST WILKINSON STREET
 LAGRANGE, GEORGIA 30240
 770-882-5511 www.SDGarch.net

- KEYNOTES**
- 1 SPLIT FACE BLOCK
 - 2 BRICK VENER
 - 3 ALUMINUM STOREFRONT DOORS
 - 4 ALUMINUM AWNING SEE DETAILS ON SHEET A5-2
 - 5 METAL WALL PANEL BY PEMB
 - 6 FLAT METAL WALL PANEL BY PEMB
 - 7 METAL COPING
 - 8 CAST STONE SLOPING SILL WITH METAL FLASHING
 - 9 TUBE STEEL SEE STRUCTURAL DRAWINGS
 - 10 STOCK ALUMINUM AWNING SYSTEM
 - 11 NEW GRADE
 - 12 PEMB SIDING
 - 13 3-5/8" METAL STUDS @ 16" O.C.
 - 14 3" CAST IRON ROOF DRAIN TO GRADE (FULLY INSULATED)
 - 15 8" METAL STUDS @ 16" O.C. WITH 8" BATT INSULATION (R-25)
 - 16 4" CONCRETE PAD WITH TURNDOWN SLOPE AWAY FROM BUILDING
 - 17 BAKER ROD AND SEALANT
 - 18 EXTERIOR WALL SCONCE
 - 19 2"x2"x1/8" ANGLE CONT. WELDED TO TUBE STEEL
 - 20 OVERHEAD DOOR (INSULATED)
 - 21 WINDOW DOOR (INSULATED)
 - 22 5/8" GYP. BRD.
 - 23 ROOF SLOPE BY PERM
 - 24 LONG METAL BUILDING ROOF PANELS 12" GAUGE, STANDARD KYNNE FINISH COLOR PANELS TO BE CONTINUOUS FROM RIDGE TO EAVE
 - 25 6" ROLLED INSULATION
 - 26 Z PURLINS
 - 27 PRE-ENGINEERED METAL BUILDING MAIN FRAME BEAM
 - 28 FINISH METAL FASCIA & EAVE BY METAL BUILDING SUPPLIER
 - 29 DOWNSPOUT (BY PRE-ENGINEERED METAL BUILDING SUPPLIER)
 - 30 PEMB DOWNSPOUT (BY PRE-ENGINEERED METAL BUILDING SUPPLIER)
 - 31 PRE-ENGINEERED WALL PARTS SEE STRUCTURAL
 - 32 CONCRETE SLAB
 - 33 FLOOR COVERING SEE INTERIOR FINISH SCHEDULE
 - 34 RESILIENT BASE
 - 35 TERMITE TREAT UNDER ALL SLABS & FOOTINGS 5' OUTSIDE BUILDING
 - 36 NEW GRADE
 - 37 PEMB METAL WALL PANELS ON 1/2" DENS DECK WITH ROLLED ON VAPOR BARRIER ON BACK SIDE OF PARAPET (TYPICAL)
 - 38 3-5/8" METAL STUD FRAMING W/ 5/8" GYP. BRD. (PAINT)
 - 39 2"x2" LAY-IN CEILING TILE AND GRID
 - 40 1/2" DENS DECK WITH FULLY ADHERED SINGLE PLY MEMBRANE AND TERMINATION BAR SET IN SEALANT
 - 41 PEMB REVERSE ROLL METAL PANELS ON 6" METAL STUDS @ 16" O.C. WITH 1/2" DENS DECK AND VAPOR BARRIER
 - 42 6" ALUMINUM STOREFRONT WITH 1" ARCTIC BLUE GLASS
 - 43 WRAP TUBE STEEL WITH ALUMINUM CLOSURE PANELS TO MATCH STOREFRONT
 - 44 P.T. BLOCKING
 - 45 6" METAL STUDS (16 GA.) @ 16" O.C. WITH 1/2" DENS DECK AND SPRAY ON AIR/WATER BARRIER. BASE BID TO BE PEMB REVERSE ROLL WALL PANELS. ADD ALL NO. 1 & 2 TO BE CAST STONE WITH ADJUSTABLE MASONRY ANCHORS @ EACH 2 S.F.



REVISIONS	
DATE	DESCRIPTION

PROJECT:
VERNON ROAD FIRE STATION
 VERNON ROAD
 LAGRANGE GEORGIA

TITLE:
**ENTRY ATRIUM DETAIL
 AT SECOND FLOOR**

MODIFIED DATE:	JOB NO: 1731
ISSUED DATE: FOR BID AND PERMIT 07 MAY 2018	SHEET: A5-8

1
A5-8 ENTRY ATRIUM DETAIL AT SECOND FLOOR
 SCALE: 3/4" = 1'-0"

Order Plans @

WWW.LDILLINE.COM