

THE ESCAPE OF SEDIMENT FROM THE SITE SHALL BE PREVENTED BY THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND PRACTICES PRIOR TO, OR CONCURRENT WITH, LAND-DISTURBING ACTIVITIES.

EROSION CONTROL MEASURES WILL BE MAINTAINED AT ALL TIMES. IF FULL IMPLEMENTATION OF THE APPROVED PLAN DOES NOT PROVIDE FOR EFFECTIVE EROSION CONTROL, ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE IMPLEMENTED TO CONTROL OR TREAT THE SEDIMENT SOURCE.


ANY DISTURBED AREA LEFT EXPOSED FOR A PERIOD GREATER THAN 14 DAYS SHALL BE STABILIZED WITH MULCH OR TEMPORARY SEEDING.

TOTAL AREA - 0.687 AC.
DISTURBED AREA - 0.69 AC.

EROSION CONTROL CERTIFICATION

- (1) I CERTIFY THAT THE PERMITEE'S EROSION, SEDIMENTATION AND POLLUTION CONTROL PLAN PROVIDES FOR AN APPROPRIATE AND COMPREHENSIVE SYSTEM OF BEST MANAGEMENT PRACTICES REQUIRED BY THE GEORGIA WATER QUALITY CONTROL ACT AND THE DOCUMENT "MANUAL FOR EROSION AND SEDIMENT CONTROL IN GEORGIA" (MANUAL) PUBLISHED BY THE STATE SOIL AND WATER CONSERVATION COMMISSION AS OF JANUARY 1 OF THE YEAR IN WHICH LAND DISTURBING ACTIVITY WAS PERMITTED. THE PLAN PROVIDES FOR THE SAMPLING OF THE RECEIVING WATER(S) OR THE SAMPLING OF STORM WATER OUTFALLS. THE DESIGNED SYSTEM OF BEST MANAGEMENT PRACTICES AND SAMPLING METHODS IS EXPECTED TO MEET THE REQUIREMENTS CONTAINED IN THE GENERAL NPDES.
- (2) I CERTIFY UNDER PENALTY OF LAW THAT THIS PLAN WAS PREPARED BY MYSELF OR AN AUTHORIZED AGENT, UNDER MY DIRECT SUPERVISION.

James Stothard
JAMES STOTHARD, REG. NO. 15360
LEVEL II CERTIFIED DESIGN PROFESSIONAL NO. 0000029517



SMITH DESIGN GROUP, INC.
200 WEST HAVILLAND STREET
LAGRANGE, GEORGIA 30240
706-884-2011
www.smithdesign.com

STOTHARD ENGINEERING, INC.
1008 COLQUITT ST.
LAGRANGE, GA 30241
PH: 706 884-5279
email: stothard@stothard-engineering.com

REVISIONS	
DATE	DESCRIPTION

PROJECT:
VERNON ROAD FIRE STATION
VERNON ROAD
LAGRANGE, GEORGIA

TITLE:
EROSION CONTROL PLAN, PHASE ONE

MODIFIED DATE:	JOB NO: 1731
ISSUED DATE: FOR BID AND PERMIT 20 APRIL 2018	SHEET: C-4