



Order Plans @

Q17 NOT USED

W. TYPE	WALL TYPE DESCRIPTION
1	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
1A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. WITH PAINTED WOOD CAP.
1B	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. WITH PAINTED WOOD CAP AND CABLE RAILING.
1C	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HIGHER PLATFORM SIDE. PAINTED WOOD CAP AND CABLE RAILING.
1D	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
1E	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO 1'-10" ABOVE HIGHER PLATFORM SIDE WITH BATT INSULATION, PAINTED WOOD CAP.
1F	(1) LAYER 5/8" TYPE X GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (1 HOUR RATED, UL L413)
1FR2	(2) LAYER 5/8" TYPE X GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (2 HOUR RATED, UL L413)
2	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
2A	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
2B	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
3	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
3A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
3FR	(2) LAYER TYPE X 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (2 HOUR RATED, UL L413)
4	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
5	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 1 3/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED.
6	(1) LAYER 5/8" GYP. BOARD ONE SIDE OF 1 3/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. WALL TAG IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
7	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACOUSTICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD.
7FR	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACOUSTICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD. (2 HOUR RATED, UL L413)
7FR2	(3) LAYERS 5/8" TYPE X GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACOUSTICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD. (2 HOUR RATED, UL L413)
8	(1) LAYER 5/8" WOOD PANEL ON (1) LAYER 1/2" PLYWOOD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
9	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACOUSTICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD.
11A	(2) LAYERS 5/8" GYP. BOARD ON METAL LATH SANDWICHED BETWEEN ON WALL SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE AND (1) LAYER 5/8" GYP. BD. ON OTHER SIDE, WITH BATT INSULATION. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (2) LAYERS GYP. BOARD.
13	(3) LAYERS 5/8" GYP. BOARD EACH SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACOUSTICAL BATT INSULATION IN (1) STUD CAVITY.
13A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE.
14	(3) LAYERS 5/8" GYP. BOARD AUDITORIUM SIDE AND (1) LAYER 5/8" GYPSUM BOARD OTHER SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACOUSTICAL BATT INSULATION IN (1) STUD CAVITY.
14FR1	(3) LAYERS 5/8" TYPE X GYP. BOARD AUDITORIUM SIDE AND (1) LAYER 5/8" GYPSUM BOARD OTHER SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACOUSTICAL BATT INSULATION IN (1) STUD CAVITY.
15	2" ACOUSTICAL INSULATION - ROLL GLASS - FIBER BOARD INSULATION.
16	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC WITH 5/8" PLYWOOD ONE SIDE TO STRUCTURE ABOVE. GYP. BOARD AND PLYWOOD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. WALL TAG IN PLAN INDICATES SIDE OF PLYWOOD.
19	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 2 3/8" METAL STUDS @ 1'-4" OC TO STUD ABOVE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.

No.	Date	Description

KEY PLAN:

SHEET TITLE:
DIMENSIONED FLOOR PLAN - ENTRY

SHEET NUMBER:
A130



SHEET LEGEND:
1000 GENERAL INFORMATION & SCHEDULES OF WORK 1100 EXTERIOR ARCHITECTURE & DETAILS 1200 FLOOR PLANS & CEILING PLANS 1300 EXTERIOR & INTERIOR ELEVATIONS 1400 BUILDING SECTIONS 1500 ENLARGED PLANS 1600 EXTERIOR & INTERIOR DETAILS 1700 SHOP SCHEDULES & SHOP DETAILS 1800 MECHANICAL PLANS 1900 AUDITORIUM LIGHT LINE DETAILS

AMC MADISON YARDS 8
 AMC NEW BUILD
 906 MEMORIAL DR SE
 ATLANTA, GA 30316



No.	Date	Description

KEY PLAN:

SHEET TITLE:
DIMENSIONED FLOOR PLAN - ENTRY

SHEET NUMBER:
A130