



Order Plans @

A1 DIMENSIONED FLOOR PLAN - ENTRY LEVEL (AREA B)
1/8" = 1'-0"

Q17 NOT USED

NO.	DESCRIPTION
1A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
1B	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. WITH PAINTED WOOD CAP.
1C	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO 6" ABOVE HIGHER PLATFORM SIDE. PAINTED WOOD CAP AND CABLE RAILING.
1D	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
1E	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO 1'-10" ABOVE HIGHER PLATFORM SIDE WITH BATT INSULATION. PAINTED WOOD CAP.
1FR	(1) LAYER 5/8" TYPE 'X' GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (1 HOUR RATED, UL L419).
1FR2	(2) LAYER 5/8" TYPE 'X' GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (2 HOUR RATED, UL L419).
2	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
2A	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
2B	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
3	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
3A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING.
3FR	(2) LAYERS TYPE 'X' 5/8" GYP. BOARD EACH SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH BATT INSULATION. (2 HOUR RATED, UL L419).
4	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE. GYP. BOARD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
5	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 1 3/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED.
6	(1) LAYER 5/8" GYP. BOARD ONE SIDE OF 1 3/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. WALL TAG IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
7	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACoustICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD.
7FR	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACoustICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD. (2 HOUR RATED, UL L408).
7FR2	(3) LAYERS 5/8" TYPE 'X' GYP. BOARD ON ONE SIDE OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACoustICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD. (2 HOUR RATED, UL L408).
8	(1) LAYER 3/4" WOOD PANEL ON (1) LAYER 1/2" PLYWOOD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO HEIGHT INDICATED. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.
9	(3) LAYERS 5/8" GYP. BOARD ON ONE SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, WITH ACoustICAL BATT INSULATION. (1) LAYER GYP. BOARD OPPOSITE SIDE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (3) LAYERS GYP. BOARD.
11A	(2) LAYERS 5/8" GYP. BOARD W/ METAL LATH SANDWICHED BETWEEN ON VAULT SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE AND (1) LAYER 5/8" GYP. BD. ON OTHER SIDE, WITH BATT INSULATION. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE (2) LAYERS GYP. BD.
13	(3) LAYERS 5/8" GYP. BOARD EACH SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACoustICAL BATT INSULATION IN (1) STUD CAVITY.
13A	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE.
14	(3) LAYERS 5/8" GYP. BOARD AUDITORIUM SIDE AND (1) LAYER 5/8" GYPSUM BOARD OTHER SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACoustICAL BATT INSULATION IN (1) STUD CAVITY.
14FR	(3) LAYERS 5/8" TYPE 'X' GYP. BOARD AUDITORIUM SIDE AND (1) LAYER 5/8" GYPSUM BOARD OTHER SIDE OF (2) ROWS OF 6" METAL STUDS @ 1'-4" OC TO STRUCTURE ABOVE, 6" ACoustICAL BATT INSULATION IN (1) STUD CAVITY.
15	2" ACoustICAL INSULATION - FIBER GLASS - FIBER BOARD INSULATION.
16	(1) LAYER 5/8" GYP. BOARD EACH SIDE OF 3 5/8" METAL STUDS @ 1'-4" OC WITH 5/8" PLYWOOD ONE SIDE TO STRUCTURE ABOVE. GYP. BOARD AND PLYWOOD EXTENDS TO 6" ABOVE HIGHEST ADJACENT CEILING. WALL TAG IN PLAN INDICATES SIDE OF PLYWOOD.
19	(1) LAYER 5/8" GYP. BOARD ON ONE SIDE OF 2 3/8" METAL STUDS @ 1'-4" OC TO STUD ABOVE. SIDE OF WALL TAG PLACEMENT IN PLAN INDICATES SIDE TO RECEIVE GYP. BOARD.

NO.	Date	Description

KEY PLAN:

1. RE: FS-SHEETS FOR DETAILED INFORMATION ON FOOD SERVICE EQUIPMENT
2. RE: MECHANICAL AND ELECTRICAL SHEETS FOR EQUIPMENT AND FEATURE SCHEDULES



SHEET LEGEND
GENERAL INFORMATION & SCHEDULES OF WORK
EXTERIOR & INTERIOR ELEVATIONS
BUILDING SECTIONS
EXTERIOR & INTERIOR DETAILS
MECHANICAL & ELECTRICAL SCHEDULES
AUDITORIUM SEAT LINE SECTIONS
STRUCTURAL
MECHANICAL
ELECTRICAL
PLUMBING
WARNING DETAILS
CASEWORK & EQUIPMENT
PLATE AUDITORIUM

AMC MADISON YARDS 8
AMC NEW BUILD
906 MEMORIAL DR SE
ATLANTA, GA 30316



No.	Date	Description

Project Issue Date: 05/22/2018

SHEET TITLE:
DIMENSIONED FLOOR PLAN - ENTRY

SHEET NUMBER:
A131

A17 GENERAL NOTES
1/8" = 1'-0"

