



STATE OF GEORGIA  
 J. B. Triplett  
 ARCHITECT  
 177 Peachtree Street, N.E., Atlanta, GA 30309  
 PHONE: 404.525.1100  
 FAX: 404.525.1101  
 PROJECT NO. 2018-001  
 SHEET NO. PLFA1  
 DATE: 05/22/2018

**SHEET LEGEND**

GENERAL INFORMATION & SCOPE OF WORK  
 NOTES: EXERCISE AREA PLANS & DETAILS  
 A100: FLOOR PLANS & CEILING PLANS  
 A200: EXTERIOR & INTERIOR ELEVATIONS  
 A300: BUILDING SECTIONS  
 A400: FINISHED PLANS  
 A500: EXTERIOR & INTERIOR DETAILS  
 A600: FLOOR SCHEDULES, SCOPED DETAILS  
 A700: MECHANICAL FLOOR PLANS  
 A800: AUDITORIUM SEAT LINE SECTIONS

SYMBOLS:  
 ST: STRUCTURAL  
 ME: MECHANICAL  
 PL: PLUMBING  
 EL: ELECTRICAL  
 WT: WAITING ROOMS  
 EQ: EQUIPMENT & FURNITURE  
 PLFA: PLF AUDITORIUM

**AMC MADISON YARDS 8**

AMC NEW BUILD  
 905 MEMORIAL DR SE  
 ATLANTA, GA 30316



**Project Issue Date: 05/22/2018**

No.	Date	Description

**KEY PLAN:**


**SHEET TITLE:**  
 Auditorium #1  
 Floor Plan

**SHEET NUMBER:**  
 PLFA1

**New Seat Count**

Fixed	165
Accessible	5
<b>Total</b>	<b>170</b>

**General Layout Notes:**

- General Contractor (GC) will establish and permanently mark auditorium centerline prior to any new construction. If dimensioned position of centerline on drawings varies more than 1" from actual auditorium centerline at the site consult with architect before proceeding. GC will remark and reestablish auditorium centerline as work progresses if marks become obscured.
- All dimensions in the auditorium left to auditorium right direction to be laid out working out from established centerline (not working in from side walls).
- All dimensions in the auditorium back to auditorium front direction to be laid out working from existing back wall of auditorium.
- Dimensions followed with (±) may slightly vary but that dimension shall not be less than any dimension followed with (minimum) or (min.).

Indicates a Designated Aisle Seat with fold up aisle side armrest and identification marker per 2010 ADA Standards for Accessible Design section 221.4 and 802.4

Indicates a Companion Seat provided shoulder to shoulder next to a wheelchair space

All existing auditoriums in the theatre complex have an assistive listening system; it will be maintained and modified as needed in this auditorium renovation

**A1 Auditorium #1 - Floor Plan**  
 1/4" = 1'-0"  
 NORTH