

NOTES:

1. GENERAL CONTRACTOR SHALL COORDINATE ALL SPEAKER LOCATIONS, LIGHTING, ETC. w/ ARCH / MEP DRAWINGS.
2. THE MAXIMUM SPEAKER AND BRACKET WEIGHT ALLOWED FOR THIS DETAIL IS 36.5 LBS. IF THE WEIGHT OF THE EQUIPMENT RECEIVED EXCEEDS THIS WEIGHT, THE INSTALLER AND GENERAL CONTRACTOR MUST CONTACT THE ARCHITECT FOR A REVISED DETAIL.
3. REFER TO 2/PLFS0.4 FOR UNISTRUT ATTACHMENT AT UNEVEN ROOF STRUCTURE OR EXISTING DUCTWORK INTERFERENCE.

1 / PLFS0.4 CEILING SUSPENDED SPEAKER - LEFT TO RIGHT STRUCTURE
N.T.S.



NOTES:

1. REFER TO OTHER SPEAKER ATTACHMENT DETAILS FOR ADDITIONAL NFORMATION NOT SHOWN.
2. ATTACH SPEAKER TO HIGH UNISTRUT WHERE POSSIBLE AND ELIMINATE LOW UNISTRUT ATTACHMENTS.
3. ALL UNISTRUT MUST BE POSITIVELY ATTACHED TO A MIN OF (2) ROOF FRAMING MEMBERS.
4. MAX INDEX EQUIPMENT WEIGHT FOR THIS DETAIL IS 210 LBS.

REFER TO SPEAKER SUPPORT DETAILS FOR ADDITIONAL INFORMATION.

TOP CHORD ATTACHMENT DETAIL

2 / PLFS0.4 UNISTRUT ALTERNATE ATTACHMENT DETAIL
N.T.S.





NOTES:

1. GENTERAL CONTRACTOR SHALL COORDINATE ALL SPEAKER LOCATIONS, LIGHTING, ETC. w/ ARCH / MEP DRAWINGS.
2. THESE SPEAKER SUPPORT DETAILS ARE FOR NEW OR EXISTING RELOCATED SPEAKERS.
3. THE MAXIMUM SUBWOOFER AND BRACKET WEIGHT ALLOWED FOR THIS DETAIL IS 210 LBS. IF THE WEIGHT OF THE EQUIPMENT RECEIVED EXCEEDS THIS WEIGHT, THE INSTALLER AND GENERAL CONTRACTOR MUST CONTACT THE ARCHITECT FOR A REVISED DETAIL.
4. REFER TO 2/PLFS0.4 FOR UNISTRUT ATTACHMENT AT UNEVEN ROOF STRUCTURE OR EXISTING DUCTWORK INTERFERENCE.

3 / PLFS0.4 CEILING SUSPENDED SUBWOOFER SECTIONS
N.T.S.

Order Plans @ WWW.IDLine.com

GEORGIA REGISTERED No. PE001789 PROFESSIONAL JEFFREY B. PMA Engineering
ISSUE DATE: 5/4/2018
PMA Engineering
4717 Shawnee Mission Parkway
Suite 105 Fairway, KS 66205
913.722.0900
www.pmaengineering.com
(a) 2018 PMA ENGINEERING

SHEET LEGEND

G0.01	GENERAL INFORMATION & SCOPE OF WORK
A0.01	SITE PLAN & VICINITY MAP
A0.02	EGRESS PLANS & CODE ANALYSIS
A200.1	EXTERIOR ELEVATIONS
A201	ENLARGED PLANS
A300.1	EXTERIOR & INTERIOR DETAILS
A500.1	DOOR, FRAME & HARDWARE SCHEDULES, FINISH SCHEDULE, SPECIFICATIONS
S100.1	FOUNDATION PLAN
S200.1	ROOF FRAMING PLAN
S1	STRUCTURAL
M1	MECHANICAL
P1	PLUMBING
E1	ELECTRICAL
FP1	FIRE SPRINKLER
FS1	FOOD SERVICE EQUIPMENT

AMC MADISON YARDS 8

AMC NEW BUILD
905 MEMORIAL DRIVE SE
ATLANTA, GA 30316

American Multi-Cinema, Inc.
One AMC Way
11500 Ash Street
Leawood, KS 66211

REV	DATE	DESCRIPTION

ORIGINAL ISSUE DATE: 05/01/2018

KEY PLAN:

SHEET TITLE:
TYPICAL DETAILS

SHEET NUMBER:
PLFS0.4